



Modular Signage Products

Elevadores



7

7
4
0

Pedro Cortés
Expresa Asociados

Corporativo BOA
Torre de Profesionistas

Corporativo BOA
Torre de Profesionistas

ISE Gerardo Guzmán

BOA Corp. Latinoamérica

Guzman Asesores

Expresa & Asociados

Reyo Maldonado & Rutz

Servicios Administrativos del Norte

Table of Contents

System 2/90 is the flexible response to the demand for modular interior and exterior facility signage.

The System.....	2
Combo Signs.....	3
Three Systems in One.....	4-5
Component Design Options.....	6-7
Graphic Design Options.....	8-9
People and Department Signs.....	10-11
Direction/Directory Signs.....	12-13
Window Signs.....	14-15
Window Insert Signs.....	14-15
Sliding Insert Signs.....	16-17
In/Out Signs.....	16-17
Quick Change Number Signs.....	18-19
Quick Change LNS Signs.....	18-19
Freestanding Signs.....	20-21
Frame Signs.....	22-23
Quad Signs.....	24-25
Display Signs.....	24-25
Heavy Duty Interior Signs.....	26-27
Exterior Signs (Standard Duty).....	28-29
Exterior Signs (Heavy Duty).....	30-31
System 2/90 SPECS.....	32
Mounting Options.....	Inside Back Cover
Product Chart.....	Back Pocket
Color Chart.....	Back Pocket
Typestyle Chart.....	Back Pocket

The System

The System is composed of three primary elements: a structural rail, removable copy inserts and interlocking end caps or frames

Rails


Rails are made of extruded aluminum and can be specified as Thin, Standard or Box Rail. Rails are 2", 3", 4", or 6" in height and up to 90" in width.

Inserts

Inserts range in height from 1" to 24". Maximum width is 90". Standard insert material is Korad* clad ABS, with aluminum and woodgrain laminate along with numerous special materials available.

End Caps

End caps interlock with the ends of the rail to enclose and secure the inserts. End caps can be ordered with locking features.




COMBO Signs

Larger signs can be made by combining smaller individual signs from the System 2/90 Product Chart to form COMBO Signs.

COMBO Signs

All standard System 2/90 signs are illustrated in the Product Chart (back pocket of brochure). To specify larger signs, a combination of standard signs can be specified.

System 2/90 COMBO signs accommodate large volumes of information as well as irregular formats such as very high or very wide layouts. COMBO signs can be expanded by adding any sign of the same height or width. The example illustrated here shows one of many ways in which a COMBO sign can be created, using standard System 2/90 signs.



Three Systems In One

System 2/90 signs are available in three basic structural styles: the one-sided 2/90 Thin, the two-sided System 2/90 Standard, and the two-sided Box Rail design used for Heavy Duty Interior options.

From these three structural styles virtually any System 2/90 sign can be created. All rail faces are identical, allowing any System 2/90 insert to be used on any sign style, including Series 1 exterior signs. * End cap, accent style, frame, top and bottom trim and insert options allow for infinite creative flexibility, within a system that is elegantly simple.





126

Jason Hendricks

Humanities Director

WELCOME

please sign r

erwache 23

WEST

H

Erste Hilfe
Toiletten

ACIÓN



Casa Omega

Cristina Gonzalez
Director de Residentes

Ana Valero
Director de Asistentes

Javier Garcia
Director de Asistentes

Alfonso Villaiba
Coordinador de Actividades

Belen Lopez
Asociado

Antonio Santillana
Personal

Francisco Linare
Gerente de Mantenimiento

José Gomez
Gerente de Asistentes

Silvia Casado
Representativo

Carmen Losada
Representativo

8

126

Dr. Henri DuVall

Circuit Courts

Faculty Only

Courtroom A

The Hon. Judge Andrew Matthews

Courtroom B

The Hon. Judge Philip Howard

Courtroom C

The Hon. Judge Edward Smith

Courtroom D

The Hon. Judge William Adenon

Courtroom E

The Hon. Judge Krista Hubbard

Courtroom F

The Hon. Judge Richard Myers

H

Erste Hilfe
Toiletten

Hombres

Component Design Options


Each component of the system is available in a variety of styles, providing a virtually unlimited range of possible configurations.

End Caps and Trim Options

Six end cap styles are offered in eight standard colors plus natural anodized aluminum. An unlimited range of optional Color Match selections is available. Wood and chrome end caps are also offered. Top and Bottom Trim and Accent Strip options are available to customize System 2/90 signage.

Other Sign Styles

Other Sign Styles—including small and Large Frame, Heavy Duty Interior, Exterior, Freestanding, Quad Signs and Display Signs—are covered in later sections of this catalog.



Graphic Design Options

System 2/90 projects your company's commitment to quality. A comprehensive selection of standard features plus custom options is available to provide flexibility in color, texture and style.

Colors, Copy and Textures

Korad* clad ABS copy inserts are available in eight standard colors. More colors plus unlimited custom colors are also offered. Brushed aluminum and woodgrain laminate inserts are also available.

System 2/90's durable premium grade PVC copy material is available in 18 standard colors as well as hundreds of additional colors through special order. Standard finish is glass. Matte finish is used for ADA* and under glass applications.

In addition to standard surface application of vinyl copy. System 2/90 offers Silkscreened, Engraved, Sub-Surface, Tactile, and Braille.*

System 2/90 offers a large selection of popular type styles. Additional styles or custom font development are available through special order. Copy ranges from 3/8" to 24" in height. (See Typestyle Chart in back pocket of brochure.)

A comprehensive selection of international symbols are available as well as logos or custom graphics in any size or color desired.

Standard Copy Application


Surface-applied vinyl copy is standard and is available in a wide range of colors and type styles. (See System 2/90 Color Chart and Typestyle Chart)




Vinyl

Copy Application Options

Optional copy application methods can be ordered for part or all of any System 2/90 sign.



Silkscreened
Engraved
Tactile and Braille*
Sub-Surface
LNS (Individual Letters)
U-Do Sub-Surface



LNS signs—offer individual changeable letters that slide into LNS inserts behind a clear lens. Letters are printed white on black PVC, creating a near perfect match with black face of the window insert.



U-Do Sub-Surface signs—allow you to create your own custom graphics as a background behind lens-applied letters. Or you can create your own copy on supplied laser-print paper, to be inserted behind a clear Lexan® lens.

* Specifying signage for accessibility, including compliance with government regulations such as the Americans with Disabilities Act (ADA), does not compromise the original simplicity of the system. For more information, refer to the System 2/90 ADA Facts and Specifications brochure.

pharmacy
© Orlando Eyebank



recovery/patient rooms
Orlando Eyebank

8 lounge

© Orlando Eyebank admissions

Dr. Harriet Marx
Staff Physician
Rm. 102

consultation
© Orlando Eyebank

Oliver Sente



Helmut Fischer
Stations Pfarrer

Feuerwache 23
Küche

23
Phillip Warr
Brandmeister

WELCOME
please sign register

INFORMACIÓN

Jason Hendricks
Humanities Director

Next Window Please

3

People and Department Signs

System 2/90, in its most basic application, offers facilities a consistent program of identification signage for people and departments that can be updated quickly, easily and inexpensively.


People Signs

Layouts for people signs accommodate name only, name and tile, name and room number, and even name and photo. Choice of sign sizes range from our smallest 2" x 6" signs to any size needed.

System 2/90 Photo Signs can be used in roster style applications as well as in people signs.

Department Signs

The ability to create a variety of sizes is critical to creating effective department signs. Some facilities standardize the height of their department signs and determine width by the length of copy to be included. Others prefer a single size sign which accommodates various copy.



Direction/Directory Signs

Ease of insert changes, range of insert sizes and variety of insert layouts make System 2/90 Direction Signs and Directory Signs the most complete in the industry.

Direction Signs


In larger direction signage the flexibility of System 2/90 provides an economical solution when changes have to be made.

Any System 2/90 sign can be used for direction sign applications.

Colors and contrasting copy add emphasis and clarity to direction signs. Price is not affected by either copy color or insert color combinations.

Directory Signs

Replacement inserts are the key to a good directory sign. Combo Signs are generally used for directory signs. Insert capacity can be increased after installation by adding sign sections to the original sign.



Courts

Magistrate's Court

Justice of the peace John Tide

Crown Court

Phyllis Himel presiding chairperson

Assize Court

Edward Smith presiding barrister

Court of Appeals

Lord Chief Justice William Adelman

Lords Justice of Appeals K. Hume

Puisne Judge Richard Myers

Chief Officer

Ronald
Montegue
III



Department of officials

Evacuation Route



Mary Combs

Room 905



EDGERTON

Civic Calendar

DATE	EVENT
December 7	Edgerton Lateness Light Festival
December 9	Founder's Day
December 14	Council Meeting
December 15	City Planning Commission Meeting
December 25	Christmas Day
December 26	Boxing Day
December 31	End of Fiscal Year

EDGERTON

THE OFFICE OF THE CITY CLERK

Rate Pounding
Assessment has
moved to third year

Window and Window Insert Signs

System 2/90 provides specialty-insert solutions for temporary or customized displaying of documents, photographs, messages and names.

Window Sign



The System 2/90 Window Sign displays any letter-size printed matter, including photographs, under glass. The clear, low glare, acrylic face insert can be attached to the sign by standard sliding hook or by front-loading magnetic strip.

An 8 1/2" x 11" viewing size is standard, but any size up to 400 square inches is acceptable.

Window Insert

Primarily used as people signs—any standard system 2/90 sign, using 1", 2", 3" or 4" high inserts can be specified with Window Insert. Window inserts can be combined with other standard inserts materials within a particular sign.

Standard insert color is black anodized channels and white paper. Color Match sign colors are available, and special paper color and/or patterns can be specified. Window Inserts can be used for computer-generated signs (printing on die-cut paper inserts) and for U-Do Subsurface, where reverse-cut vinyl copy is applied to back surface of Lexan* lens.



Sliding Insert Signs

Clear and convenient display of the availability of key personnel and facilities is provided by System 2/90 Sliding Insert Signs and In/Out Signs.



Basic Sliding Insert Signs

Sliding Insert Signs are typically used for conference or meeting rooms to indicate availability. Any sign with a 1", 2", 3" or 4" high insert can be used as a Sliding Insert Sign. All Sliding Signs have Locking End Caps with the exception of Angleback and Stepback End Caps.

In/Out Sign

In/Out Signs have the same flexibility as any System 2/90 sign. The basic sign measures 12" in height by 20" in width and will accept up to 10 names. Name capacity can be increased by adding 4" x 20" modules, which accommodate four additional names each.

The sign can also be expanded by adding modules to the right. The standard addition is a 5" wide white dry marker material. Corkboard sections can also be specified.



PINE STATE UNIVERSITY

ADMISSIONS

NOTES

WILL RETURN AT:

NAME	IN	9	10	11	12	1	2	3	4	5	OUT
TRATHO, R.											
O'NEIL, J.	●										
CASSIDY, S.	●										
RENICK, F.				●							
BROWN, D.									●		
CHUNG, C.	●										
HINKLE, T.	●										
FUENTES, A.											●
ALBOM, G.	●										

STAFF MEETING- 3/14
8:00 AM SHARP!

PLEASE COME IN



CAPER WILLIAMS

JOB PLACEMENT COUNSELOR

MESSAGES

Mr. Williams
I would like to set up an appointment with you before the break. Please call me at 546 7785.
Thanks,
Matt Conway

RODRIGO LOPEZ-CARRERA

OFFICE HOURS
M, W, F 9:00 AM - 10:00 AM
T, TH 2:00 PM - 4:30 PM
OTHER BY APPOINTMENT

WALK IN/STREET ADDRESS ONLY

AVAILABILITY: []

PINE STATE UNIVERSITY



BOOKSTORE

IN: OUT

IRON PHILLIPS
CYNTHIA ROGERS
OSCAR OLIVAREZ
HANS GUTENBERG
LARRY MCNICHOLS
MIKE WAYBRIGHT
SHARON TRENT
MITCHELL HABER

●	●
●	●
●	●
●	●
●	●
●	●
●	●
●	●

WEST CONFERENCE ROOM

Occupied

C. MC CLIMMING'S FINE ARTS AUCTIONEER

BOX OFFICE

SOLD OUT

International Currency Exchange Rates

See & Change International — Distribute
SpA & Canada in Chicago (www.seec.com)

Country	Country	Buy	Sell
Australia	Dollar	0.7900	0.8000
Belgium	Dollar	0.5500	0.5600
Canada	Dollar	0.7100	0.7200
France	Dollar	0.1700	0.1800
Germany	Dollar	0.2500	0.2600
Greece	Dramatic mark	0.2500	0.2600
Italy	Peso	0.1000	0.1100
Japan	Yen	0.0050	0.0055
Mexico	Peso	0.0100	0.0110
Netherlands	Guilder	0.1500	0.1600
Portugal	Escudo	0.0500	0.0550
Spain	Peso	0.0120	0.0130
Switzerland	Franc	0.0050	0.0055
United Kingdom	Pound	0.5000	0.5100

All exchange rates are in United States Dollars

Blue Moon Video

NEW RELEASES

- Cat Women on the Moon
- The Wasp
- Bride of the Gorilla
- The Indestructible Man

Vía **16** Madrid/Cordoba
Salida 16:40

Douglas Brothers Development

Project/Building	Units	Comments
Foreyth Building	751, 2000	3rd Available
Green Acres Business Park	800	Est. 4/12
McKay Tower	800	
Water Walk	3rd Stage	3000 Comp
Watermen Plaza	1	4/10-Closed

325 Unfallfreie Tage!

Industrie Service Hannover
West Küsten Händler
Konferenz-Raum **A**

LC Imobiliária

Florianópolis

Andresson	785,50
Carolina	640,00
Lucas	625,00
Thibaud	475,50
Thomaz	300,00

CREDIT REGIONAL EUROPEEN

PLANIFICATION	5,50%
COMPTES COURANTS	1,25%
COMPTES REBANTS	2,75%
CREDIT LOCATIONS	8,50%
CED - 6 MOIS	5,00%
CED - 1 AN	5,00%
PRELIMINAIRE	8,50%
PRELIMINAIRE	8,25%



Quick Change Signs

System 2/90 offers the ultimate in changeable-on-demand signage.


Quick Change Number Sign

System 2/90's is the simplest and most easily maintained changeable numbers sign available. The reusable printed fluorescent paper insert slips into System 2/90's Window Insert, protected by a clear Lexan* lens. The result is a simulated electronic LCD sign that is unbelievably realistic.

Numbers are changed by wiping clean the paper insert and creating a new number with the water soluble black marker pen (supplied). Both magnetic (front-loading) and standard hook-mounted inserts are offered.

Quick Change LNS Sign

LNS—Letter, Number and Symbol inserts slide into System 2/90's standard Window Insert to create messages that can be changed on site. A non-glare Lexan* lens protects the changeable inserts from vandalism. Both magnetic (front-loading) and standard hook mounted Window Inserts are available. For further information, refer to the System 2/90 LNS Brochure.



Freestanding Signs

Freestanding signs include light duty, medium duty and heavy duty stands for System 2/90 signs.

Light Duty

Light Duty stands are constructed of a fabricated aluminum frame with a welded steel base. Stand height is 48" and maximum sign size is 400 square inches.

The Brochure Holder sign is similar to the Light Duty Freestanding Sign with the addition of a lower filler panel and a clear acrylic pocket. A sign above the pocket is 9" wide and maybe any standard height. Brochure holder holds 8 1/2" x 11" materials and can be specified for one or two sides of sign.

The brochure holder is also available on custom applications for all freestanding signs. Other holder sizes can also be specified.

Medium Duty



Medium Duty stands are constructed of welded steel square tubing. Standard height is 60", and maximum sign size is 1200 square inches.

Heavy Duty

Heavy Duty Stands are constructed of the same 2 1/4" round extruded aluminum as I used in System 1/90 standard duty exterior signs [see page 28 for assembly details]. Recommended maximum sign size is 2400 square inches, in total height up to 72".

Copy inserts on Medium and Heavy Duty signs are under class (clear acrylic) leveler feet are standard with casters offered as an option on Medium Duty only.

Standard finish on all freestanding signs is black.



Horario de
Funcionamiento

9:00-4:00 Seg.-Sáb.
10:00-1:00 Dom.

Balcony
Closed

Thank you

Las Palmas

Hotel and Convention Center

Association of
International Travel Agents

Welcome!
Bienvenidos!
Willkommen!

ACHTUNG

RUTSCHGEFAHR

E
vénements

Aôut

Metroplex



Frame Signs

System 2/90 Frame Signs add both vandal resistance and structural strength.

Small Frames

The Small Frame is ideal for signs up to 400 square inches. Side frames are removable to allow for insert change. A protective lens, made of clear, low-glare acrylic, protects the sign copy from vandalism.



Sign thickness is $\frac{3}{4}$ ". Width of side frame is $\frac{3}{8}$ " at top/bottom frame is $\frac{3}{16}$ ". Frame material is extruded aluminum with natural anodized finish. Color match finishes are optional, Locking side frame available.

Large Frames

The Large Frame, offered with and without clear, low-glare acrylic* lens, is used for larger signs up to 5400 square inches.

Large Frame section measures $\frac{3}{4}$ " wide by $1\frac{3}{4}$ " deep. Side frame standard finish is brushed natural anodized aluminum. Top/bottom frame is finished to match insert color unless otherwise specified. Side frame also has four optional wood finishes: Light or Medium Oak, Walnut or Mahogany. Color match finishes are also available. Side frames are attached with special screws and are removable for insert change. Mitered corner detail is optional.

Low glare tempered glass is available for both frame designs as a special order item.



Quad Signs/ Display Signs

System 2/90 Quad Signs and Display Signs with changeable inserts are ideal for intersection applications or high-impact visuals.

Quad Signs


The System 2/90 Quad Sign is a four-sided, changeable insert sign ideal for intersection applications. They can be mounted directly to a ceiling grid system of various overhead details and can also be used in a freestanding configuration.

Standard Quad Sign dimensions are 2" x 2" (20" wide inserts), 3" X 3" (30" wide inserts), and 4" x 4" (44" wide inserts). Inserts range in height from 1" to full sign height.

Quad Signs are shipped assembled, ready for installation.

Display Signs

Display Signs use the three-sided sign rail as a post to support various signs or display panels. Based on an equilateral triangle, an endless variety of free standing configurations can be formed, Standard System 2/90 sign rails and inserts attack to rail posts at any height to create full-post-height sign walls or partial-height spanner signs.





Musée d'Orsay

Science et Technologie

Musée d'Orsay

Hall de la Découverte >

- Exposition libre
- Le monde est petit
- Voir, entendre et sentir

Salle Centrale >

- L'aéronautique
- Voyage interstellaire
- Pour tous

Allée de l'Innovation <

- Autour de la maison
- Petits miracles
- Machines intelligentes



Musée d'Orsay

Planetarium Mercury

Projection en Cours

Mystères de la Voie Lactée



Heures de Projection

Lundi - Jeudi	10:00 - 11:00 - 16:30
Vendredi - Samedi - Dimanche	10:00 - 11:00 - 16:30 - 17:30



East Wing Nursing Station

Patient Information
Restrooms



FOURTH

4

Burn Unit
Cardiovascular Services
Children's Hospital
CT Scanner
EEG
EKG
Endoscopy
Hyperbaric Oxygen Therapy
Critical Care Unit
Intermediate Care Unit
MRI
Nuclear Medicine
OB-Special Care Unit
Pediatrics
Pediatrics Intensive Care
Radiation Oncology
Surgical Critical Care
Ultrasound
Visitors Lounge
Restrooms
Telephones

BIOHAZARD AREA

AUTHORIZED PERSONNEL ONLY
PPE PROTECTION MUST BE WORN AT ALL TIMES



Resident Hall

- ↑ Library
- ↑ Recreation Center / Music Room
- ↑ Resident Hall Director's Office
- ← Resident Rooms - A-J
- Resident Rooms - K-Z



METROPOLITAN HOSPITAL
ADMITTING DESK

PLEASE HAVE INSURANCE PAPERS
READY FOR PRESENTATION

PLEASE FILL OUT ADMITTING
FORMS UPON ARRIVAL

Heavy Duty Interior Signs

Large interior environments, such as airports and shopping malls, may require the added thickness of System 2/90 Heavy Duty Interior Signs.



Sign Structure

System 2/90 Heavy Duty Interior uses the same structural rails and inserts at standard System 2/90, in a “box-rail” design which is offered in thicknesses of 2” (Series 2) and 3 1/4” (Series 3). The thicker sections provide added structure and “architectural” thickness proportional to larger sign sizes.

Three top/bottom trim packages are offered: Square Corner, Round Corner and Bullnose. Removable end caps are 1/8” thick aluminum, shaped to match the top/bottom trim shape.

Mounting Options

Three mounting options are offered: Wall Mount. Sign height equal to, or greater than width of sign is recommended for perpendicular mount.



Series 1 Standard Duty Exterior Signs

Versatile post options used with Standard System 2/90 rails and inserts, for exterior signs up to 1800 square inches.

Sign Structure



Series 1 accepts standard System 2/90 signs. Two design options are offered Post Only and Post and Spanner. The sign is captured at each end by the slotted post. All standard System 2/90 insert sizes, colors and materials are offered. Maximum sign size is 1800 square inches.

Series 1 Exterior signs can also be used to create quad signs, freestanding kiosks and a variety of other interior applications.

Post and Mounting Options

Four post shapes are offered (see right). All System 2/90 standard colors plus unlimited color match finishes are available.

In addition to mounting signs into various post configurations, three other mounts are standard Wall Mount, Perpendicular Mount and Hanging Mount.






EMERGENCY →
 MAIN ENTRANCE ←
 VISITOR PARKING ←
 FAMILY HEALTH CLINIC ←
 COMMUNITY SERVICES ←
 DAYCARE FACILITY →
 ADMINISTRATIVE OFFICES →
 DELRAY CANCER CENTER →

er Center

→

→

←

AMBULANCE
PARAMEDIC ONLY

INTERNET
ENTRANCE



STAFF
PARKING



VISITOR
PARKING



Emergency →

Main Entrance →

Visitor Parking ←



METROPOLITAN
HOSPITAL

MAIN ENTRANCE



METROPOLITAN
HOSPITAL

PHARMACY

East Wing

- ▶ Burn Center
- ▶ Women's Center
- ▶ Mammography
- ▶ Maternity

West Wing



- Orthotics/Prosthetics ▶
- Regional Poison Center ▶
- Radiation/Oncology ▶
- Cardiac Rehabilitation ▶

Series 3 Heavy Duty Exterior Signs

An all aluminum system, in 3 1/4" thickness for heavy duty applications.

Series 3 is an aluminum system which features box-shaped extrusions clad with 1/8"-thick aluminum sheet. Finished panel thickness of 3 1/4" with heights up to 96" are available. Maximum sign size is 5600 square inches for Series 3.

When larger or illuminated signs are needed, we also offer Series 7 (7" thick), and Series 12 (12" thick).



System 2/90 SPECS

Design and specify System 2/90 signage on your PS.

System 2/90 SPECS (Sign Programming Electronic Catalog System) was developed to aid in the specification and design of your System 2/90 modular facility signage.


System 2/90 SPECS provides easy, point-and-click access to all of the variables and options that have made System 2/90 the best signage system for change. Using System 2/90 SPECS enhances the ordering process with creating a personalized, up to date and readily available record of your facility's signage.

Features include the System 2/90 Order Form, and complete Product Chart, and options that have made System 2/90 the best signage system for change. Using System 2/90 SPECS enhances the ordering process while creating a personalized, up-to-date and readily available record of your facility's signage.

Features include the System 2/90 Order From, a complete Product Chat, and onscreen design of all sign elements. Each window has a help menu or button to explain all features of that particular window as well as general information about the program. Printing capabilities including completed Order Forms and individual sign illustrations.

System Requirement

The minimum recommended system configuration is a 486 33 megahertz computer running Windows version 3.1 with a VGA card, 256 colors Memory requirements are 2MB RAM, 12 MB free hard drive space, and at least 512K VRAM (1MB VRAM recommended).



Mounting Options

Prices for all Mounting Options, except "N", are included in blank sign price.

A Pressure Sensitive – Pressure sensitive mounting intended for smooth, hard surfaces. Not recommended for selected vinyl wall coverings. Can be used with silactic bonding.

B Magnetic – Same as "A" but uses magnetic mounting for steel surfaces.

C Velcro – Same as "A" but uses Velcro mounting from fabric surfaces.

D Screw-on – Screw-on mounting for rough surfaces such as brick and drywall, where "A" mount is not recommended. Recommend on all wall mounted signs larger than 12" x 20".

E Pin – A specially designed pin device for fabric surfaces. Unique one piece pin design enables mounting to any fabric surface including fabrics mounted over hard base materials.

F Hook – Hook device in clear plastic which "hooks over" top of panel. Automatically locates signs two inches from top of panel. ORDER MUST SPECIFY PANEL MAKE AND THICKNESS.

G Freestanding – For freestanding applications such as receptionis Clear extruded Lexan* bracket. MAXIMUM SIGN HEIGHT OF IS RECOMMENDED.

H Panel Top – For mounting on top surface of panel. Pressure sensitive. Clear extruded Lexan* bracket. MAXIMUM SIGN HEIGHT OF 8" IS RECOMMENDED.*

I Ceiling Mount (Suspended Ceiling) – Connects to ceiling grid system using clear 2" plastic brackets. Signs appear to be "floating" below ceiling line. SPECIFY 1/2" OR 1" GRID SYSTEM.*

J Ceiling Mount (Hanging) – General purpose hanging applications for high or irregular ceilings. Hang lines tie to various points (rafters, beams, duct work, piping, etc.). Customer must supply hang line material.*

K Perpendicular Wall mount – Mounts sign at 90° angle to wall surface. Screw on device. NOT RECOMMENDED ON SIGNS WIDER THAN 15".*

L Inside of Glass Mount – Clear acrylic bracket attached to glass with clear pressure sensitive tape.

M Ceiling Mount (Hanging) – Clear plastic, screw mount. No mounting screw provided with this mount.*

N Ceiling Mount (Rigid Post) – Sign mounts 6, 12, or 24 inches from ceiling using 1/2" aluminum rod. Refer to Price List for added cost.*

IT IS RECOMMENDED THAT MOUNTING APPLICATIONS BE PRE-TESTED PRIOR TO FINAL INSTALLATION. SUITABILITY OF EACH MOUNTING OPTION REMAINS THE SOLE LIABILITY OF THE CUSTOMER

UNICOR 2/90 SIGNAGE



U.S. Department of Justice

UNICOR

Federal Prison Industries, Inc.

115-99

(800) 347 - 2005

www.unicor.gov

