

PRICE LIST

Stackable Panel System

# Classic XXI System



Prices effective through: August 31, 2001

UNICOR



# Contents

Section/Product	Page
<b>Terms and Conditions</b>	1-2
<b>Standard Product Overview</b>	3
<b>Panels</b>	
Fabric Acoustical Panels	4-9
Open Frame Panels	10
Glass Panels	11-12
Open Frame Panel Cover	13
Fabric/Laminate	14-19
Half Glass/Half Fabric	20-23
Half Open Frame/Half Fabric	24-27
Bottom Open Frame	28-31
Bottom Open Frame Cover	32-35
Special Bottom Open Frame Panel 7" Opening	36-37
Bottom Open Frame Panels With Access Openings	38-41
Open Frame Panels With Access Openings	42-43
<b>Curved Panels</b>	
Curved Fabric Panels	44-45
Curved Glass Panels	44-45
Curved Fabric/Laminate Panels	46-47
<b>ERP Panels (Extended Raceway Panel)</b>	
ERP Fabric Acoustical Panels	48-53
ERP Glass Panels	54-55
ERP Open Frame Panels	56-57
ERP Half Glass/Half Fabric	58-61
ERP Half Open Frame/Half Fabric	62-65
ERP Bottom Open Frame	66-69
<b>Raceway Communication and Data</b>	
Data 1 Non-Powered Raceway Cover	70
Data 2 Non-Powered Raceway Cover	70
Data 1 P8 Raceway Cover	70
Data 2 P8 Raceway Cover	71
Non-Powered (One) Single Gang Raceway Cover	71
Non-Powered (Two) Single Gang Raceway Cover	71
<b>ERP Raceway Communication and Data</b>	
ERP Data 1 Non-Powered Raceway Cover	72
ERP Data 2 Non-Powered Raceway Cover	72
ERP Data 1 P8 Raceway Cover	72
ERP Data 2 P8 Raceway Cover	73
ERP Non-Powered Raceway Cover With Single Gang Mounting Hole	73
ERP P8 Raceway Cover With Single Gang Mounting Hole	73
<b>Raceway Communication and Data - 10 Wire</b>	
Data 1 - 10 Wire Raceway Cover	74
Data 2 - 10 Wire Raceway Cover	74
ERP Data 1 - 10 Wire Raceway Cover	74
ERP Data 2 - 10 Wire Raceway Cover	75
ERP Single Gang - 10 Wire Raceway Cover	75
<b>Panel Trim</b>	
Panel End Cap	76
In-Line Variable Height Panel End Cap	76-77

# Contents

Section/Product	Page
<b>Panel Trim - Continued</b>	
T-Post (CTC) - Upholstered	78
Variable Height T-Post (CTC) - Upholstered	79
2½" CTC Spacer	80
90° Corner Post (CAC) - Upholstered	80
Variable Height 90° Corner Post (CAC) - Upholstered	81
45° Corner Post	82
60° Corner Post	82
Two Way Top Cap	82
Four Way Top Cap	82
<b>ERP Panel Trim (Extended Raceway Panel)</b>	
ERP End of Run Caps	83
ERP T-Post (CTC) Upholstered	83
ERP 2½" CTC Spacer	84
ERP 90° Corner Post (CAC) - Upholstered	84
<b>Panel Trim Accessories</b>	
Name Plate Holder	84
Wall Mount	85
Adjustable Wall Mount	85
Panel Center Mount	85
<b>Stackable Panels</b>	
Stackable Panel Section - Fabric	86
Stackable Panel Section - Glass Frame	87
Stackable Panel Section - Open Frame	88
<b>Stackable Panel Trim</b>	
Stackable End of Run	89
Stackable 3 T-Post (CTC)	89
Stackable 90° Corners (CAC)	89
Stackable Variable End of Run	90
Stackable Variable 3 T-Post (CTC)	90
Stackable Variable 90° Post (CAC)	90
<b>Panel Doors</b>	
Door	91
ERP Door	91
Door Threshold	91
<b>Electrical - 8 Wire</b>	
Base Feed	92
Top Feed	92
Panel to Panel Power Connector	93
Duplex Receptacles	93
Simplex Receptacles	94
Power Pass Through	94
Power Retrofit Kits	94
<b>Electrical - 10 Wire</b>	
Base Feed	96
Top Feed	96
Panel to Panel Power Jumper	97
Duplex Receptacles	97
Power Pass Through	98

# Contents

Section/Product	Page
<b>PowerUp Module</b>	
PowerUp Surface Mounted Power and Data	99
<b>Worksurfaces - Bullnose T-Edge</b>	
Rectangular	100-101
90° Corner	102
Curved	102
Keyboard, Left/Right/Center	103
D-Shaped - Panel Mount	103
D-Shaped - End Mount	104
Adjustable D-Leg - Panel Mount	105
Adjustable D-Leg - End Mount	106
Adjustable D-Leg	107
Conference End	107
<b>Worksurfaces - 3mm PVC</b>	
Rectangular	108
Mitered Rectangular	109-110
P-Shaped Peninsula	111
Piano Peninsula	111
Radius Corner Peninsula	112
Radius Shoe	113
Square Shoe	114
90° Diagonal Corner	115
90° Curvilinear Corner	115
Conference End	116
D-Shaped Peninsula - Panel Mount	116
D-Shaped Peninsula - End Mount	117
Curved	117
Dual Curvilinear 90° Corner with Position Mate	118
<b>Countertops - Bullnose T-Edge</b>	
Straight	119
90°	119
Curved	119
Straight for 32" Panel	120
90° for 32" Panel	120
Curved for 32" Panel	120
<b>Countertops - 3 mm PVC</b>	
Straight	121
90°	121
Curved	121
Straight for 32" Panel	122
90° for 32" Panel	122
Curved for 32" Panel	122
<b>Worksurface Accessories</b>	
Worksurface Support Bracket & Lock Clip	123
Worksurface Support Panel	124
C-Leg Supports	124
Worksurface Vertical Filler	125
Printer Slots - Bullnose T-Edge	125

# Contents

Section/Product	Page
<b>Worksurface Accessories - Continued</b>	
CPU Sling	125
Worksurface Cord Manager	126
Basic CPU Holder	126
Basic CPI Holder with Cover	126
Basic Slide Mechanism with Covers and Security Kit	127
Covers	127
Security Kit	127
Extra Cable	128
Cord Manager Hanger	128
Center Drawer	129
<b>Computer Accessories</b>	
Manuscript Stand	130
Center Drawer	130
Turntable	130
CPU Sling	130
Composer Articulating Keyboard	130
Optional Tilting Mousepad with Bracket Assembly	131
Monitor Lift	131
Carousel	131
<b>Overhead Panel Storage - Laminate End</b>	
Low Shelf	132
Regular Shelf	132
Fabric Flipper Door	134
Laminate Flipper Door	134
Steel Flipper Door	135
Hang-on Lateral File - Fabric	135
Hang-on Lateral File - Laminate	136
Flipper Door Unit Backs	136
Coat Rack	137
Shelf Divider	137
<b>Overhead Panel Storage - Radiused Front - Steel End</b>	
Radiused Front Low Shelf	138
Radiused Front Regular Shelf	139
Radiused Front Overhead - Fabric Front	140
Radiused Front Overhead - Laminate Front	140
Radiused Front Shelf Dividers	141
Overhead Panel Storage - Corner Bookshelf	141
Corner Bookshelf - 3mm PVC Edge	141
<b>Panel Hung Accessories</b>	
Tackboards with Backer	142
Markerboard	143
<b>Under Shelf/Cabinet Lighting</b>	
Standard Ballast Task Light	144
Variable Intensity Standard Ballast Task Light	144
High Efficiency Electronic Ballast Task Light	144
<b>Freestanding Lighting</b>	
Astra	145
Vesper	145



# Terms & Conditions

## The Customer Service Center

Contact the FPI Customer Service Center for any questions or assistance regarding the information in this price list. Our business hours are 7:30 a.m. to 6:00 p.m. (EST), Monday through Friday (excluding federal holidays). Our phone number is (800) 827-3168.

## Order Acknowledgment

FPI acknowledges every order. Orders are accepted, filled and invoiced based on the information in this written order-confirmation. Should you note any discrepancy, please advise us immediately.

Your order acknowledgment indicates a due date when your product will arrive. In the event your products are manufactured earlier than scheduled, we will ship them upon completion, providing that your purchase order states: Early Shipments Authorized. This generally applies only to parts orders, project level orders will be coordinated through our Project Managers.

## Order Modifications

Modification to your purchase order will be accepted up to six weeks prior to the due date indicated on your order acknowledgment. However, if the revision results in a change in product availability, a new due date may be set by FPI. Such due date adjustment may be for your full purchase order, whether or not the specifications of all line-items on it are modified. All purchase order modifications are acknowledged in writing, including the annotation of any adjusted due date(s).

Changes requested after we obtain materials for your order may be subject to an upcharge. Confirmation of your order modification will note any such additional charge(s).

## Standard Lead Time

Typical lead time for Systems products delivery is 60 days after receipt of your order however orders having specialty or C.O.M. fabrics may take longer, and, therefore, have an extended due date on your order acknowledgment.

## Product Delivery and Pricing

All pricing listed in this price list is FOB Destination. FOB Origin pricing is available upon written request.

On FOB Origin orders, title/product responsibility passes to the customer at the time of shipment. You may arrange your own transportation on FOB Origin orders coordinating with FPI accordingly. Otherwise, your order will be shipped by common carrier at your expense.

On FOB Destination orders, title/product responsibility passes to the customer upon delivery to the dock of the designated point-of-delivery. Freight charges are included in the product prices listed in the FOB Destination column of this price list.

Contact the Customer Service Center for destination prices where none are given. Such destination pricing for delivery outside the continental U.S. must be negotiated based on the freight rates at the time of shipment.

Services, such as space-planning design, storage, inside delivery and installation are available. These services may vary depending

on individual projects and will be determined on a project-by-project basis. Contact the Customer Service Center for such service-fee quotations.

All products are shipped via surface transportation.

## Geographic Coverage

All shipments for the Continental United States include the 48 contiguous states and Washington, DC.

## Special Note on Overseas Shipments

All FOB Destination shipments are prepaid to Port of Embarkation. All freight and handling charges beyond Port of Embarkation are the responsibility of the local government purchasing facility unless other arrangements are made through FPI. The freight charges for deliveries to Alaska, Hawaii and all other countries will be negotiated based on freight rates at the time of delivery.

## Special Packaging

Standard packaging varies per individual product. FPI will accommodate your special packaging requests; however, an upcharge may apply. Contact the Customer Service Center for more information.

## Shipment Claims

FPI products are packaged to comply with carrier requirements. All shipments should be inspected by the consignee before acceptance.

The delivering carrier should be requested to record any damage or shortage of items shipped. If any shortages are discovered please also notify FPI Customer Service Center immediately.

Shipping damage and shortage claims must be filed with the carrier within 15 days of delivery. This applies to both FOB Destination and FOB Origin shipments. Carrier liability ends after 15 days for shipping damages or shortages.

## Concealed Damage Claims

Claims for concealed damages must be filed with the carrier within 15 days after the delivery of goods. This applies to both FOB Destination and FOB Origin shipments. Carrier liability ends after 15 days for concealed damages.

Neither FPI nor the carrier will be responsible for damages if shipments are left unopened and/or claims are not filed within 15 days.

## Product Storage

If necessary, FPI will store products at the factory at no expense to you for a period not to exceed 30 calendar days; however, such storage is predicated on the availability of our warehouse space at the time of need.

If FPI storage space is not available, or if you require storage in excess of 30 days, we will assist you in finding commercial storage alternatives at current market rates, at your expense.

# Terms & Conditions

## Customer-Delayed Deliveries

Please notify the Customer Service Center at least two weeks prior to the confirmed due date when you cannot receive delivery of goods by that scheduled date. We will delay the delivery at your request; however, after 30 days of such delay, you will be invoiced for the subject products whether or not delivery is extended beyond this first 30 days.

FPI may allow up to two weeks for shipping. Therefore, if you do not request delayed delivery at least two weeks prior to the confirmed due date for arrival of your shipment, we may incur additional handling costs.

FPI will bill you for such handling costs if you refuse receipt of the goods, or request delayed shipment within less than two weeks prior to the due date on your order acknowledgment.

## Product Returns

All product returns must be coordinated in advance with the FPI Customer Service Center. All freight or express service charges must be prepaid on return shipments.

Product returns may be subject to your being invoiced for additional handling/restocking fees. FPI will determine and notify you of such charges upon receipt and inspection of the returned goods.

## Order Status

Call the Customer Service Center to obtain status of your order during order processing or the product and shipment/delivery of goods. We will give you the status based on your purchase order number and/or the FPI work order number on your order number on your order acknowledgment.

You may also access your order status by clicking on the customer service icon on our website at: [www.unicor.gov](http://www.unicor.gov).

## Invoice Payment

Payments from government agencies should be addressed to:

FPI - FPI  
P.O. Box 371736  
Pittsburgh, PA 15252-7736

Payments from private sector parties should be addressed to:

FPI - LEX  
Accounts Receivable  
P.O. Box 11670  
Lexington, KY 40583-3640

All general billing or specific invoice questions should be directed to the FPI Customer Service Center.

## Product Warranty

FPI guarantees all Systems products will be free from defects in materials and workmanship. If at any time an item we have provided does not meet your expectations, we will repair or replace it at our expense.

While our product warranty covers our Systems product, itself, to be free of defects in materials and workmanship it does not apply to C.O.M./C.O.L. fabrics supplied by others. It does, however, apply to any and all panel fabrics supplied by FPI.

## C.O.M. Fabric Requirements

Fabrics must be approved prior to acceptance of an order. Upon approval, a 1" square sample swatch must accompany the order. FPI assumes no responsibility for wear or defects of performance of customer's own fabrics.


Use of C.O.M. fabrics may invalidate the U.L. listing and will require testing prior to production. FPI will require three yards of actual fabric to be tested.

All fabric must be received in continuous linear yards. FPI will not be responsible for any additional yardage required. For exact production requirements, refer to the C.O.M. Yardage Requirements Section or call our Customer Service Center at 1-800-827-3168. Shipping instructions will be provided.

## C.O.M. Material Acceptance

FPI reserves the right to reject C.O.M. fabrics if we do not consider it suitable for application as specified. Also, FPI acceptance of C.O.M. fabrics does not in any way relieve the fabric supplier(s) of the C.O.M. goods of responsibility. They shall remain responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling.

# Standard Products Overview




This exploded view drawing shows some standard products and a general interconnection reference.



# Panels

## Fabric Covered Acoustical



### MODEL

#### Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24-inches. 24-inch panel contains two receptacle locations. **12 and 18-inch wide panels are power pass through only.**
- 12 and 18-inch panels not recommended for use as return panels.
- NRC rating is .80 and STC rating is 23. Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Meets BIFMA standards: X5.6-1993.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER						
		Basic Model	Base Power	Trim	Fabric			
12"	32"	CICP1232	<input type="checkbox"/>					
12"	42"	CICP1242	<input type="checkbox"/>					
12"	48"	CICP1248	<input type="checkbox"/>					
12"	54"	CICP1254	<input type="checkbox"/>					
12"	62"	CICP1262	<input type="checkbox"/>					
12"	66"	CICP1266	<input type="checkbox"/>					
12"	72"	CICP1272	<input type="checkbox"/>					
12"	80"	CICP1280	<input type="checkbox"/>					
18"	32"	CICP1832	<input type="checkbox"/>					
18"	42"	CICP1842	<input type="checkbox"/>					
18"	48"	CICP1848	<input type="checkbox"/>					
18"	54"	CICP1854	<input type="checkbox"/>					
18"	62"	CICP1862	<input type="checkbox"/>					
18"	66"	CICP1866	<input type="checkbox"/>					
18"	72"	CICP1872	<input type="checkbox"/>					
18"	80"	CICP1880	<input type="checkbox"/>					
24"	32"	CICP2432	<input type="checkbox"/>					
24"	42"	CICP2442	<input type="checkbox"/>					
24"	48"	CICP2448	<input type="checkbox"/>					
24"	54"	CICP2454	<input type="checkbox"/>					
24"	62"	CICP2462	<input type="checkbox"/>					
24"	66"	CICP2466	<input type="checkbox"/>					
24"	72"	CICP2472	<input type="checkbox"/>					
24"	80"	CICP2480	<input type="checkbox"/>					
30"	32"	CICP3032	<input type="checkbox"/>					

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
150	153
160	163
186	190
192	196
217	222
218	223
219	224
222	226
153	155
161	164
181	184
193	197
219	224
221	226
225	229
230	234
173	177
183	186
190	194
206	210
231	235
240	245
247	251
265	271
192	196

- 0773** = Gray Mix
- Group B - Serendipity**
- 9617** = Coincidence
- 9626** = Four Leaf Clover
- 9622** = Lady Luck
- 9619** = Guardian Angel
- 9620** = Lucky Duck
- 9618** = Fortuitous
- 9624** = Silver Spoon

# Panels

## Fabric Covered Acoustical



### MODEL

#### Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24-inches. 24-inch panel contains two receptacle locations. **12 and 18-inch wide panels are power pass through only.**
- 12 and 18-inch panels not recommended for use as return panels.
- NRC rating is .80 and STC rating is 23. Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Meets BIFMA standards: X5.6-1993.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER				
			Basic Model	Base Power	Trim	Fabric	
	30"	42"	CICP3042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	48"	CICP3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	54"	CICP3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	62"	CICP3062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	66"	CICP3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	72"	CICP3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	80"	CICP3080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	32"	CICP3632	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	42"	CICP3642	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	48"	CICP3648	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	54"	CICP3654	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	62"	CICP3662	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	66"	CICP3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	72"	CICP3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	80"	CICP3680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	32"	CICP4232	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	42"	CICP4242	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	48"	CICP4248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	54"	CICP4254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	62"	CICP4262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	66"	CICP4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	72"	CICP4272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	80"	CICP4280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	32"	CICP4832	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	42"	CICP4842	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
203	207
213	217
227	231
259	264
266	272
269	274
309	315
209	213
219	224
223	226
243	248
269	274
272	277
275	280
328	334
249	253
262	267
272	277
279	284
305	311
308	314
310	316
353	360
261	266
275	280

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Fabric Covered Acoustical



### MODEL

#### Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24-inches. 24-inch panel contains two receptacle locations. **12 and 18-inch wide panels are power pass through only.**
- 12 and 18-inch panels not recommended for use as return panels.
- NRC rating is .80 and STC rating is 23. Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Meets BIFMA standards: X5.6-1993.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER				
		Basic Model	Base Power	Trim	Fabric	
48"	48"	CICP4848	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	54"	CICP4854	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	62"	CICP4862	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	66"	CICP4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	72"	CICP4872	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	80"	CICP4880	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	32"	CICP5432	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	42"	CICP5442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	48"	CICP5448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	54"	CICP5454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	62"	CICP5462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	66"	CICP5466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	72"	CICP5472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	80"	CICP5480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	32"	CICP6032	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	42"	CICP6042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	48"	CICP6048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	54"	CICP6054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	62"	CICP6062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	66"	CICP6066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	72"	CICP6072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	80"	CICP6080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\* \_\_\_\_\_
  - TN** = Non powered ten-wire (+ \$5) \_\_\_\_\_
  - P8** = Eight-wire powered (+ \$30) \_\_\_\_\_
  - T4** = Ten-wire pwd 442 sys (+ \$35) \_\_\_\_\_
  - T6** = Ten-wire pwd 622 sys (+ \$40) \_\_\_\_\_

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- B** = Black \_\_\_\_\_
- G** = Gray \_\_\_\_\_
- S** = Sand \_\_\_\_\_
- W** = Warm Gray \_\_\_\_\_
- L** = Light Tone \_\_\_\_\_

**D** Select fabric color.

- Group A - FR701**
- 1511** = Blue Neutral \_\_\_\_\_
- 1506** = Green Neutral \_\_\_\_\_
- 1518** = Wedgewood \_\_\_\_\_
- 1510** = Silver Papier \_\_\_\_\_
- 1546** = Cherry Neutral \_\_\_\_\_
- 1515** = Quartz \_\_\_\_\_
- 1531** = Gray Mix \_\_\_\_\_
- Group A - Eclipse**
- 4595** = Meteor \_\_\_\_\_
- 1690** = Tourmaline \_\_\_\_\_
- 4604** = Chicory \_\_\_\_\_
- 4605** = Amber Grain \_\_\_\_\_
- 4593** = Serengeti \_\_\_\_\_
- 4594** = Coco Palm \_\_\_\_\_
- 1691** = Iron Ore \_\_\_\_\_
- Group A - Carrara**
- 9447** = Beeswax \_\_\_\_\_
- 9454** = Verdigris \_\_\_\_\_


- 9456** = Tinctoria \_\_\_\_\_
- 9455** = Green Earth \_\_\_\_\_
- 9448** = Teak Oil \_\_\_\_\_
- 9445** = Gesso \_\_\_\_\_
- 9444** = Casein \_\_\_\_\_
- Group A - Galaxy**
- 4526** = Desert Sand Gravel \_\_\_\_\_
- 4538** = Bermuda Seamist \_\_\_\_\_
- 4544** = Blueberry Sky \_\_\_\_\_
- 4542** = Sundew Sandrift \_\_\_\_\_
- 4525** = Fog Stardust \_\_\_\_\_
- 4531** = Gobi Moonbeam \_\_\_\_\_
- 4541** = Wrought Silver \_\_\_\_\_
- Group A - Heather**
- 0774** = Wedgewood \_\_\_\_\_
- 6465** = Malachite \_\_\_\_\_
- 1100** = Mulberry \_\_\_\_\_
- 0776** = Oatmeal \_\_\_\_\_
- 6464** = Light Mauve \_\_\_\_\_
- 1104** = Peasant Beige \_\_\_\_\_

NP Sales Price

Fabric Group A	Fabric Group B
277	282
294	299
322	328
324	330
355	362
381	389
227	231
310	316
324	330
333	340
382	390
397	405
408	415
427	436
263	268
277	282
305	311
329	335
331	338
363	370
402	410
413	421

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon





**MODEL**

**Glass Panels**

- Painted aluminum frame with 1/4-inch clear tempered glass.
- Product is UL 1286 listed.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches.
- 24-inch panel contains two receptacle locations.
- Product Includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- **Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) CICGP2454SMP8S.**

W	H	MODEL NUMBER			NP Sales Price
		Basic Model	Base Power	Trim	
12"	42"	CICGP1242	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		170
12"	48"	CICGP1248	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		200
12"	54"	CICGP1254	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		230
12"	62"	CICGP1262	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		260
12"	66"	CICGP1266	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		273
12"	72"	CICGP1272	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		290
12"	80"	CICGP1280	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		307
18"	42"	CICGP1842	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		180
18"	48"	CICGP1848	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		210
18"	54"	CICGP1854	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		275
18"	62"	CICGP1862	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		290
18"	66"	CICGP1866	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		310
18"	72"	CICGP1872	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		315
18"	80"	CICGP1880	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		320
24"	42"	CICGP2442	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		190
24"	48"	CICG-2448	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		215
24"	54"	CICGP2454	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		240
24"	62"	CICGP2462	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		335
24"	66"	CICGP2466	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		270
24"	72"	CICGP2472	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		300
24"	80"	CICGP2480	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		327
30"	42"	CICGP3042	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		200
30"	48"	CICGP3048	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		230
30"	54"	CICGP3054	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		255
30"	62"	CICGP3062	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		270
30"	66"	CICGP3066	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		280



**HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.  
 • The absence of  indicates that no choice is required.  
 • Alpha-numeric characters in place of  indicate that no other alternatives are available.


**HOW TO BUILD A MODEL NUMBER**

- A** Select basic model.
- B** Select base power.
  - NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\*NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.
- C** Select trim color.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

# Panels

Glass



MODEL	W	H	MODEL NUMBER			NP Sales Price
			Basic Model	Base Power	Trim	
<b>Glass Panels</b>	30"	72"	CICGP3072	<input type="checkbox"/>	<input type="checkbox"/>	320
• Painted aluminum frame with 1/4-inch clear tempered glass.	30"	80"	CICGP3080	<input type="checkbox"/>	<input type="checkbox"/>	340
• Product is UL 1286 listed.	36"	42"	CICGP3642	<input type="checkbox"/>	<input type="checkbox"/>	230
• Panels are connected through single piece poly hinges.	36"	48"	CICGP3648	<input type="checkbox"/>	<input type="checkbox"/>	240
• <b>Panel-to-Panel Power Connectors must be specified separately.</b>	36"	54"	CICGP3654	<input type="checkbox"/>	<input type="checkbox"/>	250
• Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches.	36"	62"	CICGP3662	<input type="checkbox"/>	<input type="checkbox"/>	260
• 24-inch panel contains two receptacle locations.	36"	66"	CICGP3666	<input type="checkbox"/>	<input type="checkbox"/>	270
• Product Includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.	36"	72"	CICGP3672	<input type="checkbox"/>	<input type="checkbox"/>	340
• Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.	36"	80"	CICGP3680	<input type="checkbox"/>	<input type="checkbox"/>	360
• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.	42"	42"	CICGP4242	<input type="checkbox"/>	<input type="checkbox"/>	200
• <b>Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) CICGP2454SMP8S.</b>	42"	48"	CICGP4248	<input type="checkbox"/>	<input type="checkbox"/>	220
	42"	54"	CICGP4254	<input type="checkbox"/>	<input type="checkbox"/>	240
	42"	62"	CICGP4262	<input type="checkbox"/>	<input type="checkbox"/>	260
	42"	66"	CICGP4266	<input type="checkbox"/>	<input type="checkbox"/>	280
	42"	72"	CICGP4272	<input type="checkbox"/>	<input type="checkbox"/>	360
	42"	80"	CICGP4280	<input type="checkbox"/>	<input type="checkbox"/>	400
	48"	42"	CICGP4842	<input type="checkbox"/>	<input type="checkbox"/>	220
	48"	48"	CICGP4848	<input type="checkbox"/>	<input type="checkbox"/>	240
	48"	54"	CICGP4854	<input type="checkbox"/>	<input type="checkbox"/>	260
	48"	62"	CICGP4862	<input type="checkbox"/>	<input type="checkbox"/>	280
	48"	66"	CICGP4866	<input type="checkbox"/>	<input type="checkbox"/>	300
	48"	72"	CICGP4872	<input type="checkbox"/>	<input type="checkbox"/>	400
	48"	80"	CICGP4880	<input type="checkbox"/>	<input type="checkbox"/>	480

A
B
C

## HOW TO ORDER

Indicate the following information on order form:


1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$30) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$35) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$40) |
- \* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.
- C** Select trim color.
- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |



### Open Frame Panel Covers

- Cover is formed steel covered with fabric.
- Cover is held in place by a hanging flange and hook and loop patches.
- Cover is designed to give open frame panels the look of a fabric acoustic panel. Removing the cover allows access to areas behind the open frame panel (wall or column elec. or comm. boxes).

MODEL	W	H	MODEL NUMBER		NP Sales Price	
			Basic Model	Fabric	Fabric Group A	Fabric Group B
	6"	32"	CIOFC0632	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	21	22
	6"	42"	CIOFC0642	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24	26
	6"	48"	CIOFC0648	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	30	32
	24"	32"	CIOFC2432	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14	15
	24"	42"	CIOFC2442	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	20	21
	24"	48"	CIOFC2448	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26	28
	30"	32"	CIOFC3032	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14	15
	30"	42"	CIOFC3042	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	30	32
	30"	48"	CIOFC3048	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	32	34
	36"	32"	CIOFC3632	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15	16
	36"	42"	CIOFC3642	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	32	34
	36"	48"	CIOFC3648	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	36	38
	42"	32"	CIOFC4232	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16	17
	42"	42"	CIOFC4242	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	37	39
	42"	48"	CIOFC4248	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38	40
	48"	32"	CIOFC4832	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	40	42
	48"	42"	CIOFC4842	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	42	41
	48"	48"	CIOFC4848	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	44	45

A

B

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.  
 • The absence of  indicates that no choice is required.  
 • Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select fabric color.

#### Group A - FR701

- 1511 = Blue Neutral
- 1506 = Green Neutral
- 1518 = Wedgewood
- 1510 = Silver Papier
- 1546 = Cherry Neutral
- 1515 = Quartz
- 1531 = Gray Mix

#### Group A - Eclipse

- 4595 = Meteor
- 1690 = Tourmaline
- 4604 = Chicory
- 4605 = Amber Grain
- 4593 = Serengeti
- 4594 = Coco Palm
- 1691 = Iron Ore

#### Group A - Carrara

- 9447 = Beeswax
- 9454 = Verdigris
- 9456 = Tinctoria
- 9455 = Green Earth
- 9448 = Teak Oil
- 9445 = Gesso
- 9444 = Casein

#### Group A - Galaxy

- 4526 = Desert Sand Gravel
- 4538 = Bermuda Seamist
- 4544 = Blueberry Sky
- 4542 = Sundew Sandrift
- 4525 = Fog Stardust
- 4531 = Gobi Moonbeam
- 4541 = Wrought Silver

#### Group A - Heather

- 0774 = Wedgewood
- 6465 = Malachite
- 1100 = Mulberry

0776 = Oatmeal

6464 = Light Mauve

1104 = Peasant Beige


0773 = Gray Mix

#### Group B - Serendipity

- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

Fabric/Laminate



## MODEL

### Fabric/Laminate Panels

- Panel is constructed of a metal frame, with fiberglass sandwiched between masonite skins covered with fiberglass and fabric/laminate.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations. **12 and 18-inch wide panels are power pass through only.**
- 12 and 18-inch panels not recommended for use as return panels.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W H

## MODEL NUMBER

Basic Model	Base Power	Trim	Fabric	Laminate
CICPFL1232	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1242	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1832	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1842	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1848	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1854	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1862	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1872	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL1880	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2432	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL2480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3032	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A B C D E

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**D** Select fabric color.

- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamount
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige

NP Sales Price

Fabric Group A	Fabric Group B
240	246
250	256
255	261
260	266
275	282
285	292
320	328
350	359
230	236
250	256
265	272
280	287
290	297
300	308
310	318
320	328
280	287
300	308
310	318
320	328
330	338
340	349
345	354
350	359
270	277
280	287
325	333

0773 = Gray Mix

**Group B - Serendipity**

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck

9618 = Fortuitous

9624 = Silver Spoon

Fog 961

Black Grandin 91561

Smoke Granite 91537

Sand Grandin 91562

Light Granite 1816

Tundra 7220

Earthen 7215

Rose Grafix 91845

Shale Grafix 91846

Sierra Grafix 91844

Beige Grafix 506

Sand Stone 7265

Kentucky Walnut 91558

Tennessee Oak 91560

Light Oak 91533

Red Birch 91817

Light Ash 91850

Philadelphia Cherry 91559

Pennsylvania Cherry 91536

COM 00000

**E** Select laminate color.

Cream 85955

Champagne 925

Barcelona 85852

Tidal Sand 917

Porcelain 466

Aruba Tan 85851


Black 909

Dark Gray 85848

Greige 85954

# Panels

Fabric/Laminate



## MODEL

### Fabric/Laminate Panels

- Panel is constructed of a metal frame, with fiberglass sandwiched between masonite skins covered with fiberglass and fabric/laminate.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations. **12 and 18-inch wide panels are power pass through only.**
- 12 and 18-inch panels not recommended for use as return panels.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W H

## MODEL NUMBER

Basic Model	Base Power	Trim	Fabric	Laminate
CICPFL3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3632	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3642	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3648	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3654	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3662	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL3680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4232	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4242	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4832	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4842	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4848	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4854	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4862	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CICPFL4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A B C D E

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base power.

<b>NP</b>	= Non powered eight-wire*
<b>TN</b>	= Non powered ten-wire (+ \$5)
<b>P8</b>	= Eight-wire powered (+ \$30)
<b>T4</b>	= Ten-wire pwd 442 sys (+ \$35)
<b>T6</b>	= Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone

**D** Select fabric color.

<b>Group A - FR701</b>	
<b>1511</b>	= Blue Neutral
<b>1506</b>	= Green Neutral
<b>1518</b>	= Wedgewood
<b>1510</b>	= Silver Papier
<b>1546</b>	= Cherry Neutral
<b>1515</b>	= Quartz
<b>1531</b>	= Gray Mix
<b>Group A - Eclipse</b>	
<b>4595</b>	= Meteor
<b>1690</b>	= Tourmaline
<b>4604</b>	= Chicory
<b>4605</b>	= Amber Grain
<b>4593</b>	= Serengeti
<b>4594</b>	= Coco Palm
<b>1691</b>	= Iron Ore
<b>Group A - Carrara</b>	
<b>9447</b>	= Beeswax
<b>9454</b>	= Verdigris

**9456** = Tinctoria

**9455** = Green Earth

**9448** = Teak Oil

**9445** = Gesso

**9444** = Casein

**Group A - Galaxy**

**4526** = Desert Sand Gravel

**4538** = Bermuda Seamist

**4544** = Blueberry Sky

**4542** = Sundew Sandrift

**4525** = Fog Stardust

**4531** = Gobi Moonbeam

**4541** = Wrought Silver

**Group A - Heather**

**0774** = Wedgewood

**6465** = Malachite

**1100** = Mulberry

**0776** = Oatmeal

**6464** = Light Mauve

**1104** = Peasant Beige

NP Sales Price

Fabric Group A	Fabric Group B
330	338
335	344
340	349
345	354
350	359
300	308
320	328
330	338
340	349
350	359
360	369
375	384
380	390
310	318
320	328
330	338
340	349
350	359
360	369
380	390
400	410
320	328
330	338
340	349
350	359
370	379
380	390

0773 = Gray Mix

**Group B - Serendipity**

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck

9618 = Fortuitous

9624 = Silver Spoon

Fog 961

Black Grandin 91561

Smoke Granite 91537

Sand Grandin 91562

Light Granite 1816

Tundra 7220

Earthen 7215

Rose Grafix 91845

Shale Grafix 91846

Sierra Grafix 91844

Beige Grafix 506

Sand Stone 7265

Kentucky Walnut 91558

Tennessee Oak 91560

Light Oak 91533

Red Birch 91817

Light Ash 91850

Philadelphia Cherry 91559

Pennsylvania Cherry 91536

COM 00000

**E** Select laminate color.

Cream 85955

Champagne 925

Barcelona 85852

Tidal Sand 917

Porcelain 466

Aruba Tan 85851


Black 909

Dark Gray 85848

Greige 85954

# Panels

Fabric/Laminate



## MODEL

### Fabric/Laminate Panels

- Panel is constructed of a metal frame, with fiberglass sandwiched between masonite skins covered with fiberglass and fabric/laminate.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations. **12 and 18-inch wide panels are power pass through only.**
- 12 and 18-inch panels not recommended for use as return panels.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER			Fabric	Laminate
			Basic Model	Base Power	Trim		
CICPFL4872	48"	72"	<input type="checkbox"/>				
CICPFL4880	48"	80"	<input type="checkbox"/>				
CICPFL5432	54"	32"	<input type="checkbox"/>				
CICPFL5442	54"	42"	<input type="checkbox"/>				
CICPFL5448	54"	48"	<input type="checkbox"/>				
CICPFL5454	54"	54"	<input type="checkbox"/>				
CICPFL5462	54"	62"	<input type="checkbox"/>				
CICPFL5466	54"	66"	<input type="checkbox"/>				
CICPFL5472	54"	72"	<input type="checkbox"/>				
CICPFL5480	54"	80"	<input type="checkbox"/>				
CICPFL6032	60"	32"	<input type="checkbox"/>				
CICPFL6042	60"	42"	<input type="checkbox"/>				
CICPFL6048	60"	48"	<input type="checkbox"/>				
CICPFL6054	60"	54"	<input type="checkbox"/>				
CICPFL6062	60"	62"	<input type="checkbox"/>				
CICPFL6066	60"	66"	<input type="checkbox"/>				
CICPFL6072	60"	72"	<input type="checkbox"/>				
CICPFL6080	60"	80"	<input type="checkbox"/>				

A
B
C
D
E

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$30) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$35) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$40) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- |          |              |       |
|----------|--------------|-------|
| <b>B</b> | = Black      | _____ |
| <b>G</b> | = Gray       | _____ |
| <b>S</b> | = Sand       | _____ |
| <b>W</b> | = Warm Gray  | _____ |
| <b>L</b> | = Light Tone | _____ |

**D** Select fabric color.

- |                          |                  |       |
|--------------------------|------------------|-------|
| <b>Group A - FR701</b>   | _____            |       |
| <b>1511</b>              | = Blue Neutral   | _____ |
| <b>1506</b>              | = Green Neutral  | _____ |
| <b>1518</b>              | = Wedgewood      | _____ |
| <b>1510</b>              | = Silver Papier  | _____ |
| <b>1546</b>              | = Cherry Neutral | _____ |
| <b>1515</b>              | = Quartz         | _____ |
| <b>1531</b>              | = Gray Mix       | _____ |
| <b>Group A - Eclipse</b> | _____            |       |
| <b>4595</b>              | = Meteor         | _____ |
| <b>1690</b>              | = Tourmaline     | _____ |
| <b>4604</b>              | = Chicory        | _____ |
| <b>4605</b>              | = Amber Grain    | _____ |
| <b>4593</b>              | = Serengeti      | _____ |
| <b>4594</b>              | = Coco Palm      | _____ |
| <b>1691</b>              | = Iron Ore       | _____ |
| <b>Group A - Carrara</b> | _____            |       |
| <b>9447</b>              | = Beeswax        | _____ |
| <b>9454</b>              | = Verdigris      | _____ |

- |                          |                      |       |
|--------------------------|----------------------|-------|
| <b>9456</b>              | = Tinctoria          | _____ |
| <b>9455</b>              | = Green Earth        | _____ |
| <b>9448</b>              | = Teak Oil           | _____ |
| <b>9445</b>              | = Gesso              | _____ |
| <b>9444</b>              | = Casein             | _____ |
| <b>Group A - Galaxy</b>  | _____                |       |
| <b>4526</b>              | = Desert Sand Gravel | _____ |
| <b>4538</b>              | = Bermuda Seamist    | _____ |
| <b>4544</b>              | = Blueberry Sky      | _____ |
| <b>4542</b>              | = Sundew Sandrift    | _____ |
| <b>4525</b>              | = Fog Stardust       | _____ |
| <b>4531</b>              | = Gobi Moonbeam      | _____ |
| <b>4541</b>              | = Wrought Silver     | _____ |
| <b>Group A - Heather</b> | _____                |       |
| <b>0774</b>              | = Wedgewood          | _____ |
| <b>6465</b>              | = Malachite          | _____ |
| <b>1100</b>              | = Mulberry           | _____ |
| <b>0776</b>              | = Oatmeal            | _____ |
| <b>6464</b>              | = Light Mauve        | _____ |
| <b>1104</b>              | = Peasant Beige      | _____ |

NP Sales Price

Fabric Group A	Fabric Group B
390	400
420	430
330	338
340	349
350	359
360	369
370	379
390	400
410	420
430	441
400	410
410	420
420	431
430	441
435	446
440	451
445	456
450	461

0773 = Gray Mix

**Group B - Serendipity**

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck

9618 = Fortuitous

9624 = Silver Spoon

Fog 961

Black Grandin 91561

Smoke Granite 91537

Sand Grandin 91562

Light Granite 1816

Tundra 7220

Earthen 7215

Rose Grafix 91845

Shale Grafix 91846

Sierra Grafix 91844

Beige Grafix 506

Sand Stone 7265

Kentucky Walnut 91558

Tennessee Oak 91560

Light Oak 91533

Red Birch 91817

Light Ash 91850

Philadelphia Cherry 91559

Pennsylvania Cherry 91536

COM 00000

**E** Select laminate color.

Cream 85955

Champagne 925

Barcelona 85852

Tidal Sand 917

Porcelain 466

Aruba Tan 85851


Black 909

Dark Gray 85848

Greige 85954

# Panels

## Half Glass/Half Fabric



### MODEL

#### Half Glass/Half Fabric Panels

- The top half of the panel is 1/4" clear/smoked tempered glass panel in a painted aluminum frame. The bottom half of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric. Glass begins at 29-inch height.
- Product is UL1286 listed.
- Panels are connected through single piece poly hinges.
- Panel-to-panel power connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S) or warm gray (W) or light tone (L) trim color.
- Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) C1CGFP2454SMNPB.**

W	H	MODEL NUMBER				
		Basic Model	Base Power	Trim	Fabric	
24"	48"	C1CGFP2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	54"	C1CGFP2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	62"	C1CGFP2462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	C1CGFP2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	72"	C1CGFP2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	80"	C1CGFP2480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	48"	C1CGFP3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	54"	C1CGFP3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	62"	C1CGFP3062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	C1CGFP3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	72"	C1CGFP3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	80"	C1CGFP3080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	48"	C1CGFP3648	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	54"	C1CGFP3654	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	62"	C1CGFP3662	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	C1CGFP3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	72"	C1CGFP3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	80"	C1CGFP3680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	48"	C1CGFP4248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	54"	C1CGFP4254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	62"	C1CGFP4262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	C1CGFP4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	72"	C1CGFP4272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	80"	C1CGFP4280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**D** Select fabric color.

- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
240	246
248	254
270	277
277	284
280	287
294	301
260	266
263	270
288	295
293	300
300	307
312	320
280	287
293	300
351	360
369	378
400	410
420	430
350	359
370	379
380	390
389	399
410	420
430	440

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Half Glass/Half Fabric



### MODEL

#### Half Glass/Half Fabric Panels

- The top half of the panel is 1/4" clear/smoked tempered glass panel in a painted aluminum frame. The bottom half of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric. Glass begins at 29-inch height.
- Product is UL1286 listed.
- Panels are connected through single piece poly hinges.
- Panel-to-panel power connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S) or warm gray (W) or light tone (L) trim color.
- Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) C1CGFP2454SMNPB.**

MODEL	W	H	MODEL NUMBER			
			Basic Model	Base Power	Trim	Fabric
48" 48"	48"	48"	C1CGFP4848	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
48" 54"	48"	54"	C1CGFP4854	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
48" 62"	48"	62"	C1CGFP4862	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
48" 66"	48"	66"	C1CGFP4866	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
48" 72"	48"	72"	C1CGFP4872	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
48" 80"	48"	80"	C1CGFP4880	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base power.

<b>NP</b>	= Non powered eight-wire*
<b>TN</b>	= Non powered ten-wire (+ \$5)
<b>P8</b>	= Eight-wire powered (+ \$30)
<b>T4</b>	= Ten-wire pwd 442 sys (+ \$35)
<b>T6</b>	= Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone

**D** Select fabric color.

<b>Group A - FR701</b>	
<b>1511</b>	= Blue Neutral
<b>1506</b>	= Green Neutral
<b>1518</b>	= Wedgewood
<b>1510</b>	= Silver Papier
<b>1546</b>	= Cherry Neutral
<b>1515</b>	= Quartz
<b>1531</b>	= Gray Mix
<b>Group A - Eclipse</b>	
<b>4595</b>	= Meteor
<b>1690</b>	= Tourmaline
<b>4604</b>	= Chicory
<b>4605</b>	= Amber Grain
<b>4593</b>	= Serengeti
<b>4594</b>	= Coco Palm
<b>1691</b>	= Iron Ore
<b>Group A - Carrara</b>	
<b>9447</b>	= Beeswax
<b>9454</b>	= Verdigris

<b>9456</b>	= Tinctoria
<b>9455</b>	= Green Earth
<b>9448</b>	= Teak Oil
<b>9445</b>	= Gesso
<b>9444</b>	= Casein
<b>Group A - Galaxy</b>	
<b>4526</b>	= Desert Sand Gravel
<b>4538</b>	= Bermuda Seamist
<b>4544</b>	= Blueberry Sky
<b>4542</b>	= Sundew Sandrift
<b>4525</b>	= Fog Stardust
<b>4531</b>	= Gobi Moonbeam
<b>4541</b>	= Wrought Silver
<b>Group A - Heather</b>	
<b>0774</b>	= Wedgewood
<b>6465</b>	= Malachite
<b>1100</b>	= Mulberry
<b>0776</b>	= Oatmeal
<b>6464</b>	= Light Mauve
<b>1104</b>	= Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
350	359
360	370
363	372
370	380
380	390
391	400

- 0773 = Gray Mix
- Group B - Serendipity**
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Half Open Frame/Half Fabric



### MODEL

#### Half Open Frame/Half Fabric Panels

- Half open frame/half fabric panel with fabric section on bottom, opening begins at 29-inch height.
- Bottom half of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric. The top half of the panel is constructed of a painted aluminum frame.
- Half open panels are connected through single piece poly hinges.
- **Panel-to-panel power connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeves, side trim rails, top cap, base raceway) and carpet grippers.
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER				
		Basic Model	Base Power	Trim	Fabric	
24"	48"	CICOF2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	54"	CICOF2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	62"	CICOF2462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	CICOF2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	72"	CICOF2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	80"	CICOF2480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	48"	CICOF3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	54"	CICOF3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	62"	CICOF3062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	CICOF3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	72"	CICOF3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	80"	CICOF3080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	48"	CICOF3648	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	54"	CICOF3654	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	62"	CICOF3662	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	CICOF3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	72"	CICOF3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	80"	CICOF3680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	48"	CICOF4248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	54"	CICOF4254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	62"	CICOF4262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	CICOF4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	72"	CICOF4272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	80"	CICOF4280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	48"	CICOF4848	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	54"	CICOF4854	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	62"	CICOF4862	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- NP** = Non powered eight-wire\*  
**TN** = Non powered ten-wire (+ \$5)  
**P8** = Eight-wire powered (+ \$30)  
**T4** = Ten-wire pwd 442 sys (+ \$35)  
**T6** = Ten-wire pwd 622 sys (+ \$40)
- \* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.
- C** Select trim color.
- B** = Black  
**G** = Gray  
**S** = Sand  
**W** = Warm Gray  
**L** = Light Tone
- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral  
**1506** = Green Neutral  
**1518** = Wedgewood  
**1510** = Silver Papier  
**1546** = Cherry Neutral  
**1515** = Quartz  
**1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor  
**1690** = Tourmaline  
**4604** = Chicory  
**4605** = Amber Grain  
**4593** = Serengeti  
**4594** = Coco Palm  
**1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax  
**9454** = Verdigris
- 9456** = Tinctoria  
**9455** = Green Earth  
**9448** = Teak Oil  
**9445** = Gesso  
**9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel  
**4538** = Bermuda Seamist  
**4544** = Blueberry Sky  
**4542** = Sundew Sandrift  
**4525** = Fog Stardust  
**4531** = Gobi Moonbeam  
**4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood  
**6465** = Malachite  
**1100** = Mulberry  
**0776** = Oatmeal  
**6464** = Light Mauve  
**1104** = Peasant Beige

NP Sales Price

Fabric Group A	Fabric Group B
240	246
244	250
255	261
257	263
260	267
273	280
250	256
260	267
270	277
273	280
280	287
288	295
260	267
285	292
300	308
305	313
310	318
315	323
280	287
295	303
303	311
275	282
290	297
300	308
310	318
313	321
328	336

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon




NP Sales Price

Fabric Group A	Fabric Group B
310	318
330	338
343	352

- 0773 = Gray Mix
- Group B - Serendipity**
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Bottom Open Frame



### MODEL

#### Bottom Open Frame Panels

- Used when panels will cover items on the building wall that need to be accessed (Heating/AC, Data and Electrical boxes).
- Bottom open frame panel with open section at bottom of panel in varying heights determined by panel height.
- The bottom of the panel is a painted aluminum frame. The top of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeves, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S); warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER				
		Basic Model	Base Power	Trim	Fabric	
24"	42"	CIBOFP2442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	48"	CIBOFP2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	54"	CIBOFP2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	62"	CIBOFP2462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	CIBOFP2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	72"	CIBOFP2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	80"	CIBOFP2480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	42"	CIBOFP3042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	48"	CIBOFP3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	54"	CIBOFP3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	62"	CIBOFP3062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	CIBOFP3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	72"	CIBOFP3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	80"	CIBOFP3080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	42"	CIBOFP3642	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	48"	CIBOFP3648	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	54"	CIBOFP3654	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	62"	CIBOFP3662	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	CIBOFP3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	72"	CIBOFP3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	80"	CIBOFP3680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	42"	CIBOFP4242	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	48"	CIBOFP4248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	54"	CIBOFP4254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	62"	CIBOFP4262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	CIBOFP4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	72"	CIBOFP4272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$30) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$35) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$40) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |

**D** Select fabric color.

- |                          |                  |
|--------------------------|------------------|
| <b>Group A - FR701</b>   |                  |
| <b>1511</b>              | = Blue Neutral   |
| <b>1506</b>              | = Green Neutral  |
| <b>1518</b>              | = Wedgewood      |
| <b>1510</b>              | = Silver Papier  |
| <b>1546</b>              | = Cherry Neutral |
| <b>1515</b>              | = Quartz         |
| <b>1531</b>              | = Gray Mix       |
| <b>Group A - Eclipse</b> |                  |
| <b>4595</b>              | = Meteor         |
| <b>1690</b>              | = Tourmaline     |
| <b>4604</b>              | = Chicory        |
| <b>4605</b>              | = Amber Grain    |
| <b>4593</b>              | = Serengeti      |
| <b>4594</b>              | = Coco Palm      |
| <b>1691</b>              | = Iron Ore       |
| <b>Group A - Carrara</b> |                  |
| <b>9447</b>              | = Beeswax        |
| <b>9454</b>              | = Verdigris      |

- |                          |                      |
|--------------------------|----------------------|
| <b>9456</b>              | = Tinctoria          |
| <b>9455</b>              | = Green Earth        |
| <b>9448</b>              | = Teak Oil           |
| <b>9445</b>              | = Gesso              |
| <b>9444</b>              | = Casein             |
| <b>Group A - Galaxy</b>  |                      |
| <b>4526</b>              | = Desert Sand Gravel |
| <b>4538</b>              | = Bermuda Seamist    |
| <b>4544</b>              | = Blueberry Sky      |
| <b>4542</b>              | = Sundew Sandrift    |
| <b>4525</b>              | = Fog Stardust       |
| <b>4531</b>              | = Gobi Moonbeam      |
| <b>4541</b>              | = Wrought Silver     |
| <b>Group A - Heather</b> |                      |
| <b>0774</b>              | = Wedgewood          |
| <b>6465</b>              | = Malachite          |
| <b>1100</b>              | = Mulberry           |
| <b>0776</b>              | = Oatmeal            |
| <b>6464</b>              | = Light Mauve        |
| <b>1104</b>              | = Peasant Beige      |


NP Sales Price

Fabric Group A	Fabric Group B
240	246
244	250
255	261
257	263
260	267
273	280
240	246
250	256
260	267
270	277
273	280
280	287
288	295
250	256
260	267
285	292
300	308
305	313
310	318
315	323
270	277
280	287
295	303
303	311
275	282
290	297
295	302

- 0773 = Gray Mix
- Group B - Serendipity**
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Bottom Open Frame



### MODEL

#### Bottom Open Frame Panels

- Used when panels will cover items on the building wall that need to be accessed (Heating/AC, Data and Electrical boxes).
- Bottom open frame panel with open section at bottom of panel in varying heights determined by panel height.
- The bottom of the panel is a painted aluminum frame. The top of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeves, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S); warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER				
			Basic Model	Base Power	Trim	Fabric	
	42"	80"	CIBOFP4280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	42"	CIBOFP4842	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	48"	CIBOFP4848	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	54"	CIBOFP4854	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	62"	CIBOFP4862	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	66"	CIBOFP4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	72"	CIBOFP4872	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	80"	CIBOFP4880	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	42"	CIBOFP5442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	48"	CIBOFP5448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	54"	CIBOFP5454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	62"	CIBOFP5462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	66"	CIBOFP5466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	72"	CIBOFP5472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	80"	CIBOFP5480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	42"	CIBOFP6042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	48"	CIBOFP6048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	54"	CIBOFP6054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	62"	CIBOFP6062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	66"	CIBOFP6066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	72"	CIBOFP6072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	80"	CIBOFP6080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base power.

<b>NP</b>	= Non powered eight-wire*
<b>TN</b>	= Non powered ten-wire (+ \$5)
<b>P8</b>	= Eight-wire powered (+ \$30)
<b>T4</b>	= Ten-wire pwd 442 sys (+ \$35)
<b>T6</b>	= Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone

**D** Select fabric color.

<b>Group A - FR701</b>	
<b>1511</b>	= Blue Neutral
<b>1506</b>	= Green Neutral
<b>1518</b>	= Wedgewood
<b>1510</b>	= Silver Papier
<b>1546</b>	= Cherry Neutral
<b>1515</b>	= Quartz
<b>1531</b>	= Gray Mix
<b>Group A - Eclipse</b>	
<b>4595</b>	= Meteor
<b>1690</b>	= Tourmaline
<b>4604</b>	= Chicory
<b>4605</b>	= Amber Grain
<b>4593</b>	= Serengeti
<b>4594</b>	= Coco Palm
<b>1691</b>	= Iron Ore
<b>Group A - Carrara</b>	
<b>9447</b>	= Beeswax
<b>9454</b>	= Verdigris

<b>9456</b>	= Tinctoria
<b>9455</b>	= Green Earth
<b>9448</b>	= Teak Oil
<b>9445</b>	= Gesso
<b>9444</b>	= Casein
<b>Group A - Galaxy</b>	
<b>4526</b>	= Desert Sand Gravel
<b>4538</b>	= Bermuda Seamist
<b>4544</b>	= Blueberry Sky
<b>4542</b>	= Sundew Sandrift
<b>4525</b>	= Fog Stardust
<b>4531</b>	= Gobi Moonbeam
<b>4541</b>	= Wrought Silver
<b>Group A - Heather</b>	
<b>0774</b>	= Wedgewood
<b>6465</b>	= Malachite
<b>1100</b>	= Mulberry
<b>0776</b>	= Oatmeal
<b>6464</b>	= Light Mauve
<b>1104</b>	= Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
300	308
300	308
310	318
313	321
328	336
310	318
330	338
343	352
310	318
320	328
330	338
340	349
350	359
360	369
370	379
320	328
330	338
342	351
350	359
360	369
370	379
380	390

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Bottom Open Frame Panel Cover



### MODEL

#### Bottom Open Frame Panel Covers

- Cover is formed steel covered with fabric.
- Cover is held in place by a hanging flange and hook and loop patches.
- Cover is designed to give a bottom open frame panel the look of a fabric acoustic panel. Removing the cover allows access to areas behind the open frame panel (wall or column elec. or comm. boxes).

MODEL	W	H	Fits BOFP Panel Height	MODEL NUMBER	
				Basic Model	Fabric
	6"	16"	48"	CIBOFC0616	<input type="checkbox"/>
	24"	16"	48"	CIBOFC2416	<input type="checkbox"/>
	30"	16"	48"	CIBOFC3016	<input type="checkbox"/>
	36"	16"	48"	CIBOFC3616	<input type="checkbox"/>
	42"	16"	48"	CIBOFC4216	<input type="checkbox"/>
	48"	16"	48"	CIBOFC4816	<input type="checkbox"/>
	54"	16"	48"	CIBOFC5416	<input type="checkbox"/>
	60"	16"	48"	CIBOFC6016	<input type="checkbox"/>
	6"	18"	42"	CIBOFC0618	<input type="checkbox"/>
	24"	18"	42"	CIBOFC2418	<input type="checkbox"/>
	30"	18"	42"	CIBOFC3018	<input type="checkbox"/>
	36"	18"	42"	CIBOFC3618	<input type="checkbox"/>
	42"	18"	42"	CIBOFC4218	<input type="checkbox"/>
	48"	18"	42"	CIBOFC4818	<input type="checkbox"/>
	54"	18"	42"	CIBOFC5418	<input type="checkbox"/>
	60"	18"	42"	CIBOFC6018	<input type="checkbox"/>
	6"	20"	62"	CIBOFC0620	<input type="checkbox"/>
	24"	20"	62"	CIBOFC2420	<input type="checkbox"/>
	30"	20"	62"	CIBOFC3020	<input type="checkbox"/>
	36"	20"	62"	CIBOFC3620	<input type="checkbox"/>
	42"	20"	62"	CIBOFC4220	<input type="checkbox"/>
	48"	20"	62"	CIBOFC4820	<input type="checkbox"/>
	54"	20"	62"	CIBOFC5420	<input type="checkbox"/>
	60"	20"	62"	CIBOFC6020	<input type="checkbox"/>
	6"	21"	54"	CIBOFC0621	<input type="checkbox"/>
	24"	21"	54"	CIBOFC2421	<input type="checkbox"/>

A

B

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select fabric color.

#### Group A - FR701

1511 = Blue Neutral

1506 = Green Neutral

1518 = Wedgewood

1510 = Silver Papier

1546 = Cherry Neutral

1515 = Quartz

1531 = Gray Mix

#### Group A - Eclipse

4595 = Meteor

1690 = Tourmaline

4604 = Chicory

4605 = Amber Grain

4593 = Serengeti

4594 = Coco Palm

1691 = Iron Ore

#### Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

#### Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

#### Group A - Heather

0774 = Wedgewood

6465 = Malachite

1100 = Mulberry

0776 = Oatmeal

6464 = Light Mauve

1104 = Peasant Beige

0773 = Gray Mix

#### Group B - Serendipity

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck

9618 = Fortuitous

9624 = Silver Spoon

NP Sales Price

Fabric Group A	Fabric Group B
13	14
14	15
15	16
17	18
19	20
20	21
21	22
22	23
14	15
15	16
16	17
17	18
18	19
18	19
19	20
20	21
15	16
16	17
17	18
18	19
19	20
20	21
21	22
22	23
16	17
17	18




NP Sales Price

Fabric Group A	Fabric Group B
18	19
19	20
20	21
21	22
22	23
23	24
16	17
17	18
18	19
19	20
20	21
21	22
22	23
23	24
24	25
17	18
18	19
19	20
20	21
21	22
22	23
23	24

# Panels

## Bottom Open Frame Panel Cover



### MODEL

#### Special Bottom Open Frame Panels - 7" Opening

- Bottom open frame panel with 7 inch high open section.
- The bottom of the panel is a painted aluminum frame. The top of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24". 24" panel contains two receptacle locations.
- Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeves, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER			
			Basic Model	Base Power	Trim	Fabric
	18"	54"	CISBOFP1854	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	18"	66"	CISBOFP1866	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	24"	54"	CISBOFP2454	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	24"	66"	CISBOFP2466	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	30"	54"	CISBOFP3054	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	30"	66"	CISBOFP3066	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	36"	54"	CISBOFP3654	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	36"	66"	CISBOFP3666	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	42"	54"	CISBOFP4254	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	42"	66"	CISBOFP4266	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	48"	54"	CISBOFP4854	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	48"	66"	CISBOFP4866	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	60"	54"	CISBOFP6054	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	60"	66"	CISBOFP6066	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- |           |                                 |
|-----------|---------------------------------|
| <b>NP</b> | = Non powered eight-wire*       |
| <b>TN</b> | = Non powered ten-wire (+ \$5)  |
| <b>P8</b> | = Eight-wire powered (+ \$30)   |
| <b>T4</b> | = Ten-wire pwd 442 sys (+ \$35) |
| <b>T6</b> | = Ten-wire pwd 622 sys (+ \$40) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |

**D** Select fabric color.

- |                              |
|------------------------------|
| <b>Group A - FR701</b>       |
| <b>1511</b> = Blue Neutral   |
| <b>1506</b> = Green Neutral  |
| <b>1518</b> = Wedgewood      |
| <b>1510</b> = Silver Papier  |
| <b>1546</b> = Cherry Neutral |
| <b>1515</b> = Quartz         |
| <b>1531</b> = Gray Mix       |
| <b>Group A - Eclipse</b>     |
| <b>4595</b> = Meteor         |
| <b>1690</b> = Tourmaline     |
| <b>4604</b> = Chicory        |
| <b>4605</b> = Amber Grain    |
| <b>4593</b> = Serengeti      |
| <b>4594</b> = Coco Palm      |
| <b>1691</b> = Iron Ore       |
| <b>Group A - Carrara</b>     |
| <b>9447</b> = Beeswax        |
| <b>9454</b> = Verdigris      |

- |                                  |
|----------------------------------|
| <b>9456</b> = Tinctoria          |
| <b>9455</b> = Green Earth        |
| <b>9448</b> = Teak Oil           |
| <b>9445</b> = Gesso              |
| <b>9444</b> = Casein             |
| <b>Group A - Galaxy</b>          |
| <b>4526</b> = Desert Sand Gravel |
| <b>4538</b> = Bermuda Seamist    |
| <b>4544</b> = Blueberry Sky      |
| <b>4542</b> = Sundew Sandrift    |
| <b>4525</b> = Fog Stardust       |
| <b>4531</b> = Gobi Moonbeam      |
| <b>4541</b> = Wrought Silver     |
| <b>Group A - Heather</b>         |
| <b>0774</b> = Wedgewood          |
| <b>6465</b> = Malachite          |
| <b>1100</b> = Mulberry           |
| <b>0776</b> = Oatmeal            |
| <b>6464</b> = Light Mauve        |
| <b>1104</b> = Peasant Beige      |


**NP Sales Price**

Fabric Group A	Fabric Group B
240	246
250	256
260	267
270	277
285	292
300	308
310	318
320	328
310	318
320	328
330	338
340	349
350	359
360	369

- 0773** = Gray Mix
- Group B - Serendipity**
- 9617** = Coincidence
- 9626** = Four Leaf Clover
- 9622** = Lady Luck
- 9619** = Guardian Angel
- 9620** = Lucky Duck
- 9618** = Fortuitous
- 9624** = Silver Spoon

# Panels

## Bottom Open Frame With Access Openings



### MODEL

#### Bottom Open Frame Panels With Access Openings

- Bottom open frame panel with open section at bottom of panel in varying heights determined by panel height.
- The two vertical open frame members each have a 1 3/8" x 3 1/8" oval access openings located at the vertical center line of the frame member (see drawing). Access opening allows data/comm. cables to be routed from a wall plate or box directly into the panel vertical wireway. Access opening on opposite frame member can be used to internally feed electrical power into the panel by separately ordering a top feed electrical harness.
- Panel is used when the 3" space required for a electrical basefeed is not available between the panel and a building wall, or when access is required to the electrical and data/comm. junction boxes that are located on a building column or wall.
- Order a Bottom Open Frame Cover separately to prevent cables from being exposed in the open area.
- The bottom of the panel is a painted aluminum frame. The top of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeves, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

### MODEL NUMBER

W	H	Basic Model	MODEL NUMBER			
			Base Power	Trim	Fabric	
24"	42"	CIBOFPA2442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	48"	CIBOFPA2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	54"	CIBOFPA2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	62"	CIBOFPA2462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	CIBOFPA2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	72"	CIBOFPA2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	80"	CIBOFPA2480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	42"	CIBOFPA3042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	48"	CIBOFPA3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	54"	CIBOFPA3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	62"	CIBOFPA3062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	CIBOFPA3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	72"	CIBOFPA3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	80"	CIBOFPA3080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	42"	CIBOFPA3642	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	48"	CIBOFPA3648	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	54"	CIBOFPA3654	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	62"	CIBOFPA3662	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	CIBOFPA3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	72"	CIBOFPA3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	80"	CIBOFPA3680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	42"	CIBOFPA4242	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	48"	CIBOFPA4248	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	54"	CIBOFPA4254	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	62"	CIBOFPA4262	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	CIBOFPA4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	72"	CIBOFPA4272	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A B C D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$30) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$35) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$40) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- |          |              |  |
|----------|--------------|--|
| <b>B</b> | = Black      |  |
| <b>G</b> | = Gray       |  |
| <b>S</b> | = Sand       |  |
| <b>W</b> | = Warm Gray  |  |
| <b>L</b> | = Light Tone |  |

**D** Select fabric color.

- |                          |                  |
|--------------------------|------------------|
| <b>Group A - FR701</b>   |                  |
| <b>1511</b>              | = Blue Neutral   |
| <b>1506</b>              | = Green Neutral  |
| <b>1518</b>              | = Wedgewood      |
| <b>1510</b>              | = Silver Papier  |
| <b>1546</b>              | = Cherry Neutral |
| <b>1515</b>              | = Quartz         |
| <b>1531</b>              | = Gray Mix       |
| <b>Group A - Eclipse</b> |                  |
| <b>4595</b>              | = Meteor         |
| <b>1690</b>              | = Tourmaline     |
| <b>4604</b>              | = Chicory        |
| <b>4605</b>              | = Amber Grain    |
| <b>4593</b>              | = Serengeti      |
| <b>4594</b>              | = Coco Palm      |
| <b>1691</b>              | = Iron Ore       |
| <b>Group A - Carrara</b> |                  |
| <b>9447</b>              | = Beeswax        |
| <b>9454</b>              | = Verdigris      |

- |                          |                      |
|--------------------------|----------------------|
| <b>9456</b>              | = Tinctoria          |
| <b>9455</b>              | = Green Earth        |
| <b>9448</b>              | = Teak Oil           |
| <b>9445</b>              | = Gesso              |
| <b>9444</b>              | = Casein             |
| <b>Group A - Galaxy</b>  |                      |
| <b>4526</b>              | = Desert Sand Gravel |
| <b>4538</b>              | = Bermuda Seamist    |
| <b>4544</b>              | = Blueberry Sky      |
| <b>4542</b>              | = Sundew Sandrift    |
| <b>4525</b>              | = Fog Stardust       |
| <b>4531</b>              | = Gobi Moonbeam      |
| <b>4541</b>              | = Wrought Silver     |
| <b>Group A - Heather</b> |                      |
| <b>0774</b>              | = Wedgewood          |
| <b>6465</b>              | = Malachite          |
| <b>1100</b>              | = Mulberry           |
| <b>0776</b>              | = Oatmeal            |
| <b>6464</b>              | = Light Mauve        |
| <b>1104</b>              | = Peasant Beige      |


NP Sales Price

Fabric Group A	Fabric Group B
300	308
320	328
330	338
350	359
360	369
370	379
380	390
320	328
340	349
350	359
360	369
380	389
390	400
400	410
340	349
360	369
370	379
380	389
390	399
410	420
420	430
360	369
370	379
380	389
400	410
420	430
430	440

- 0773 = Gray Mix
- Group B - Serendipity**
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Panels

## Bottom Open Frame With Access Openings



### MODEL

#### Bottom Open Frame Panels With Access Openings

- Bottom open frame panel with open section at bottom of panel in varying heights determined by panel height.
- **The two vertical open frame members each have a 1 7/8" x 3 7/8" oval access openings located at the vertical center line of the frame member (see drawing).** Access opening allows data/comm. cables to be routed from a wall plate or box directly into the panel vertical wireway. Access opening on opposite frame member can be used to internally feed electrical power into the panel by **separately ordering** a top feed electrical harness.
- Panel is used when the 3" space required for a electrical basefeed is not available between the panel and a building wall, or when access is required to the electrical and data/comm. junction boxes that are located on a building column or wall.
- Order a Bottom Open Frame Cover separately to prevent cables from being exposed in the open area.
- The bottom of the panel is a painted aluminum frame. The top of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product is UL1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeves, side trim rails, top cap, base raceway) and carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	Basic Model	Base Power	Trim	Fabric
	42"	80"	CIBOFPA4280	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	42"	CIBOFPA4842	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	48"	CIBOFPA4848	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	54"	CIBOFPA4854	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	62"	CIBOFPA4862	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	66"	CIBOFPA4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	72"	CIBOFPA4872	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	80"	CIBOFPA4880	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	42"	CIBOFPA5442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	48"	CIBOFPA5448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	54"	CIBOFPA5454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	62"	CIBOFPA5462	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	66"	CIBOFPA5466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	72"	CIBOFPA5472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	80"	CIBOFPA5480	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	42"	CIBOFPA6042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	48"	CIBOFPA6048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	54"	CIBOFPA6054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	62"	CIBOFPA6062	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	66"	CIBOFPA6066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	72"	CIBOFPA6072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	80"	CIBOFPA6080	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A B C D

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

**D** Select fabric color.

- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


**NP Sales Price**

Fabric Group A	Fabric Group B
440	451
380	390
400	410
410	420
430	440
440	451
450	461
460	471
400	410
420	430
430	440
450	461
460	471
470	481
480	492
420	430
440	451
450	461
460	471
470	482
490	502
500	512

- 0773** = Gray Mix
- Group B - Serendipity**
- 9617** = Coincidence
- 9626** = Four Leaf Clover
- 9622** = Lady Luck
- 9619** = Guardian Angel
- 9620** = Lucky Duck
- 9618** = Fortuitous
- 9624** = Silver Spoon

# Panels

## Open Frame With Access Openings



### MODEL

#### Open Frame Panels With Access Openings

- Panel is constructed of a painted aluminum frame.
- The two vertical open frame members each have a 1 3/8" x 3 1/8" oval access openings located at the vertical center line of the frame member (see drawing).** Access opening allows data/comm. cables to be routed from a wall plate or box directly into the panel vertical wireway. Access opening on opposite frame member can be used to internally feed electrical power into the panel by **separately ordering** a top feed electrical harness.
- Panel is used when the 3" space required for a electrical basefeed is not available between the panel and a building wall, or when access is required to the electrical and data/comm. junction boxes that are located on a building column or wall.
- Order a Bottom Open Frame Cover separately to prevent cables from being exposed in the open area.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles and cable access for panels wider than 24 inches. 24-inch panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER		
			Basic Model	Base Power	Trim
CIOFPA2432	24"	32"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA2442	24"	42"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA2448	24"	48"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA3032	30"	32"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA3042	30"	42"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA3048	30"	48"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA3632	36"	32"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA3642	36"	42"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA3648	36"	48"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA4232	42"	32"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA4242	42"	42"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA4248	42"	48"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA4832	48"	32"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA4842	48"	42"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CIOFPA4848	48"	48"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$30) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$35) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$40) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.


- C** Select trim color.
- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |

NP Sales Price

200  
210  
220  
220  
230  
240  
240  
250  
260  
260  
270  
280  
280  
290  
300

# Curved Panels

Curved Fabric • Curved Glass




## MODEL

### Curved Fabric Panels

- Panel is constructed of a metal and wood frame, fiberglass core covered with masonite, fiberglass and fabric.
- Panels are connected through a single piece poly hinge.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, side trim rails, top cap, base raceway) plus carpet grippers.
- Powered panel provides pass-through capabilities only.**
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

### Curved Glass Panels

- Painted aluminum frame with 1/4-inch clear acrylic plastic.
- Product is UL 1286 listed.
- Panels are connected through single poly hinges.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Powered panel provides pass-through capabilities only.**
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Clear glass only.**



		MODEL NUMBER			
W	H	Basic Model	Base Power	Trim	Fabric
24"	32"	CICP32C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	42"	CICP42C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	48"	CICP48C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	54"	CICP54C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	62"	CICP62C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	66"	CICP66C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	72"	CICP72C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
24"	80"	CICP80C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
48"	24"	CICGP48C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
54"	24"	CICGP54C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
62"	24"	CICGP62C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
66"	24"	CICGP66C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
72"	24"	CICGP72C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
80"	24"	CICGP80C	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	

A B C D

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$30)
  - T4** = Ten-wire pwd 442 sys (+ \$35)
  - T6** = Ten-wire pwd 622 sys (+ \$40)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige

NP Sales Price

480  
490  
500  
520  
540  
550  
560  
580

600  
700  
750  
800  
850  
900

- 0773 = Gray Mix

---

- Group B - Serendipity**

---

- 9617 = Coincidence

---

- 9626 = Four Leaf Clover

---

- 9622 = Lady Luck

---

- 9619 = Guardian Angel

---

- 9620 = Lucky Duck

---

- 9618 = Fortuitous

---

- 9624 = Silver Spoon

---



**NP Sales Price**

500  
510  
520  
540  
560  
570  
580  
600

0773	= Gray Mix
<b>Group B - Serendipity</b>	
9617	= Coincidence
9626	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon


Fog	961
Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Granite	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844
Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000

**E** Select laminate color.

Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954

# ERP Panels

ERP Fabric Acoustical



## MODEL

### ERP Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations. **12 and 18 inch wide panels are power pass through only.**
- 12 and 18" panels not recommended for use as return panels.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim-rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER			
		Basic Model	Base Power	Trim	Fabric
12"	36"	CIEFP1236	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	46"	CIEFP1246	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	52"	CIEFP1252	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	58"	CIEFP1258	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	66"	CIEFP1266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	70"	CIEFP1270	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	76"	CIEFP1276	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12"	84"	CIEFP1284	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	36"	CIEFP1836	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	46"	CIEFP1846	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	52"	CIEFP1852	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	58"	CIEFP1858	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	66"	CIEFP1866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	70"	CIEFP1870	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	76"	CIEFP1876	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18"	84"	CIEFP1884	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	36"	CIEFP2436	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	46"	CIEFP2446	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	52"	CIEFP2452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	58"	CIEFP2458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	CIEFP2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	70"	CIEFP2470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	76"	CIEFP2476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	84"	CIEFP2484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	36"	CIEFP3036	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	46"	CIEFP3046	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- NP** = Non powered eight-wire\*  
**TN** = Non powered ten-wire (+ \$5)  
**P8** = Eight-wire powered (+ \$60)  
**T4** = Ten-wire pwd 442 sys (+ \$65)  
**T6** = Ten-wire pwd 622 sys (+ \$70)
- \* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.
- C** Select trim color.
- B** = Black  
**G** = Gray  
**S** = Sand  
**W** = Warm Gray  
**L** = Light Tone

- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral  
**1506** = Green Neutral  
**1518** = Wedgewood  
**1510** = Silver Papier  
**1546** = Cherry Neutral  
**1515** = Quartz  
**1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor  
**1690** = Tourmaline  
**4604** = Chicory  
**4605** = Amber Grain  
**4593** = Serengeti  
**4594** = Coco Palm  
**1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax  
**9454** = Verdigris

- 9456** = Tinctoria  
**9455** = Green Earth  
**9448** = Teak Oil  
**9445** = Gesso  
**9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel  
**4538** = Bermuda Seamist  
**4544** = Blueberry Sky  
**4542** = Sundew Sandrift  
**4525** = Fog Stardust  
**4531** = Gobi Moonbeam  
**4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood  
**6465** = Malachite  
**1100** = Mulberry  
**0776** = Oatmeal  
**6464** = Light Mauve  
**1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
175	179
183	186
195	200
199	204
205	210
209	214
219	224
223	229
182	187
192	197
203	208
210	215
217	222
222	227
233	239
237	243
191	196
203	208
210	215
222	228
230	236
235	241
251	257
250	256
198	203
212	217

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

ERP Fabric Acoustical



## MODEL

### ERP Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations. **12 and 18 inch wide panels are power pass through only.**
- 12 and 18" panels not recommended for use as return panels.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim-rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER			
		Basic Model	Base Power	Trim	Fabric
30"	52"	CIEFP3052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	58"	CIEFP3058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	CIEFP3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	70"	CIEFP3070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	76"	CIEFP3076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	84"	CIEFP3084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	36"	CIEFP3636	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	46"	CIEFP3646	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	52"	CIEFP3652	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	58"	CIEFP3658	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	CIEFP3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	70"	CIEFP3670	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	76"	CIEFP3676	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	84"	CIEFP3684	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	36"	CIEFP4236	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	46"	CIEFP4246	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	52"	CIEFP4252	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	58"	CIEFP4258	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	CIEFP4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	70"	CIEFP4270	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	76"	CIEFP4276	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	84"	CIEFP4284	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	36"	CIEFP4836	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	46"	CIEFP4846	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$60)
  - T4** = Ten-wire pwd 442 sys (+ \$65)
  - T6** = Ten-wire pwd 622 sys (+ \$70)
- \* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.
- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone
- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris
- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
227	233
233	239
242	248
251	257
275	282
281	288
210	215
225	231
242	248
252	258
262	269
269	276
323	331
332	340
223	229
253	259
265	272
287	294
304	312
312	320
336	344
345	354
234	240
270	277

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

ERP Fabric Acoustical



## MODEL

### ERP Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations. **12 and 18 inch wide panels are power pass through only.**
- 12 and 18" panels not recommended for use as return panels.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim-rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W	H	MODEL NUMBER			
		Basic Model	Base Power	Trim	Fabric
48"	52"	CIEFP4852	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	58"	CIEFP4858	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	66"	CIEFP4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	70"	CIEFP4870	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	76"	CIEFP4876	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	84"	CIEFP4884	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	36"	CIEFP5436	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	46"	CIEFP5446	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	52"	CIEFP5452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	58"	CIEFP5458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	66"	CIEFP5466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	70"	CIEFP5470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	76"	CIEFP5476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	84"	CIEFP5484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	36"	CIEFP6036	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	46"	CIEFP6046	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	52"	CIEFP6052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	58"	CIEFP6058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	66"	CIEFP6066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	70"	CIEFP6070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	76"	CIEFP6076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	84"	CIEFP6084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$60)
  - T4** = Ten-wire pwd 442 sys (+ \$65)
  - T6** = Ten-wire pwd 622 sys (+ \$70)
- \* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.
- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone
- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris
- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
296	303
306	314
325	333
334	342
366	375
376	385
248	254
284	291
302	309
325	333
343	352
352	361
379	388
399	409
255	261
296	303
315	323
338	346
361	370
370	379
400	410
389	399

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

ERP Glass



## MODEL

### ERP Glass Panels

- Painted aluminum frame with 1/4 inch clear tempered glass.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.  
**12 and 18 inch wide panels are power pass through only.**
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) CIEGP4870SM.**

W	H	MODEL NUMBER			NP Sales Price
		Basic Model	Base Power	Trim	
12"	46"	CIEGP1246	<input type="checkbox"/>	<input type="checkbox"/>	240
12"	52"	CIEGP1252	<input type="checkbox"/>	<input type="checkbox"/>	245
12"	58"	CIEGP1258	<input type="checkbox"/>	<input type="checkbox"/>	260
12"	66"	CIEGP1266	<input type="checkbox"/>	<input type="checkbox"/>	275
12"	70"	CIEGP1270	<input type="checkbox"/>	<input type="checkbox"/>	285
12"	76"	CIEGP1276	<input type="checkbox"/>	<input type="checkbox"/>	300
12"	84"	CIEGP1284	<input type="checkbox"/>	<input type="checkbox"/>	310
18"	46"	CIEGP1846	<input type="checkbox"/>	<input type="checkbox"/>	255
18"	52"	CIEGP1852	<input type="checkbox"/>	<input type="checkbox"/>	265
18"	58"	CIEGP1858	<input type="checkbox"/>	<input type="checkbox"/>	280
18"	66"	CIEGP1866	<input type="checkbox"/>	<input type="checkbox"/>	295
18"	70"	CIEGP1870	<input type="checkbox"/>	<input type="checkbox"/>	300
18"	76"	CIEGP1876	<input type="checkbox"/>	<input type="checkbox"/>	315
18"	84"	CIEGP1884	<input type="checkbox"/>	<input type="checkbox"/>	350
24"	46"	CIEGP2446	<input type="checkbox"/>	<input type="checkbox"/>	280
24"	52"	CIEGP2452	<input type="checkbox"/>	<input type="checkbox"/>	300
24"	58"	CIEGP2458	<input type="checkbox"/>	<input type="checkbox"/>	320
24"	66"	CIEGP2466	<input type="checkbox"/>	<input type="checkbox"/>	335
24"	70"	CIEGP2470	<input type="checkbox"/>	<input type="checkbox"/>	350
24"	76"	CIEGP2476	<input type="checkbox"/>	<input type="checkbox"/>	360
24"	84"	CIEGP2484	<input type="checkbox"/>	<input type="checkbox"/>	380
30"	46"	CIEGP3046	<input type="checkbox"/>	<input type="checkbox"/>	320
30"	52"	CIEGP3052	<input type="checkbox"/>	<input type="checkbox"/>	330
30"	58"	CIEGP3058	<input type="checkbox"/>	<input type="checkbox"/>	345
30"	66"	CIEGP3066	<input type="checkbox"/>	<input type="checkbox"/>	360
30"	70"	CIEGP3070	<input type="checkbox"/>	<input type="checkbox"/>	370

A
B
C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.


- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- |           |                                 |
|-----------|---------------------------------|
| <b>NP</b> | = Non powered eight-wire*       |
| <b>TN</b> | = Non powered ten-wire (+ \$5)  |
| <b>P8</b> | = Eight-wire powered (+ \$60)   |
| <b>T4</b> | = Ten-wire pwd 442 sys (+ \$65) |
| <b>T6</b> | = Ten-wire pwd 622 sys (+ \$70) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |



**MODEL**

**ERP Glass Panels**


- Painted aluminum frame with 1/4 inch clear tempered glass.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.
- **12 and 18 inch wide panels are power pass through only.**
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- **Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) CIEGP4870SM.**

W	H	MODEL NUMBER			NP Sales Price
		Basic Model	Base Power	Trim	
30"	76"	CIEGP3076	<input type="checkbox"/>	<input type="checkbox"/>	380
30"	84"	CIEGP3084	<input type="checkbox"/>	<input type="checkbox"/>	400
36"	46"	CIEGP3646	<input type="checkbox"/>	<input type="checkbox"/>	340
36"	52"	CIEGP3652	<input type="checkbox"/>	<input type="checkbox"/>	350
36"	58"	CIEGP3658	<input type="checkbox"/>	<input type="checkbox"/>	370
36"	66"	CIEGP3666	<input type="checkbox"/>	<input type="checkbox"/>	385
36"	70"	CIEGP3670	<input type="checkbox"/>	<input type="checkbox"/>	400
36"	76"	CIEGP3676	<input type="checkbox"/>	<input type="checkbox"/>	420
36"	84"	CIEGP3684	<input type="checkbox"/>	<input type="checkbox"/>	430
42"	46"	CIEGP4246	<input type="checkbox"/>	<input type="checkbox"/>	340
42"	52"	CIEGP4252	<input type="checkbox"/>	<input type="checkbox"/>	360
42"	58"	CIEGP4258	<input type="checkbox"/>	<input type="checkbox"/>	380
42"	66"	CIEGP4266	<input type="checkbox"/>	<input type="checkbox"/>	400
42"	70"	CIEGP4270	<input type="checkbox"/>	<input type="checkbox"/>	435
42"	76"	CIEGP4276	<input type="checkbox"/>	<input type="checkbox"/>	450
42"	84"	CIEGP4284	<input type="checkbox"/>	<input type="checkbox"/>	465
48"	46"	CIEGP4846	<input type="checkbox"/>	<input type="checkbox"/>	400
48"	52"	CIEGP4852	<input type="checkbox"/>	<input type="checkbox"/>	430
48"	58"	CIEGP4858	<input type="checkbox"/>	<input type="checkbox"/>	440
48"	66"	CIEGP4866	<input type="checkbox"/>	<input type="checkbox"/>	460
48"	70"	CIEGP4870	<input type="checkbox"/>	<input type="checkbox"/>	480
48"	76"	CIEGP4876	<input type="checkbox"/>	<input type="checkbox"/>	500
48"	84"	CIEGP4884	<input type="checkbox"/>	<input type="checkbox"/>	510

|
|
|  
(A)
(B)
(C)

# ERP Panels

## ERP Open Frame



MODEL	W	H	MODEL NUMBER			NP Sales Price
			Basic Model	Base Power	Trim	
<b>ERP Open Frame Panels</b>	24"	36"	CIEOFP2436	<input type="checkbox"/>	<input type="checkbox"/>	215
<ul style="list-style-type: none"> <li>Panel is constructed of a painted aluminum frame.</li> <li>8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.</li> <li>Panels are connected through single piece poly hinges.</li> <li><b>Panel-to-Panel Power Connectors must be specified separately.</b></li> <li>Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24 inch panel contains two receptacle locations. 12 and 18 inch panels are power pass-through only.</li> <li>Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim-rails, top cap, base raceway) plus carpet grippers.</li> <li>Product is UL 1286 listed.</li> <li>ERP panels are compatible with standard System XXI panels.</li> <li>Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.</li> <li>Specify black (B), grey (G), sand (S), warm grey (W), or light tone (L) trim color.</li> </ul>	24"	46"	CIEOFP2446	<input type="checkbox"/>	<input type="checkbox"/>	238
	24"	52"	CIEOFP2452	<input type="checkbox"/>	<input type="checkbox"/>	246
	30"	36"	CIEOFP3036	<input type="checkbox"/>	<input type="checkbox"/>	228
	30"	46"	CIEOFP3046	<input type="checkbox"/>	<input type="checkbox"/>	251
	30"	52"	CIEOFP3052	<input type="checkbox"/>	<input type="checkbox"/>	259
	36"	36"	CIEOFP3636	<input type="checkbox"/>	<input type="checkbox"/>	240
	36"	46"	CIEOFP3646	<input type="checkbox"/>	<input type="checkbox"/>	262
	36"	52"	CIEOFP3652	<input type="checkbox"/>	<input type="checkbox"/>	270
	42"	36"	CIEOFP4236	<input type="checkbox"/>	<input type="checkbox"/>	240
	42"	46"	CIEOFP4246	<input type="checkbox"/>	<input type="checkbox"/>	260
	42"	52"	CIEOFP4252	<input type="checkbox"/>	<input type="checkbox"/>	267
	48"	36"	CIEOFP4836	<input type="checkbox"/>	<input type="checkbox"/>	280
	48"	46"	CIEOFP4846	<input type="checkbox"/>	<input type="checkbox"/>	290
	48"	52"	CIEOFP4852	<input type="checkbox"/>	<input type="checkbox"/>	300

A
B
C

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:



- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$60) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$65) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$70) |


\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |



# ERP Panels

ERPHalf Glass/Half Fabric



## MODEL

### ERP Half Glass/Half Fabric Panels

- Tempered glass panels with glass beginning at 33 inch height. (See description of standard fabric and glass panels for construction details).
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), grey (G), sand (S), warm grey (W), or light tone (L) trim color.
- **Glass panels are available with clear or smoked glass. Add -SM to model # if requesting smoked glass (example) CIEGFP2458SM.**

W	H	MODEL NUMBER			
		Basic Model	Base Power	Trim	Fabric
24"	52"	CIEGFP2452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	58"	CIEGFP2458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	CIEGFP2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	70"	CIEGFP2470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	76"	CIEGFP2476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	84"	CIEGFP2484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	52"	CIEGFP3052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	58"	CIEGFP3058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	CIEGFP3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	70"	CIEGFP3070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	76"	CIEGFP3076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	84"	CIEGFP3084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	52"	CIEGFP3652	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	58"	CIEGFP3658	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	CIEGFP3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	70"	CIEGFP3670	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	76"	CIEGFP3676	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	84"	CIEGFP3684	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	52"	CIEGFP4252	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	58"	CIEGFP4258	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	CIEGFP4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	70"	CIEGFP4270	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	76"	CIEGFP4276	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	84"	CIEGFP4284	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	52"	CIEGFP4852	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	58"	CIEGFP4858	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$60) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$65) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$70) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- |          |              |  |
|----------|--------------|--|
| <b>B</b> | = Black      |  |
| <b>G</b> | = Gray       |  |
| <b>S</b> | = Sand       |  |
| <b>W</b> | = Warm Gray  |  |
| <b>L</b> | = Light Tone |  |

**D** Select fabric color.

- |                          |                  |
|--------------------------|------------------|
| <b>Group A - FR701</b>   |                  |
| <b>1511</b>              | = Blue Neutral   |
| <b>1506</b>              | = Green Neutral  |
| <b>1518</b>              | = Wedgewood      |
| <b>1510</b>              | = Silver Papier  |
| <b>1546</b>              | = Cherry Neutral |
| <b>1515</b>              | = Quartz         |
| <b>1531</b>              | = Gray Mix       |
| <b>Group A - Eclipse</b> |                  |
| <b>4595</b>              | = Meteor         |
| <b>1690</b>              | = Tourmaline     |
| <b>4604</b>              | = Chicory        |
| <b>4605</b>              | = Amber Grain    |
| <b>4593</b>              | = Serengeti      |
| <b>4594</b>              | = Coco Palm      |
| <b>1691</b>              | = Iron Ore       |
| <b>Group A - Carrara</b> |                  |
| <b>9447</b>              | = Beeswax        |
| <b>9454</b>              | = Verdigris      |

- |                          |                      |
|--------------------------|----------------------|
| <b>9456</b>              | = Tinctoria          |
| <b>9455</b>              | = Green Earth        |
| <b>9448</b>              | = Teak Oil           |
| <b>9445</b>              | = Gesso              |
| <b>9444</b>              | = Casein             |
| <b>Group A - Galaxy</b>  |                      |
| <b>4526</b>              | = Desert Sand Gravel |
| <b>4538</b>              | = Bermuda Seamist    |
| <b>4544</b>              | = Blueberry Sky      |
| <b>4542</b>              | = Sundew Sandrift    |
| <b>4525</b>              | = Fog Stardust       |
| <b>4531</b>              | = Gobi Moonbeam      |
| <b>4541</b>              | = Wrought Silver     |
| <b>Group A - Heather</b> |                      |
| <b>0774</b>              | = Wedgewood          |
| <b>6465</b>              | = Malachite          |
| <b>1100</b>              | = Mulberry           |
| <b>0776</b>              | = Oatmeal            |
| <b>6464</b>              | = Light Mauve        |
| <b>1104</b>              | = Peasant Beige      |

NP Sales Price

Fabric Group A	Fabric Group B
330	337
335	342
353	360
360	367
378	386
398	406
354	361
360	367
380	388
387	395
409	417
420	428
386	394
384	392
416	424
422	430
444	453
450	459
398	406
400	408
428	437
441	450
480	490
471	480
448	457
432	441

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon




NP Sales Price

Fabric Group A	Fabric Group B
475	485
500	510
530	541
560	571

- 0773 = Gray Mix
- Group B - Serendipity**
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

ERP Half Open Frame/Half Fabric



## MODEL

### ERP Half Open Frame/Half Fabric Panels

- Half open frame/half fabric panel with open area beginning at 33 inch height. (See description of fabric and open panels for construction details).
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- Class A fire rated. Certain fabrics only.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), grey (G), sand (S), warm grey (W), or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER			
			Basic Model	Base Power	Trim	Fabric
ERP Half Open Frame/Half Fabric Panels	24"	52"	CIECOPF2452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	24"	58"	CIECOPF2458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	24"	66"	CIECOPF2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	24"	70"	CIECOPF2470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	24"	76"	CIECOPF2476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	24"	84"	CIECOPF2484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	52"	CIECOPF3052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	58"	CIECOPF3058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	66"	CIECOPF3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	70"	CIECOPF3070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	76"	CIECOPF3076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	30"	84"	CIECOPF3084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	52"	CIECOPF3652	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	58"	CIECOPF3658	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	66"	CIECOPF3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	70"	CIECOPF3670	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	76"	CIECOPF3676	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	36"	84"	CIECOPF3684	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	52"	CIECOPF4252	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	58"	CIECOPF4258	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	66"	CIECOPF4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	70"	CIECOPF4270	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	76"	CIECOPF4276	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	42"	84"	CIECOPF4284	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	52"	CIECOPF4852	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	58"	CIECOPF4858	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$60)
  - T4** = Ten-wire pwd 442 sys (+ \$65)
  - T6** = Ten-wire pwd 622 sys (+ \$70)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**D** Select fabric color.

- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
288	294
300	306
305	311
310	316
319	325
328	335
301	307
310	316
319	325
323	329
332	339
342	349
322	328
376	384
380	388
390	398
353	360
362	369
348	406
355	362
364	371
370	377
377	385
387	395
367	374
376	384

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

ERP Half Open Frame/Half Fabric



## MODEL

### ERP Half Open Frame/Half Fabric Panels

- Half open frame/half fabric panel with open area beginning at 33 inch height. (See description of fabric and open panels for construction details).
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- Class A fire rated. Certain fabrics only.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), grey (G), sand (S), warm grey (W), or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER			
			Basic Model	Base Power	Trim	Fabric
ERP Half Open Frame/Half Fabric Panels	48"	66"	CIECOPF4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	70"	CIECOPF4870	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	76"	CIECOPF4876	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	48"	84"	CIECOPF4884	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	52"	CIECOPF5452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	58"	CIECOPF5458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	66"	CIECOPF5466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	70"	CIECOPF5470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	76"	CIECOPF5476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	54"	84"	CIECOPF5484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	52"	CIECOPF6052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	58"	CIECOPF6058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	66"	CIECOPF6066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	70"	CIECOPF6070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	76"	CIECOPF6076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	60"	84"	CIECOPF6084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$60)
  - T4** = Ten-wire pwd 442 sys (+ \$65)
  - T6** = Ten-wire pwd 622 sys (+ \$70)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

- C** Select trim color.
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

- D** Select fabric color.
- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamist
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
385	393
390	398
398	406
408	416
395	403
400	408
405	413
410	418
420	428
429	438
399	407
407	415
416	424
421	429
430	439
439	448

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

## ERP Bottom Open Frame



### MODEL

#### ERP Bottom Open Frame Panels

- Bottom open frame panel with fabric section on top. (See description of fabric and open panels for construction details.)
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), grey (G), sand (S), warm grey (W), or light tone (L) trim color.
- Standard Bottom Open Frame Panel Covers (CIBOFC-SIZE) may be used on these panels. (Use the cover for a standard BOFP that is 4" shorter than the ERP height.)

W	H	MODEL NUMBER			
		Basic Model	Base Power	Trim	Fabric
24"	46"	CIEBOFP2446	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	52"	CIEBOFP2452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	58"	CIEBOFP2458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	66"	CIEBOFP2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	70"	CIEBOFP2470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	76"	CIEBOFP2476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	84"	CIEBOFP2484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	46"	CIEBOFP3046	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	52"	CIEBOFP3052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	58"	CIEBOFP3058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	66"	CIEBOFP3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	70"	CIEBOFP3070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	76"	CIEBOFP3076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30"	84"	CIEBOFP3084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	46"	CIEBOFP3646	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	52"	CIEBOFP3652	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	58"	CIEBOFP3658	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	66"	CIEBOFP3666	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	70"	CIEBOFP3670	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	76"	CIEBOFP3676	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36"	84"	CIEBOFP3684	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	46"	CIEBOFP4246	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	52"	CIEBOFP4252	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	58"	CIEBOFP4258	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	66"	CIEBOFP4266	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	70"	CIEBOFP4270	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- NP** = Non powered eight-wire\*
  - TN** = Non powered ten-wire (+ \$5)
  - P8** = Eight-wire powered (+ \$60)
  - T4** = Ten-wire pwd 442 sys (+ \$65)
  - T6** = Ten-wire pwd 622 sys (+ \$70)

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**D** Select fabric color.

- Group A - FR701**
- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor
  - 1690** = Tourmaline
  - 4604** = Chicory
  - 4605** = Amber Grain
  - 4593** = Serengeti
  - 4594** = Coco Palm
  - 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
  - 9454** = Verdigris

- 9456** = Tinctoria
  - 9455** = Green Earth
  - 9448** = Teak Oil
  - 9445** = Gesso
  - 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
  - 4538** = Bermuda Seamount
  - 4544** = Blueberry Sky
  - 4542** = Sundew Sandrift
  - 4525** = Fog Stardust
  - 4531** = Gobi Moonbeam
  - 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
  - 6465** = Malachite
  - 1100** = Mulberry
  - 0776** = Oatmeal
  - 6464** = Light Mauve
  - 1104** = Peasant Beige


NP Sales Price

Fabric Group A	Fabric Group B
285	291
295	301
305	311
310	318
316	324
325	333
343	352
297	304
309	317
320	328
331	339
336	344
347	356
365	374
318	326
330	338
341	350
355	364
362	371
381	390
400	410
349	358
355	364
368	378
386	369
391	400

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# ERP Panels

## ERP Bottom Open Frame



### MODEL

#### ERP Bottom Open Frame Panels

- Bottom open frame panel with fabric section on top. (See description of fabric and open panels for construction details.)
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- **Panel-to-Panel Power Connectors must be specified separately.**
- Powered panel raceway includes four locations for receptacles for panels wider than 24 inches. 24" panel contains two receptacle locations.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) and carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Specify black (B), grey (G), sand (S), warm grey (W), or light tone (L) trim color.
- Standard Bottom Open Frame Panel Covers (CIBOFC-SIZE) may be used on these panels. (Use the cover for a standard BOFP that is 4" shorter than the ERP height.)

W	H	MODEL NUMBER			
		Basic Model	Base Power	Trim	Fabric
42"	76"	CIEBOFP4276	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42"	84"	CIEBOFP4284	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	46"	CIEBOFP4846	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	52"	CIEBOFP4852	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	58"	CIEBOFP4858	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	66"	CIEBOFP4866	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	70"	CIEBOFP4870	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	76"	CIEBOFP4876	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48"	84"	CIEBOFP4884	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	46"	CIEBOFP5446	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	52"	CIEBOFP5452	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	58"	CIEBOFP5458	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	66"	CIEBOFP5466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	70"	CIEBOFP5470	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	76"	CIEBOFP5476	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54"	84"	CIEBOFP5484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	46"	CIEBOFP6046	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	52"	CIEBOFP6052	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	58"	CIEBOFP6058	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	66"	CIEBOFP6066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	70"	CIEBOFP6070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	76"	CIEBOFP6076	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60"	84"	CIEBOFP6084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A
B
C
D

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

- B** Select base power.
- |           |                           |          |
|-----------|---------------------------|----------|
| <b>NP</b> | = Non powered eight-wire* |          |
| <b>TN</b> | = Non powered ten-wire    | (+ \$5)  |
| <b>P8</b> | = Eight-wire powered      | (+ \$60) |
| <b>T4</b> | = Ten-wire pwd 442 sys    | (+ \$65) |
| <b>T6</b> | = Ten-wire pwd 622 sys    | (+ \$70) |

\* NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

**C** Select trim color.

- |          |              |  |
|----------|--------------|--|
| <b>B</b> | = Black      |  |
| <b>G</b> | = Gray       |  |
| <b>S</b> | = Sand       |  |
| <b>W</b> | = Warm Gray  |  |
| <b>L</b> | = Light Tone |  |

**D** Select fabric color.

- |                          |                  |
|--------------------------|------------------|
| <b>Group A - FR701</b>   |                  |
| <b>1511</b>              | = Blue Neutral   |
| <b>1506</b>              | = Green Neutral  |
| <b>1518</b>              | = Wedgewood      |
| <b>1510</b>              | = Silver Papier  |
| <b>1546</b>              | = Cherry Neutral |
| <b>1515</b>              | = Quartz         |
| <b>1531</b>              | = Gray Mix       |
| <b>Group A - Eclipse</b> |                  |
| <b>4595</b>              | = Meteor         |
| <b>1690</b>              | = Tourmaline     |
| <b>4604</b>              | = Chicory        |
| <b>4605</b>              | = Amber Grain    |
| <b>4593</b>              | = Serengeti      |
| <b>4594</b>              | = Coco Palm      |
| <b>1691</b>              | = Iron Ore       |
| <b>Group A - Carrara</b> |                  |
| <b>9447</b>              | = Beeswax        |
| <b>9454</b>              | = Verdigris      |

- |                          |                      |
|--------------------------|----------------------|
| <b>9456</b>              | = Tinctoria          |
| <b>9455</b>              | = Green Earth        |
| <b>9448</b>              | = Teak Oil           |
| <b>9445</b>              | = Gesso              |
| <b>9444</b>              | = Casein             |
| <b>Group A - Galaxy</b>  |                      |
| <b>4526</b>              | = Desert Sand Gravel |
| <b>4538</b>              | = Bermuda Seamount   |
| <b>4544</b>              | = Blueberry Sky      |
| <b>4542</b>              | = Sundew Sandrift    |
| <b>4525</b>              | = Fog Stardust       |
| <b>4531</b>              | = Gobi Moonbeam      |
| <b>4541</b>              | = Wrought Silver     |
| <b>Group A - Heather</b> |                      |
| <b>0774</b>              | = Wedgewood          |
| <b>6465</b>              | = Malachite          |
| <b>1100</b>              | = Mulberry           |
| <b>0776</b>              | = Oatmeal            |
| <b>6464</b>              | = Light Mauve        |
| <b>1104</b>              | = Peasant Beige      |




NP Sales Price

Fabric Group A	Fabric Group B
374	383
396	406
331	339
343	352
354	363
379	388
385	395
405	415
422	432
352	361
362	371
374	383
398	408
404	414
422	432
445	456
362	371
372	381
384	394
408	418
414	424
432	443
455	466

- 0773 = Gray Mix
- Group B - Serendipity
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon

# Raceway Communication and Data

8-Wire

MODEL	MODEL NUMBER		Sales Price
	Basic Model	Trim	
 <p><b>Data 1 NP Raceway Cover</b></p> <ul style="list-style-type: none"> <li>A non-powered raceway cover with (1) opening for (1) data faceplate.</li> <li>Sizes available 12-60.</li> <li>Opening is located to the left of center on the cover.</li> <li><b>Data faceplates and modular jacks must be ordered separately.</b></li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53283512	<input type="checkbox"/>	7.50
	53283518	<input type="checkbox"/>	8.15
	53283524	<input type="checkbox"/>	8.80
	53283530	<input type="checkbox"/>	9.50
	53283536	<input type="checkbox"/>	10.00
	53283542	<input type="checkbox"/>	11.00
	53283548	<input type="checkbox"/>	12.00
	53283554	<input type="checkbox"/>	13.00
53283560	<input type="checkbox"/>	13.50	
 <p><b>Data 2 NP Raceway Cover</b></p> <ul style="list-style-type: none"> <li>A non-powered raceway cover with (2) openings for (2) data faceplates.</li> <li>Sizes available 18-60.</li> <li><b>Data faceplates and modular jacks must be ordered separately.</b></li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53283618	<input type="checkbox"/>	9.65
	53283624	<input type="checkbox"/>	10.50
	53283630	<input type="checkbox"/>	11.00
	53283636	<input type="checkbox"/>	12.00
	53283642	<input type="checkbox"/>	12.65
	53283648	<input type="checkbox"/>	13.50
	53283654	<input type="checkbox"/>	14.50
	53283660	<input type="checkbox"/>	16.00
 <p><b>Data 1 P8 Raceway Cover</b></p> <ul style="list-style-type: none"> <li>A powered raceway cover with the standard powered raceway receptacle bezels, and (1) data plate opening for (1) data faceplate.</li> <li>Sizes available 24-60.</li> <li>Opening is located to the left of center on the cover.</li> <li><b>Data faceplates and modular jacks must be ordered separately.</b></li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53283724	<input type="checkbox"/>	10.00
	53283730	<input type="checkbox"/>	11.00
	53283736	<input type="checkbox"/>	11.50
	53283742	<input type="checkbox"/>	12.50
	53283748	<input type="checkbox"/>	13.50
	53283754	<input type="checkbox"/>	14.00
	53283760	<input type="checkbox"/>	15.00
		<input type="checkbox"/>	

A B

## HOW TO ORDER

Indicate the following information on order form:


- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER


- Select basic model.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone
- Select trim color.



**MODEL**


**Data 2 P8 Raceway Cover**

- A powered raceway cover with the standard powered raceway receptacle bezels, and (2) openings for (2) data faceplates.
- Sizes available 36-60.
- **Data faceplates and modular jacks must be ordered separately.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



**Non-Powered (One) Single Gang Cover**

- A non-powered raceway cover with (1) opening for a standard single gang faceplate.
- Sizes available 18-60.
- **Data faceplates and modular jacks must be ordered separately.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



**Non-Powered (Two) Single Gang Cover**

- A non-powered raceway cover with (2) openings for a standard single gang faceplate.
- Sizes available 24-60.
- **Data faceplates and modular jacks must be ordered separately.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL NUMBER		Sales Price
Basic Model	Trim	
53283836	<input type="checkbox"/>	13.00
53283842	<input type="checkbox"/>	14.00
53283848	<input type="checkbox"/>	15.00
53283854	<input type="checkbox"/>	15.50
53283860	<input type="checkbox"/>	16.00
53284018	<input type="checkbox"/>	9.00
53284024	<input type="checkbox"/>	9.00
53284030	<input type="checkbox"/>	10.00
53284036	<input type="checkbox"/>	11.00
53284042	<input type="checkbox"/>	12.00
53284048	<input type="checkbox"/>	12.00
53284054	<input type="checkbox"/>	13.00
53284060	<input type="checkbox"/>	13.00
53283924	<input type="checkbox"/>	9.50
53283930	<input type="checkbox"/>	10.50
53283936	<input type="checkbox"/>	12.00
53283942	<input type="checkbox"/>	12.00
53283948	<input type="checkbox"/>	12.00
53283954	<input type="checkbox"/>	14.00
53283960	<input type="checkbox"/>	14.00

A
B

**HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.




- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

- A** Select basic model.
- B** Select trim color.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

# Raceway Communication and Data

8-Wire

MODEL	MODEL NUMBER		Sales Price
	Basic Model	Trim	
 <p><b>ERP Data 1 NP Raceway Cover</b></p> <ul style="list-style-type: none"> <li>A non-powered ERP raceway cover with (1) opening for (1) data faceplate.</li> <li>Sizes available 12-60.</li> <li>Opening is located to the left of center on the cover, in the top half of the cover.</li> <li><b>Data faceplates and modular jacks must be ordered separately.</b></li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53286112	<input type="checkbox"/>	12
	53286118	<input type="checkbox"/>	13
	53286124	<input type="checkbox"/>	14
	53286130	<input type="checkbox"/>	15
	53286136	<input type="checkbox"/>	16
	53286142	<input type="checkbox"/>	17
	53286148	<input type="checkbox"/>	18
	53286154	<input type="checkbox"/>	19
	53286160	<input type="checkbox"/>	20
	 <p><b>ERP Data 2 NP Raceway Cover</b></p> <ul style="list-style-type: none"> <li>A non-powered ERP raceway cover with (2) openings for (2) data faceplates.</li> <li>Sizes available 18-60.</li> <li>Openings are located in the top half of the cover.</li> <li><b>Data faceplates and modular jacks must be ordered separately.</b></li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53286318	<input type="checkbox"/>
53286324		<input type="checkbox"/>	15
53286330		<input type="checkbox"/>	16
53286336		<input type="checkbox"/>	17
53286342		<input type="checkbox"/>	18
53286348		<input type="checkbox"/>	19
53286354		<input type="checkbox"/>	20
53286360	<input type="checkbox"/>	21	
 <p><b>ERP Data 1 P8 Raceway Cover</b></p> <ul style="list-style-type: none"> <li>A powered ERP raceway cover with the standard powered raceway receptacle bezels, and (1) data plate opening for (1) data faceplate.</li> <li>Sizes available 24-60.</li> <li>Opening is located to the left of center on the cover, in the top half of the cover.</li> <li><b>Data faceplates and modular jacks must be ordered separately.</b></li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53286524	<input type="checkbox"/>	16
	5328653	<input type="checkbox"/>	17
	53286536	<input type="checkbox"/>	18
	53286542	<input type="checkbox"/>	19
	53286548	<input type="checkbox"/>	20
	53286554	<input type="checkbox"/>	21
	53286560	<input type="checkbox"/>	22

A

B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.


- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.


<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone



**MODEL**


**ERP Data 2 P8 Raceway Cover**

- A powered ERP raceway cover with the standard powered raceway receptacle bezels, and (2) openings for (2) data faceplates.
- Sizes available 24-60.
- Openings are located in the top half of the cover.
- **Data faceplates and modular jacks must be ordered separately.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



**ERP NP Raceway Cover with Single Gang Mounting Hole**

- A non-powered ERP raceway cover with (1) opening for (1) single gang data faceplate.
- Sizes available 18-60.
- Opening is located to the left of center on the cover, in the top half of the cover.
- **Data faceplates and modular jacks must be ordered separately.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



**ERP P8 Raceway Cover with Single Gang Mounting Hole**

- A powered ERP raceway cover with the standard powered raceway receptacle bezels, and (1) data plate opening for (1) single gang data faceplate.
- Sizes available 24-60.
- Opening is located to the left of center on the cover, in the top half of the cover.
- **Data faceplates and modular jacks must be ordered separately.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL NUMBER		Sales Price
Basic Model	Trim	
53286724	<input type="checkbox"/>	17
53286730	<input type="checkbox"/>	18
53286736	<input type="checkbox"/>	19
53286742	<input type="checkbox"/>	20
53286748	<input type="checkbox"/>	21
53286754	<input type="checkbox"/>	22
53286760	<input type="checkbox"/>	23
53285918	<input type="checkbox"/>	20
53285924	<input type="checkbox"/>	21
53285930	<input type="checkbox"/>	22
53285936	<input type="checkbox"/>	23
53285942	<input type="checkbox"/>	24
53285948	<input type="checkbox"/>	25
53285954	<input type="checkbox"/>	26
53285960	<input type="checkbox"/>	27
53286924	<input type="checkbox"/>	21
53286930	<input type="checkbox"/>	22
53286936	<input type="checkbox"/>	23
53286942	<input type="checkbox"/>	24
53286948	<input type="checkbox"/>	25
53286954	<input type="checkbox"/>	26
53286960	<input type="checkbox"/>	27

**A**      **B**

**HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.




- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

- A** Select basic model.
- B** Select trim color.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

# Raceway Communication and Data

10-Wire

MODEL	MODEL NUMBER		Sales Price
	Basic Model	Trim	
 <p><b>Data 1 10-Wire Raceway Cover</b></p> <ul style="list-style-type: none"> <li>Sizes available 36-60.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53368236	<input type="checkbox"/>	11
	53368242	<input type="checkbox"/>	12
	53368248	<input type="checkbox"/>	13
	53368254	<input type="checkbox"/>	14
	53368260	<input type="checkbox"/>	15
 <p><b>Data 2 10-Wire Raceway Cover</b></p> <ul style="list-style-type: none"> <li>Sizes available 42-60.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53368442	<input type="checkbox"/>	15
	53368448	<input type="checkbox"/>	16
	53368454	<input type="checkbox"/>	17
	53368460	<input type="checkbox"/>	18
 <p><b>ERP Data 1 10-Wire Raceway Cover</b></p> <ul style="list-style-type: none"> <li>Sizes available 24-60.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	53267324	<input type="checkbox"/>	22
	53267330	<input type="checkbox"/>	23
	53267336	<input type="checkbox"/>	24
	53267342	<input type="checkbox"/>	25
	53267348	<input type="checkbox"/>	26
	53267354	<input type="checkbox"/>	27
	53267360	<input type="checkbox"/>	28

A

B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand



**W** = Warm Gray

**L** = Light Tone



# Panel Trim

## End Caps

MODEL	W	H	D	MODEL NUMBER		Sales Price	
				Basic Model	Trim		
 <p><b>Panel End Caps</b></p> <ul style="list-style-type: none"> <li>• Extruded plastic cap covers panel end.</li> <li>• Includes transition cap to top cap.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2½"	32"	1"	CIECP32	<input type="checkbox"/>	5	
	2½"	42"	1"	CIECP42	<input type="checkbox"/>	6	
	2½"	48"	1"	CIECP48	<input type="checkbox"/>	7	
	2½"	54"	1"	CIECP54	<input type="checkbox"/>	8	
	2½"	62"	1"	CIECP62	<input type="checkbox"/>	9	
	2½"	66"	1"	CIECP66	<input type="checkbox"/>	10	
	2½"	72"	1"	CIECP72	<input type="checkbox"/>	11	
	2½"	80"	1"	CIECP80	<input type="checkbox"/>	12	
 <p><b>In-Line Variable Height Panel End Caps</b></p> <ul style="list-style-type: none"> <li>• Extruded plastic cap covers exposed panel end when in-line panels are of different heights.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	Use with Panel Heights						
	2½"	Special 10"	1"	32"/42"	CIECPL3242	<input type="checkbox"/>	2
	2½"	Special 16"	1"	32"/48"	CIECPL3248	<input type="checkbox"/>	4
	2½"	Special 22"	1"	32"/54"	CIECPL3254	<input type="checkbox"/>	5
	2½"	Special 30"	1"	32"/62"	CIECPL3262	<input type="checkbox"/>	5
	2½"	Special 34"	1"	32"/66"	CIECPL3266	<input type="checkbox"/>	6
	2½"	Special 40"	1"	32"/72"	CIECPL3272	<input type="checkbox"/>	6
	2½"	Special 48"	1"	32"/80"	CIECPL3280	<input type="checkbox"/>	7
	2½"	6"	1"	42"/48"	CIECPL4248	<input type="checkbox"/>	3
	2½"	12"	1"	42"/54"	CIECPL4254	<input type="checkbox"/>	4
	2½"	20"	1"	42"/62"	CIECPL4262	<input type="checkbox"/>	5
	2½"	24"	1"	42"/66"	CIECPL4266	<input type="checkbox"/>	6
	2½"	30"	1"	42"/72"	CIECPL4272	<input type="checkbox"/>	7
	2½"	38"	1"	42"/80"	CIECPL4280	<input type="checkbox"/>	8
	2½"	6"	1"	48"/54"	CIECPL4854	<input type="checkbox"/>	5
	2½"	14"	1"	48"/62"	CIECPL4862	<input type="checkbox"/>	6
2½"	18"	1"	48"/66"	CIECPL4866	<input type="checkbox"/>	7	
2½"	24"	1"	48"/72"	CIECPL4872	<input type="checkbox"/>	8	

A

B

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:


- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- B** = Black \_\_\_\_\_
- G** = Gray \_\_\_\_\_
- S** = Sand \_\_\_\_\_
- W** = Warm Gray \_\_\_\_\_
- L** = Light Tone \_\_\_\_\_







**MODEL**

**Variable Height T-Posts (CTC) - Upholstered**

- Fabric-covered, extruded plastic trim covers the exposed panel trim when panels of different heights meet in "T" or 4-way configurations.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- T-post top cap included.
- Specify fabric color.

MODEL	W	H	Use with Panel Heights	MODEL NUMBER			Sales Price
				Basic Model	Trim	Fabric	
	2 1/2"	Special 10"	32"/42"	CIFECPT3242	<input type="checkbox"/>	<input type="checkbox"/>	10
	2 1/2"	Special 16"	32"/48"	CIFECPT3248	<input type="checkbox"/>	<input type="checkbox"/>	12
	2 1/2"	Special 22"	32"/54"	CIFECPT3254	<input type="checkbox"/>	<input type="checkbox"/>	12
	2 1/2"	Special 30"	32"/62"	CIFECPT3262	<input type="checkbox"/>	<input type="checkbox"/>	13
	2 1/2"	Special 34"	32"/66"	CIFECPT3266	<input type="checkbox"/>	<input type="checkbox"/>	14
	2 1/2"	Special 40"	32"/72"	CIFECPT3272	<input type="checkbox"/>	<input type="checkbox"/>	15
	2 1/2"	Special 48"	32"/80"	CIFECPT3280	<input type="checkbox"/>	<input type="checkbox"/>	16
	2 1/2"	6"	42"/48"	CIFECPT4248	<input type="checkbox"/>	<input type="checkbox"/>	13
	2 1/2"	12"	42"/54"	CIFECPT4254	<input type="checkbox"/>	<input type="checkbox"/>	14
	2 1/2"	20"	42"/62"	CIFECPT4262	<input type="checkbox"/>	<input type="checkbox"/>	15
	2 1/2"	24"	42"/66"	CIFECPT4266	<input type="checkbox"/>	<input type="checkbox"/>	16
	2 1/2"	30"	42"/72"	CIFECPT4272	<input type="checkbox"/>	<input type="checkbox"/>	17
	2 1/2"	38"	42"/80"	CIFECPT4280	<input type="checkbox"/>	<input type="checkbox"/>	18
	2 1/2"	6"	48"/54"	CIFECPT4854	<input type="checkbox"/>	<input type="checkbox"/>	15
	2 1/2"	14"	48"/62"	CIFECPT4862	<input type="checkbox"/>	<input type="checkbox"/>	16
	2 1/2"	18"	48"/66"	CIFECPT4866	<input type="checkbox"/>	<input type="checkbox"/>	17
	2 1/2"	24"	48"/72"	CIFECPT4872	<input type="checkbox"/>	<input type="checkbox"/>	18
	2 1/2"	32"	48"/80"	CIFECPT4880	<input type="checkbox"/>	<input type="checkbox"/>	19
	2 1/2"	8"	54"/62"	CIFECPT5462	<input type="checkbox"/>	<input type="checkbox"/>	17
	2 1/2"	12"	54"/66"	CIFECPT5466	<input type="checkbox"/>	<input type="checkbox"/>	18
	2 1/2"	18"	54"/72"	CIFECPT5472	<input type="checkbox"/>	<input type="checkbox"/>	19
	2 1/2"	26"	54"/80"	CIFECPT5480	<input type="checkbox"/>	<input type="checkbox"/>	20
	2 1/2"	4"	62"/66"	CIFECPT6266	<input type="checkbox"/>	<input type="checkbox"/>	19
	2 1/2"	10"	62"/72"	CIFECPT6272	<input type="checkbox"/>	<input type="checkbox"/>	20
	2 1/2"	18"	62"/80"	CIFECPT6280	<input type="checkbox"/>	<input type="checkbox"/>	21
	2 1/2"	6"	66"/72"	CIFECPT6672	<input type="checkbox"/>	<input type="checkbox"/>	20
	2 1/2"	14"	66"/80"	CIFECPT6680	<input type="checkbox"/>	<input type="checkbox"/>	21
	2 1/2"	8"	72"/80"	CIFECPT7280	<input type="checkbox"/>	<input type="checkbox"/>	22

**A**      **B**      **C**

**HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select fabric color.

**Group A - FR701**

- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- Group A - Eclipse**
- 4595** = Meteor

**1690** = Tourmaline

**4604** = Chicory

**4605** = Amber Grain

**4593** = Serengeti

**4594** = Coco Palm

**1691** = Iron Ore

**Group A - Carrara**

**9447** = Beeswax

**9454** = Verdigris

**9456** = Tinctoria

**9455** = Green Earth

**9448** = Teak Oil

**9445** = Gesso

**9444** = Casein

**Group A - Galaxy**

**4526** = Desert Sand Gravel

**4538** = Bermuda Seamist

**4544** = Blueberry Sky

**4542** = Sundew Sandrift

**4525** = Fog Stardust

**4531** = Gobi Moonbeam

**4541** = Wrought Silver

**Group A - Heather**

**0774** = Wedgewood

**6465** = Malachite

**1100** = Mulberry

**0776** = Oatmeal

**6464** = Light Mauve

**1104** = Peasant Beige

**0773** = Gray Mix

**Group B - Serendipity**

**9617** = Coincidence

**9626** = Four Leaf Clover

**9622** = Lady Luck


**9619** = Guardian Angel

**9620** = Lucky Duck

**9618** = Fortuitous

**9624** = Silver Spoon





### MODEL

#### Variable Height 90° Corner Post (CAC) – Upholstered

- Fabric-covered, extruded plastic corner covers exposed panel end where three panels of two different heights meet in "T" configurations.
- 90° corner top cap included.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify fabric color.

MODEL	W	H	Use with Panel Heights	MODEL NUMBER			Sales Price
				Basic Model	Trim	Fabric	
	2 1/2"	Special 10"	32"/42"	CIFECPC3242	<input type="checkbox"/>	<input type="checkbox"/>	16
	2 1/2"	Special 16"	32"/48"	CIFECPC3248	<input type="checkbox"/>	<input type="checkbox"/>	18
	2 1/2"	Special 22"	32"/54"	CIFECPC3254	<input type="checkbox"/>	<input type="checkbox"/>	19
	2 1/2"	Special 30"	32"/62"	CIFECPC3262	<input type="checkbox"/>	<input type="checkbox"/>	20
	2 1/2"	Special 34"	32"/66"	CIFECPC3266	<input type="checkbox"/>	<input type="checkbox"/>	21
	2 1/2"	Special 40"	32"/72"	CIFECPC3272	<input type="checkbox"/>	<input type="checkbox"/>	22
	2 1/2"	Special 48"	32"/80"	CIFECPC3280	<input type="checkbox"/>	<input type="checkbox"/>	23
	2 1/2"	6"	42"/48"	CIFECPC4248	<input type="checkbox"/>	<input type="checkbox"/>	19
	2 1/2"	12"	42"/54"	CIFECPC4254	<input type="checkbox"/>	<input type="checkbox"/>	20
	2 1/2"	20"	42"/62"	CIFECPC4262	<input type="checkbox"/>	<input type="checkbox"/>	21
	2 1/2"	24"	42"/66"	CIFECPC4266	<input type="checkbox"/>	<input type="checkbox"/>	22
	2 1/2"	30"	42"/72"	CIFECPC4272	<input type="checkbox"/>	<input type="checkbox"/>	23
	2 1/2"	38"	42"/80"	CIFECPC4280	<input type="checkbox"/>	<input type="checkbox"/>	24
	2 1/2"	6"	48"/54"	CIFECPC4854	<input type="checkbox"/>	<input type="checkbox"/>	21
	2 1/2"	14"	48"/62"	CIFECPC4862	<input type="checkbox"/>	<input type="checkbox"/>	22
	2 1/2"	18"	48"/66"	CIFECPC4866	<input type="checkbox"/>	<input type="checkbox"/>	23
	2 1/2"	24"	48"/72"	CIFECPC4872	<input type="checkbox"/>	<input type="checkbox"/>	24
	2 1/2"	32"	48"/80"	CIFECPC4880	<input type="checkbox"/>	<input type="checkbox"/>	25
	2 1/2"	8"	54"/62"	CIFECPC5462	<input type="checkbox"/>	<input type="checkbox"/>	22
	2 1/2"	12"	54"/66"	CIFECPC5466	<input type="checkbox"/>	<input type="checkbox"/>	23
	2 1/2"	18"	54"/72"	CIFECPC5472	<input type="checkbox"/>	<input type="checkbox"/>	24
	2 1/2"	26"	54"/80"	CIFECPC5480	<input type="checkbox"/>	<input type="checkbox"/>	25
	2 1/2"	4"	62"/66"	CIFECPC6266	<input type="checkbox"/>	<input type="checkbox"/>	24
	2 1/2"	10"	62"/72"	CIFECPC6272	<input type="checkbox"/>	<input type="checkbox"/>	25
	2 1/2"	18"	62"/80"	CIFECPC6280	<input type="checkbox"/>	<input type="checkbox"/>	26
	2 1/2"	6"	66"/72"	CIFECPC6672	<input type="checkbox"/>	<input type="checkbox"/>	25
	2 1/2"	14"	66"/80"	CIFECPC6680	<input type="checkbox"/>	<input type="checkbox"/>	26
	2 1/2"	8"	72"/80"	CIFECPC7280	<input type="checkbox"/>	<input type="checkbox"/>	27

A B C

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select fabric color.

#### Group A - FR701

- 1511** = Blue Neutral
- 1506** = Green Neutral
- 1518** = Wedgewood
- 1510** = Silver Papier
- 1546** = Cherry Neutral
- 1515** = Quartz
- 1531** = Gray Mix

#### Group A - Eclipse

- 4595** = Meteor

**1690** = Tourmaline

**4604** = Chicory

**4605** = Amber Grain

**4593** = Serengeti

**4594** = Coco Palm

**1691** = Iron Ore

#### Group A - Carrara

**9447** = Beeswax

**9454** = Verdigris

**9456** = Tinctoria

**9455** = Green Earth

**9448** = Teak Oil

**9445** = Gesso

**9444** = Casein

#### Group A - Galaxy

**4526** = Desert Sand Gravel

**4538** = Bermuda Seamist

**4544** = Blueberry Sky

**4542** = Sundew Sandrift

**4525** = Fog Stardust

**4531** = Gobi Moonbeam

**4541** = Wrought Silver

#### Group A - Heather

**0774** = Wedgewood

**6465** = Malachite

**1100** = Mulberry

**0776** = Oatmeal

**6464** = Light Mauve

**1104** = Peasant Beige

**0773** = Gray Mix

#### Group B - Serendipity

**9617** = Coincidence

**9626** = Four Leaf Clover

**9622** = Lady Luck

**9619** = Guardian Angel


**9620** = Lucky Duck

**9618** = Fortuitous

**9624** = Silver Spoon


# Panel Trim

45° Corner Post - 60° Corner Post - Two Way & Four Way Top Caps




## 45° Corner Post

- Fabric covered, extruded plastic trim conceals hinge on 135° two-way panel configuration.
- 45° corner top cap included.
- Specify fabric color.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.




## 60° Corner Post

- Fabric covered, extruded plastic trim conceals hinge on 120° two-way panel configuration.
- 60° corner top cap included.
- Specify fabric color.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



## Two Way Top Cap

- Provides continuation of the top cap design when used in conjunction with the CIFECP/CIUCEPT (in some configurations).
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



## Four Way Top Cap

- Provides continuation of the top cap when four panels the same height meet at 90° angles.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER			Sales Price
			Basic Model	Trim	Fabric	
		32"	CICAC4532	<input type="checkbox"/>	<input type="checkbox"/>	46
		42"	CICAC4542	<input type="checkbox"/>	<input type="checkbox"/>	55
		48"	CICAC4548	<input type="checkbox"/>	<input type="checkbox"/>	60
		54"	CICAC4554	<input type="checkbox"/>	<input type="checkbox"/>	68
		62"	CICAC4562	<input type="checkbox"/>	<input type="checkbox"/>	75
		66"	CICAC4566	<input type="checkbox"/>	<input type="checkbox"/>	80
		72"	CICAC4572	<input type="checkbox"/>	<input type="checkbox"/>	86
		80"	CICAC4580	<input type="checkbox"/>	<input type="checkbox"/>	92
		32"	CICAC6032	<input type="checkbox"/>	<input type="checkbox"/>	46
		42"	CICAC6042	<input type="checkbox"/>	<input type="checkbox"/>	55
		48"	CICAC6048	<input type="checkbox"/>	<input type="checkbox"/>	60
		54"	CICAC6054	<input type="checkbox"/>	<input type="checkbox"/>	68
		62"	CICAC6062	<input type="checkbox"/>	<input type="checkbox"/>	75
		66"	CICAC6066	<input type="checkbox"/>	<input type="checkbox"/>	80
		72"	CICAC6072	<input type="checkbox"/>	<input type="checkbox"/>	86
		80"	CICAC6080	<input type="checkbox"/>	<input type="checkbox"/>	92
	2½"	2½"	CITWC	<input type="checkbox"/>		2
	2½"	2½"	CIFWC	<input type="checkbox"/>		2

A B C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select fabric color.

**Group A - FR701**

**1511** = Blue Neutral

**1506** = Green Neutral

**1518** = Wedgewood

**1510** = Silver Papier

**1546** = Cherry Neutral

**1515** = Quartz

**1531** = Gray Mix

**Group A - Eclipse**

**4595** = Meteor

**1690** = Tourmaline

**4604** = Chicory

**4605** = Amber Grain

**4593** = Serengeti

**4594** = Coco Palm

**1691** = Iron Ore

**Group A - Carrara**

**9447** = Beeswax

**9454** = Verdigris

**9456** = Tinctoria

**9455** = Green Earth

**9448** = Teak Oil

**9445** = Gesso

**9444** = Casein

**Group A - Galaxy**

**4526** = Desert Sand Gravel

**4538** = Bermuda Seamist

**4544** = Blueberry Sky

**4542** = Sundew Sandrift

**4525** = Fog Stardust

**4531** = Gobi Moonbeam

**4541** = Wrought Silver

**Group A - Heather**

**0774** = Wedgewood

**6465** = Malachite

**1100** = Mulberry

**0776** = Oatmeal

**6464** = Light Mauve

**1104** = Peasant Beige

**0773** = Gray Mix

**Group B - Serendipity**

**9617** = Coincidence

**9626** = Four Leaf Clover

**9622** = Lady Luck

**9619** = Guardian Angel

**9620** = Lucky Duck




**9618** = Fortuitous

**9624** = Silver Spoon



# Panel Trim

ERP 2 1/2" Spacer - ERP 90° Corner Post (CAC) Upholstered - Name Plate Holder

MODEL	W	H	D	MODEL NUMBER			Sales Price
				Basic Model	Trim	Fabric	
 <p><b>ERP 2 1/2" CTC Spacer</b></p> <ul style="list-style-type: none"> <li>Upholstered plastic and aluminum extrusion that is used to provide a 2-1/2" space along a run of panels.</li> <li>The CTC Spacer is used to make up the 2-1/2" difference that is created in a workstation when a CTC intersection has taken place on the opposite wall.</li> <li>Two way top cap included.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2 1/2"	36"		CIERCTCS36	<input type="checkbox"/>	<input type="checkbox"/>	56
	2 1/2"	46"		CIERCTCS46	<input type="checkbox"/>	<input type="checkbox"/>	61
	2 1/2"	52"		CIERCTCS52	<input type="checkbox"/>	<input type="checkbox"/>	64
	2 1/2"	58"		CIERCTCS58	<input type="checkbox"/>	<input type="checkbox"/>	70
	2 1/2"	66"		CIERCTCS66	<input type="checkbox"/>	<input type="checkbox"/>	74
	2 1/2"	70"		CIERCTCS70	<input type="checkbox"/>	<input type="checkbox"/>	76
	2 1/2"	76"		CIERCTCS76	<input type="checkbox"/>	<input type="checkbox"/>	86
	2 1/2"	84"		CIERCTCS84	<input type="checkbox"/>	<input type="checkbox"/>	90
 <p><b>ERP 90° Corner Post (CAC) - Upholstered</b></p> <ul style="list-style-type: none"> <li>Fabric covered, extruded plastic corner covers exposed panel ends where two panels form a 90° configuration.</li> <li>90° corner top cap included.</li> <li>Steel raceway cover included.</li> <li>90° septum bridge included.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2 1/2"	36"	2 1/2"	CIERCAC36	<input type="checkbox"/>	<input type="checkbox"/>	28
	2 1/2"	46"	2 1/2"	CIERCAC46	<input type="checkbox"/>	<input type="checkbox"/>	29
	2 1/2"	52"	2 1/2"	CIERCAC52	<input type="checkbox"/>	<input type="checkbox"/>	30
	2 1/2"	58"	2 1/2"	CIERCAC58	<input type="checkbox"/>	<input type="checkbox"/>	31
	2 1/2"	66"	2 1/2"	CIERCAC66	<input type="checkbox"/>	<input type="checkbox"/>	32
	2 1/2"	70"	2 1/2"	CIERCAC70	<input type="checkbox"/>	<input type="checkbox"/>	33
	2 1/2"	76"	2 1/2"	CIERCAC76	<input type="checkbox"/>	<input type="checkbox"/>	34
	2 1/2"	84"	2 1/2"	CIERCAC84	<input type="checkbox"/>	<input type="checkbox"/>	35
 <p><b>Name Plate Holder</b></p> <ul style="list-style-type: none"> <li>Color coordinated name plate holder is made of PVC and snaps onto the top cap in any location.</li> <li>8" long name plate holders will hold an engraved name plate up to .06 thick in a vertical position above the panel.</li> <li>Actual nameplate is supplied by the customer.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	<b>Length</b>						
	8			CINPH	<input type="checkbox"/>		8

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select fabric color.

**Group A - FR701**

- 1511 = Blue Neutral
  - 1506 = Green Neutral
  - 1518 = Wedgewood
  - 1510 = Silver Papler
  - 1546 = Cherry Neutral
  - 1515 = Quartz
  - 1531 = Gray Mix
- Group A - Eclipse**
- 4595 = Meteor

1690 = Tourmaline

4604 = Chicory

4605 = Amber Grain

4593 = Serengeti

4594 = Coco Palm

1691 = Iron Ore

**Group A - Carrara**

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

**Group A - Galaxy**

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

**Group A - Heather**

0774 = Wedgewood

6465 = Malachite

1100 = Mulberry

0776 = Oatmeal

6464 = Light Mauve

1104 = Peasant Beige

0773 = Gray Mix

**Group B - Serendipity**

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel


9620 = Lucky Duck

9618 = Fortuitous

9624 = Silver Spoon

# Panel Trim Accessories

Wall Mount - Adjustable Wall Mount - Panel Center Mount



## MODEL

### Wall Mount

- Allows panels to be attached to existing walls.
- Includes mounting plate and hinges.
- Aluminum construction with painted finish.
- No hardware for wall attachment is included.
- For ERP panels, use the wall mount 4" shorter than the ERP panel height.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

W H D

2½" 32" ¼"  
2½" 42" ¼"  
2½" 48" ¼"  
2½" 54" ¼"  
2½" 62" ¼"  
2½" 66" ¼"  
2½" 72" ¼"  
2½" 80" ¼"  
2½" 84" ¼"

## MODEL NUMBER


Basic Model Trim

Sales Price

CICWM32   
CICWM42   
CICWM48   
CICWM54   
CICWM62   
CICWM66   
CICWM72   
CICWM80   
CICWM84

12  
13  
14  
15  
16  
17  
18  
19  
20

### Maximum Depth



### Adjustable Wall Mount

- Allows panels to be attached to existing walls. Adjustable up to 1-inch to correct wall deflection.
- Includes mounting plate, hinges, adjustment pads, and wall plate.
- Aluminum construction with painted finish.
- For ERP panels, use the wall mount 4" shorter than the ERP panel height.
- No hardware for wall attachment is included.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

2½" 32" 1"  
2½" 42" 1"  
2½" 48" 1"  
2½" 54" 1"  
2½" 62" 1"  
2½" 66" 1"  
2½" 72" 1"  
2½" 80" 1"  
2½" 84" 1"

CICWMA32   
CICWMA42   
CICWMA48   
CICWMA54   
CICWMA62   
CICWMA66   
CICWMA72   
CICWMA80   
CICWMA84

17  
18  
19  
20  
21  
22  
23  
24  
25



### Panel Center Mount

- Provides for the attachment of an acoustical, glass, or open frame panel at a 90° angle along the face of another acoustical, glass, or open frame panel the same height to form a "T" configuration.
- For ERP panels, use the panel center mount 4" shorter than the ERP panel height.
- **• Panels must be the same height.**
- Is not capable of passing power from panel-to-panel.

2½" 32"  
2½" 42"  
2½" 48"  
2½" 54"  
2½" 62"  
2½" 66"  
2½" 72"  
2½" 80"

CIPCM32  
CIPCM42  
CIPCM48  
CIPCM54  
CIPCM62  
CIPCM66  
CIPCM72  
CIPCM80

18  
19  
20  
21  
22  
23  
24  
25

A

B

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black  
**G** = Gray  
**S** = Sand  
**W** = Warm Gray  
**L** = Light Tone

# Stackable Panels

## Stackable Panel Section - Fabric



### Stackable Panel Section – Fabric

- Aluminum frame with fiberglass and fabric covered fiberboard faces.
- Alignment brackets allow a stackable section to slide onto an existing panel to increase the height.
- Stackable panel section may be installed without removing existing panel from the panel run.
- Stackable panel sections are connected through single piece poly hinges.
- Product is UL 1286 listed.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER			Sales Price	
			Basic Model	Trim	Fabric	Fabric Group A	Fabric Group
	24"	12"	CISPSF24S12	<input type="checkbox"/>	<input type="checkbox"/>	94	96
	24"	18"	CISPSF24S18	<input type="checkbox"/>	<input type="checkbox"/>	102	104
	24"	24"	CISPSF24S24	<input type="checkbox"/>	<input type="checkbox"/>	103	105
	24"	30"	CISPSF24S30	<input type="checkbox"/>	<input type="checkbox"/>	105	107
	30"	12"	CISPSF30S12	<input type="checkbox"/>	<input type="checkbox"/>	96	98
	30"	18"	CISPSF30S18	<input type="checkbox"/>	<input type="checkbox"/>	105	107
	30"	24"	CISPSF30S24	<input type="checkbox"/>	<input type="checkbox"/>	108	110
	30"	30"	CISPSF30S30	<input type="checkbox"/>	<input type="checkbox"/>	110	112
	36"	12"	CISPSF36S12	<input type="checkbox"/>	<input type="checkbox"/>	103	105
	36"	18"	CISPSF36S18	<input type="checkbox"/>	<input type="checkbox"/>	111	113
	36"	24"	CISPSF36S24	<input type="checkbox"/>	<input type="checkbox"/>	114	116
	36"	30"	CISPSF36S30	<input type="checkbox"/>	<input type="checkbox"/>	116	118
	42"	12"	CISPSF42S12	<input type="checkbox"/>	<input type="checkbox"/>	107	109
	42"	18"	CISPSF42S18	<input type="checkbox"/>	<input type="checkbox"/>	114	116
	42"	24"	CISPSF42S24	<input type="checkbox"/>	<input type="checkbox"/>	117	119
	42"	30"	CISPSF42S30	<input type="checkbox"/>	<input type="checkbox"/>	120	122
	48"	12"	CISPSF48S12	<input type="checkbox"/>	<input type="checkbox"/>	108	110
	48"	18"	CISPSF48S18	<input type="checkbox"/>	<input type="checkbox"/>	119	121
	48"	24"	CISPSF48S24	<input type="checkbox"/>	<input type="checkbox"/>	121	123
	48"	30"	CISPSF48S30	<input type="checkbox"/>	<input type="checkbox"/>	123	125

A
B
C

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.


- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select fabric color.

- Group A - FR701**
- 1511 = Blue Neutral
- 1506 = Green Neutral
- 1518 = Wedgewood
- 1510 = Silver Papier
- 1546 = Cherry Neutral
- 1515 = Quartz
- 1531 = Gray Mix
- Group A - Eclipse**
- 4595 = Meteor

- 1690 = Tourmaline
- 4604 = Chicory
- 4605 = Amber Grain
- 4593 = Serengeti
- 4594 = Coco Palm
- 1691 = Iron Ore
- Group A - Carrara**
- 9447 = Beeswax
- 9454 = Verdigris
- 9456 = Tinctoria
- 9455 = Green Earth
- 9448 = Teak Oil
- 9445 = Gesso
- 9444 = Casein
- Group A - Galaxy**
- 4526 = Desert Sand Gravel
- 4538 = Bermuda Seamist
- 4544 = Blueberry Sky
- 4542 = Sundew Sandrift
- 4525 = Fog Stardust

- 4531 = Gobi Moonbeam
- 4541 = Wrought Silver
- Group A - Heather**
- 0774 = Wedgewood
- 6465 = Malachite
- 1100 = Mulberry
- 0776 = Oatmeal
- 6464 = Light Mauve
- 1104 = Peasant Beige
- 0773 = Gray Mix
- Group B - Serendipity**
- 9617 = Coincidence
- 9626 = Four Leaf Clover
- 9622 = Lady Luck
- 9619 = Guardian Angel
- 9620 = Lucky Duck
- 9618 = Fortuitous
- 9624 = Silver Spoon



MODEL	W	H	MODEL NUMBER		Sales Price
			Basic Model	Trim	
<b>Stackable Panel Section – Glass Frame</b> <ul style="list-style-type: none"> <li>Painted aluminum frame with 1/4" tempered glass.</li> <li>Alignment brackets allow a stackable section to slide onto an existing panel to increase the height.</li> <li>Stackable panel section may be installed without removing existing panel from the panel run.</li> <li>Stackable panel sections are connected through single piece poly hinges.</li> <li>Product is UL 1286 listed.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	24"	12"	CISPSG24S12	<input type="checkbox"/>	133
	24"	18"	CISPSG24S18	<input type="checkbox"/>	147
	24"	24"	CISPSG24S24	<input type="checkbox"/>	153
	24"	30"	CISPSG24S30	<input type="checkbox"/>	164
	30"	12"	CISPSG30S12	<input type="checkbox"/>	141
	30"	18"	CISPSG30S18	<input type="checkbox"/>	156
	30"	24"	CISPSG30S24	<input type="checkbox"/>	164
	30"	30"	CISPSG30S30	<input type="checkbox"/>	179
	36"	12"	CISPSG36S12	<input type="checkbox"/>	151
	36"	18"	CISPSG36S18	<input type="checkbox"/>	165
	36"	24"	CISPSG36S24	<input type="checkbox"/>	178
	36"	30"	CISPSG36S30	<input type="checkbox"/>	193
	42"	12"	CISPSG42S12	<input type="checkbox"/>	135
	42"	18"	CISPSG42S18	<input type="checkbox"/>	156
	42"	24"	CISPSG42S24	<input type="checkbox"/>	171
	42"	30"	CISPSG42S30	<input type="checkbox"/>	185
	48"	12"	CISPSG48S12	<input type="checkbox"/>	159
	48"	18"	CISPSG48S18	<input type="checkbox"/>	184
	48"	24"	CISPSG48S24	<input type="checkbox"/>	196
	48"	30"	CISPSG48S30	<input type="checkbox"/>	213



### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:


- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

# Stackable Panels

## Stackable Panel Section - Open Frame



### MODEL

#### Stackable Panel Section – Open Frame

- Painted aluminum frame.
- Alignment brackets allow a stackable section to slide onto an existing panel to increase the height.
- Stackable panel section may be installed without removing existing panel from the panel run.
- Stackable panel sections are connected through single piece poly hinges.
- Product is UL 1286 listed.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	MODEL NUMBER		Sales Price
			Basic Model	Trim	
	24"	12"	CISPS024S12	<input type="checkbox"/>	122
	24"	18"	CISPS024S18	<input type="checkbox"/>	134
	24"	24"	CISPS024S24	<input type="checkbox"/>	140
	24"	30"	CISPS024S30	<input type="checkbox"/>	151
	30"	12"	CISPS030S12	<input type="checkbox"/>	131
	30"	18"	CISPS030S18	<input type="checkbox"/>	135
	30"	24"	CISPS030S24	<input type="checkbox"/>	143
	30"	30"	CISPS030S30	<input type="checkbox"/>	160
	36"	12"	CISPS036S12	<input type="checkbox"/>	140
	36"	18"	CISPS036S18	<input type="checkbox"/>	152
	36"	24"	CISPS036S24	<input type="checkbox"/>	160
	36"	30"	CISPS036S30	<input type="checkbox"/>	168
	42"	12"	CISPS042S12	<input type="checkbox"/>	124
	42"	18"	CISPS042S18	<input type="checkbox"/>	140
	42"	24"	CISPS042S24	<input type="checkbox"/>	145
	42"	30"	CISPS042S30	<input type="checkbox"/>	153
	48"	12"	CISPS048S12	<input type="checkbox"/>	147
	48"	18"	CISPS048S18	<input type="checkbox"/>	163
	48"	24"	CISPS048S24	<input type="checkbox"/>	167
	48"	30"	CISPS048S30	<input type="checkbox"/>	176

A

B

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER


- A** Select basic model.

- B** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone


# Stackable Panel Trim

Stackable End of Run - 3-T Post (CTC) - 90° Corners (CAC)




## Stackable End of Run

- Extruded plastic cap covers stackable section end.
- Specify to match the height of the stackable section.
- Includes a sleeve to align with existing end of run trim.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



## Stackable 3-T Post (CTC)

- Fabric covered extruded plastic trim piece covers exposed stackable section ends where three sections from a "T" configuration.
- Specify to match the height of the stackable sections.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



## Stackable 90° Corners (CAC)

- Fabric covered extruded plastic corner covers exposed stackable section ends where two sections from a 90° configuration.
- Specify to match the height of the stackable sections.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	Use on Stackable Panels:	MODEL NUMBER			Sales Price
		Basic Model	Trim	Fabric	
<b>Stackable End of Run</b>	S12	CISPSEORS12	<input type="checkbox"/>		2
	S18	CISPSEORS18	<input type="checkbox"/>		3
	S24	CISPSEORS24	<input type="checkbox"/>		4
	S30	CISPSEORS30	<input type="checkbox"/>		5
<b>Stackable 3-T Post (CTC)</b>	S12	CISPCTFCS12	<input type="checkbox"/>	<input type="checkbox"/>	4
	S18	CISPCTFCS18	<input type="checkbox"/>	<input type="checkbox"/>	5
	S24	CISPCTFCS24	<input type="checkbox"/>	<input type="checkbox"/>	6
	S30	CISPCTFCS30	<input type="checkbox"/>	<input type="checkbox"/>	7
<b>Stackable 90° Corners (CAC)</b>	S12	CISPSCAFCS12	<input type="checkbox"/>	<input type="checkbox"/>	8
	S18	CISPSCAFCS18	<input type="checkbox"/>	<input type="checkbox"/>	9
	S24	CISPSCAFCS24	<input type="checkbox"/>	<input type="checkbox"/>	10
	S30	CISPSCAFCS30	<input type="checkbox"/>	<input type="checkbox"/>	11

A

B

C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select fabric color.

### Group A - FR701

- 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
- ### Group A - Eclipse
- 4595** = Meteor

**1690** = Tourmaline

**4604** = Chicory

**4605** = Amber Grain

**4593** = Serengeti

**4594** = Coco Palm

**1691** = Iron Ore

### Group A - Carrara

**9447** = Beeswax

**9454** = Verdigris

**9456** = Tinctoria

**9455** = Green Earth

**9448** = Teak Oil

**9445** = Gesso

**9444** = Casein

### Group A - Galaxy

**4526** = Desert Sand Gravel

**4538** = Bermuda Seamist

**4544** = Blueberry Sky

**4542** = Sundew Sandrift

**4525** = Fog Stardust

**4531** = Gobi Moonbeam

**4541** = Wrought Silver

### Group A - Heather

**0774** = Wedgewood

**6465** = Malachite

**1100** = Mulberry

**0776** = Oatmeal

**6464** = Light Mauve

**1104** = Peasant Beige

**0773** = Gray Mix

### Group B - Serendipity

**9617** = Coincidence

**9626** = Four Leaf Clover

**9622** = Lady Luck

**9619** = Guardian Angel




**9620** = Lucky Duck

**9618** = Fortuitous

**9624** = Silver Spoon

# Stackable Panel Trim

Variable End of Run - Variable 3-T Post (CTC) - Variable 90° Corners (CAC)

MODEL	Use when diff. in height equals:	MODEL NUMBER			Sales Price	
		Basic Model	Trim	Fabric	Fabric Group A	Fabric Group B
 <p><b>Stackable Variable End of Run</b></p> <ul style="list-style-type: none"> <li>Extruded plastic cap covers a stackable section end, when the adjacent panel steps down in height (see drawing).</li> <li>Specify to match the height of the stackable sections, or the difference in panel heights.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	6"	CISPSVEORS06	<input type="checkbox"/>		2	
	12"	CISPSVEORS12	<input type="checkbox"/>		3	
	18"	CISPSVEORS18	<input type="checkbox"/>		4	
	24"	CISPSVEORS24	<input type="checkbox"/>		5	
	30"	CISPSVEORS30	<input type="checkbox"/>		6	
 <p><b>Stackable Variable 3-T Post (CTC)</b></p> <ul style="list-style-type: none"> <li>Fabric covered extruded plastic trim piece covers exposed stackable section ends where three sections form a "T" configuration, and a fourth shorter panel is at a lower height (see drawing).</li> <li>Specify to match the height of the stackable section, or the difference in panel heights.</li> <li>Specify fabric color.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	6"	CISPSVCTFCS06	<input type="checkbox"/>	<input type="checkbox"/>	4	6
	12"	CISPSVCTFCS12	<input type="checkbox"/>	<input type="checkbox"/>	5	7
	18"	CISPSVCTFCS18	<input type="checkbox"/>	<input type="checkbox"/>	6	8
	24"	CISPSVCTFCS24	<input type="checkbox"/>	<input type="checkbox"/>	7	9
	30"	CISPSVCTFCS30	<input type="checkbox"/>	<input type="checkbox"/>	8	10
 <p><b>Stackable Variable 90° Corners (CAC)</b></p> <ul style="list-style-type: none"> <li>Fabric covered extruded plastic corner covers exposed stackable section ends where two stackable sections from a 90° configuration, and a 3rd (or 3rd and 4th) panel(s) is at a lower height (see drawing).</li> <li>Specify to match the height of the stackable sections, or the difference in panel heights.</li> <li>Specify fabric color.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	6"	CISPSVCAFCS06	<input type="checkbox"/>	<input type="checkbox"/>	6	8
	12"	CISPSVCAFCS12	<input type="checkbox"/>	<input type="checkbox"/>	7	9
	18"	CISPSVCAFCS18	<input type="checkbox"/>	<input type="checkbox"/>	8	10
	24"	CISPSVCAFCS24	<input type="checkbox"/>	<input type="checkbox"/>	9	11
	30"	CISPSVCAFCS30	<input type="checkbox"/>	<input type="checkbox"/>	10	12

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:


- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone
- C** Select fabric color.
  - Group A - FR701**
  - 1511** = Blue Neutral
  - 1506** = Green Neutral
  - 1518** = Wedgewood
  - 1510** = Silver Papier
  - 1546** = Cherry Neutral
  - 1515** = Quartz
  - 1531** = Gray Mix
  - Group A - Eclipse**
  - 4595** = Meteor

- 1690** = Tourmaline
- 4604** = Chicory
- 4605** = Amber Grain
- 4593** = Serengeti
- 4594** = Coco Palm
- 1691** = Iron Ore
- Group A - Carrara**
- 9447** = Beeswax
- 9454** = Verdigris
- 9456** = Tinctoria
- 9455** = Green Earth
- 9448** = Teak Oil
- 9445** = Gesso
- 9444** = Casein
- Group A - Galaxy**
- 4526** = Desert Sand Gravel
- 4538** = Bermuda Seamist
- 4544** = Blueberry Sky
- 4542** = Sundew Sandrift
- 4525** = Fog Stardust


- 4531** = Gobi Moonbeam
- 4541** = Wrought Silver
- Group A - Heather**
- 0774** = Wedgewood
- 6465** = Malachite
- 1100** = Mulberry
- 0776** = Oatmeal
- 6464** = Light Mauve
- 1104** = Peasant Beige
- 0773** = Gray Mix
- Group B - Serendipity**
- 9617** = Coincidence
- 9626** = Four Leaf Clover
- 9622** = Lady Luck
- 9619** = Guardian Angel
- 9620** = Lucky Duck
- 9618** = Fortuitous
- 9624** = Silver Spoon



### MODEL


#### Door

- Provides visual and acoustical privacy.
- For use in conjunction with 80-inch panels only.
- The 42" door actually gives you an opening 34 3/4" wide when the door is opened.
- Laminate surface on door.
- Locking and non-locking options.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.
- See Specifications Section for applications.



#### ERP Door

- 4" taller than standard doors.
- To be used with 84" ERP panels only.
- The 42" door actually gives you an opening 34 3/4" wide when the door is opened.
- Provides visual and acoustical privacy.
- Laminate surface on door.
- Locking and non-locking options.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.
- See Specifications Section for applications.



#### Door Threshold

- Extruded aluminum door threshold with rubber seal strip.
- Attaches to bottom of door frame.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- See installation instructions.
- Use with 42" door units.

MODEL	W	H	Opening	Hand	Lock	MODEL NUMBER			Sales Price
						Basic Model	Trim	Laminate	
	42"	80"	34 3/4"	Right	Locking	CIDRR42L	<input type="checkbox"/>	<input type="checkbox"/>	750
	42"	80"	34 3/4"	Right	Non-Locking	CIDRR42N	<input type="checkbox"/>	<input type="checkbox"/>	620
	42"	80"	34 3/4"	Left	Locking	CIDRL42L	<input type="checkbox"/>	<input type="checkbox"/>	750
	42"	80"	34 3/4"	Left	Non-Locking	CIDRL42N	<input type="checkbox"/>	<input type="checkbox"/>	620
	42"	84"	34 3/4"	Right	Locking	CIEDRR42L	<input type="checkbox"/>	<input type="checkbox"/>	870
	42"	84"	34 3/4"	Right	Non-Locking	CIEDRR42N	<input type="checkbox"/>	<input type="checkbox"/>	750
	42"	84"	34 3/4"	Left	Locking	CIEDRL42L	<input type="checkbox"/>	<input type="checkbox"/>	870
	42"	84"	34 3/4"	Left	Non-Locking	CIEDRL42N	<input type="checkbox"/>	<input type="checkbox"/>	750
	42"					CIDRTH42	<input type="checkbox"/>		50

A B C

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select laminate color.

- Cream **85955**
- Champagne **925**
- Barcelona **85852**
- Tidal Sand **917**
- Porcelain **466**
- Aruba Tan **85851**
- Black **909**
- Dark Gray **85848**
- Greige **85954**
- Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**

Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**


COM **00000**





# Electrical


## 8-Wire Simplex Receptacle - Power Pass Through



### MODEL

#### Simplex Receptacle - 8 Wire

- Attaches to wireways of powered panels, (all except curved, 12" and 18" panels).
- Provides one (simplex) receptacle rated at 15 amps.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color for circuits 1,2,3.
- Available in all 4 circuits (1,2,3,4) the 4I is color coded orange and provides an isolated ground circuit.
- Product is UL 1286 listed.



#### Power Pass Through-8 Wire

- Provides continuation of power through a non-powered panel that is between two powered panels.
- Receptacle access is not provided on power pass through panel.
- Panel-to-panel connectors are not required.
- Product is UL 1286 listed.

Circuit #	MODEL NUMBER		Sales Price
	Basic Model	Trim	
1	CI8CERS1	<input type="checkbox"/>	6
2	CI8CERS2	<input type="checkbox"/>	6
3	CI8CERS3	<input type="checkbox"/>	6
4 <sup>Δ</sup>	CI8CERS4I	<input type="checkbox"/>	8
Δisolated ground circuit			
Corresponding Panel Width			
12"	CI8EPT12		39
18"	CI8EPT18		41
24"	CI8EPT24		43
30"	CI8EPT30		45
36"	CI8EPT36		48
42"	CI8EPT42		51
48"	CI8EPT48		52
54"	CI8EPT54		54
60"	CI8EPT60		55
Curved	CI8CEPC		62

A

B

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- B** = Black \_\_\_\_\_
- G** = Gray \_\_\_\_\_
- S** = Sand \_\_\_\_\_
- W** = Warm Gray \_\_\_\_\_
- L** = Light Tone \_\_\_\_\_












# Worksurfaces T-edge

Rectangular



## Rectangular Worksurfaces T-edge

- Rectangular surfaces consist of 1 1/8" particle board between laminate and backer with vinyl T-edge molding around the perimeter of the surfaces.
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- Includes worksurface cantilever brackets.
- Meets BIFMA standards: X5.6-1993.
- All Surfaces 66 inches and longer are provided with an additional left hand cantilever bracket for mid-surface support.
- Cantilevers allow mounting to panels at 1-inch height increments.
- Worksurfaces are predrilled for suspended pedestals.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	W	D	MODEL NUMBER				Sales Price
			Basic Model	Trim	Laminate	Grommet Option	
	48"	15"	CIWS1548	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	100
	60"	16"	CIWS1660	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	30"	18"	CIWS1830	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	24"	20"	CIWS2024	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	60
	30"	20"	CIWS2030	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	65
	36"	20"	CIWS2036	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	70
	42"	20"	CIWS2042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80
	48"	20"	CIWS2048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	54"	20"	CIWS2054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	110
	60"	20"	CIWS2060	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95
	66"	20"	CIWS2066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	100
	72"	20"	CIWS2072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	105
	18"	24"	CIWS2418	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	75
	24"	24"	CIWS2424	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80
	30"	24"	CIWS2430	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80
	36"	24"	CIWS2436	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	85
	42"	24"	CIWS2442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	48"	24"	CIWS2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95
	54"	24"	CIWS2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	100
	60"	24"	CIWS2460	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	105
	66"	24"	CIWS2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	110
	72"	24"	CIWS2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	115
	84"	24"	CIWS2484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	130
	24"	30"	CIWS3024	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80
	30"	30"	CIWS3030	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	85

A B C D

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select laminate color.

- Cream **85955**
- Champagne **925**
- Barcelona **85852**
- Tidal Sand **917**
- Porcelain **466**
- Aruba Tan **85851**
- Black **909**
- Dark Gray **85848**
- Greige **85954**
- Fog **961**

- Black Grandin **91561**
- Smoke Granite **91537**
- Sand Grandin **91562**
- Light Granite **1816**
- Tundra **7220**
- Earthen **7215**
- Rose Grafix **91845**
- Shale Grafix **91846**
- Sierra Grafix **91844**
- Beige Grafix **506**
- Sand Stone **7265**
- Kentucky Walnut **91558**
- Tennessee Oak **91560**
- Light Oak **91533**
- Red Birch **91817**
- Light Ash **91850**
- Philadelphia Cherry **91559**
- Pennsylvania Cherry **91536**
- COM **00000**

**D** Select grommet codes.


- L** - Left
- C** - Center
- R** - Right
- LR** - Left & Right
- LC** - Left & Center
- LCR** - Left, Center & Right

**Add \$3 for each grommet**



# Worksurfaces T-edge


90° Corner



## MODEL

### 90° Corner Worksurfaces T-edge

- 90° corner worksurfaces provide a straight front edge to access corner worksurface area.
- A 36-inch width attaches to 36-inch wide panels; 48-inch width to 48-inch wide panels.
- Product is constructed of 1 1/8" particle board between laminate and backer with vinyl T-edge molding around the perimeter of the surfaces.
- Meets BIFMA standards: X5.6-1993.
- Mounting hardware is included. A left hand cantilever is provided for rear corner.
- Worksurfaces are predrilled for adjustable keyboard pad.
- Cantilevers allow mounting to panels at 1-inch height increments.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.



### Curved Worksurfaces T-edge

- Curved worksurfaces consist of 1 1/8" particle board between laminate and backer with vinyl T-edge molding around the perimeter of the surfaces.
- Meets BIFMA standards: X5.6-1993
- Worksurface is typically used so radius corresponds to curved panels.
- Sides match up to 24 inch deep worksurfaces.
- Includes worksurface cantilever brackets.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	Panel Width	D	Front Edge	MODEL NUMBER			Sales Price
				Basic Model	Trim	Laminate	
	36"	24"	15 1/2"	CIWS902436	<input type="checkbox"/>	<input type="checkbox"/>	105
	42"	24"	23 3/4"	CIWS902442	<input type="checkbox"/>	<input type="checkbox"/>	120
	48"	24"	32 1/2"	CIWS902448	<input type="checkbox"/>	<input type="checkbox"/>	125
	42"	30"	15 1/2"	CIWS903042	<input type="checkbox"/>	<input type="checkbox"/>	130
	48"	30"	23 3/4"	CIWS903048	<input type="checkbox"/>	<input type="checkbox"/>	135
	W	D					
	24"	24"		CIWSC24	<input type="checkbox"/>	<input type="checkbox"/>	105

A B C D

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.

<b>B</b> = Black	_____
<b>G</b> = Gray	_____
<b>S</b> = Sand	_____
<b>W</b> = Warm Gray	_____
<b>L</b> = Light Tone	_____

- C** Select laminate color.

Cream	<b>85955</b>
Champagne	<b>925</b>
Barcelona	<b>85852</b>
Tidal Sand	<b>917</b>
Porcelain	<b>466</b>
Aruba Tan	<b>85851</b>
Black	<b>909</b>
Dark Gray	<b>85848</b>
Greige	<b>85954</b>
Fog	<b>961</b>

Black Grandin	<b>91561</b>
Smoke Granite	<b>91537</b>
Sand Grandin	<b>91562</b>
Light Granite	<b>1816</b>
Tundra	<b>7220</b>
Earthen	<b>7215</b>
Rose Grafix	<b>91845</b>
Shale Grafix	<b>91846</b>
Sierra Grafix	<b>91844</b>
Beige Grafix	<b>506</b>
Sand Stone	<b>7265</b>
Kentucky Walnut	<b>91558</b>
Tennessee Oak	<b>91560</b>
Light Oak	<b>91533</b>
Red Birch	<b>91817</b>
Light Ash	<b>91850</b>
Philadelphia Cherry	<b>91559</b>
Pennsylvania Cherry	<b>91536</b>
COM	<b>00000</b>


- D** Select grommet codes.

<b>L</b> - Left	_____
<b>C</b> - Center	_____
<b>R</b> - Right	_____
<b>LR</b> - Left & Right	_____
<b>LC</b> - Left & Center	_____
<b>LCR</b> - Left, Center & Right	_____

**Add \$3 for each grommet**







**Adjustable D-Leg Worksurface (Panel Mount) T-edge**

- Same as standard D-leg worksurfaces except the metal column that supports the round end is height adjustable.
- Adjustable height is specified as **DOWN** from the standard 29-inch height (24"-34") or **UP** from the standard 29-inch height (29"-34").
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	Adjustment Height	MODEL NUMBER				Sales Price
		Basic Model	Trim	Laminate	Grommet Option	
	24" - 29"	CIWSDAD2460	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	200
	24" - 29"	CIWSDAD2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	210
	24" - 29"	CIWSDAD3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	200
	24" - 29"	CIWSDAD3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	210
	24" - 29"	CIWSDAD3060	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215
	24" - 29"	CIWSDAD3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	225
	24" - 29"	CIWSDAD3660	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	235
	24" - 29"	CIWSDAD3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	245
	29" - 34"	CIWSDAU2460	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	200
	29" - 34"	CIWSDAU2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	210
	29" - 34"	CIWSDAU3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	200
	29" - 34"	CIWSDAU3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	210
	29" - 34"	CIWSDAU3060	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215
	29" - 34"	CIWSDAU3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	225
	29" - 34"	CIWSDAU3660	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	235
	29" - 34"	CIWSDAU3672	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	245

A
B
C
D

### HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
  2. Model number, including options. See "How to Build a Model Number."
  3. Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color:
- B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone

Select laminate color.


Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954
Fog	961

Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Grandin	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844
Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000

- D** Select grommet codes.
- L** - Left
  - C** - Center
  - R** - Right
  - LR** - Left & Right
  - LC** - Left & Center
  - LCR** - Left, Center & Right

# Worksurfaces T-edge

Adjustable D-Leg (End Mount)



## MODEL

### Adjustable D-Leg Worksurface (End Mount) T-edge

- Same as standard D-leg worksurfaces except the metal column that supports the round end is height adjustable.
- Adjustable height is specified as **DOWN** from the standard 29-inch height (24"-34") or **UP** from the standard 29-inch height (29"-34").
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	Adjustment Height	MODEL NUMBER			Sales Price
		Basic Model	Trim	Laminate	
	24" - 29"	CIWSDSMAD3048	<input type="checkbox"/>	<input type="checkbox"/>	200
	24" - 29"	CIWSDSMAD3060	<input type="checkbox"/>	<input type="checkbox"/>	215
	24" - 29"	CIWSDSMAD3072	<input type="checkbox"/>	<input type="checkbox"/>	225
	24" - 29"	CIWSDSMAD3660	<input type="checkbox"/>	<input type="checkbox"/>	235
	24" - 29"	CIWSDSMAD3672	<input type="checkbox"/>	<input type="checkbox"/>	245
	29" - 34"	CIWSDSMAU3048	<input type="checkbox"/>	<input type="checkbox"/>	200
	29" - 34"	CIWSDSMAU3060	<input type="checkbox"/>	<input type="checkbox"/>	215
	29" - 34"	CIWSDSMAU3072	<input type="checkbox"/>	<input type="checkbox"/>	225
	29" - 34"	CIWSDSMAU3660	<input type="checkbox"/>	<input type="checkbox"/>	235
	29" - 34"	CIWSDSMAU3672	<input type="checkbox"/>	<input type="checkbox"/>	245

A
B
C
D

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

**C** Select laminate color.

- Cream **85955**
- Champagne **925**
- Barcelona **85852**
- Tidal Sand **917**
- Porcelain **466**
- Aruba Tan **85851**
- Black **909**
- Dark Gray **85848**
- Greige **85954**
- Fog **961**

- Black Grandin **91561**
- Smoke Granite **91537**
- Sand Grandin **91562**
- Light Granite **1816**
- Tundra **7220**
- Earthen **7215**
- Rose Grafix **91845**
- Shale Grafix **91846**
- Sierra Grafix **91844**
- Beige Grafix **506**
- Sand Stone **7265**
- Kentucky Walnut **91558**
- Tennessee Oak **91560**
- Light Oak **91533**
- Red Birch **91817**
- Light Ash **91850**
- Philadelphia Cherry **91559**
- Pennsylvania Cherry **91536**
- COM **00000**


**D** Select grommet codes.

- L** - Left
- C** - Center
- R** - Right
- LR** - Left & Right
- LC** - Left & Center
- LCR** - Left, Center & Right



# Worksurfaces 3mm PVC Edge

Rectangular



## MODEL

### Rectangular Worksurface - 3mm PVC Edge

- Rectangular worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- All surfaces longer than 60" include an additional left-hand cantilever bracket for mid-surface support.
- Worksurfaces are predrilled for suspended pedestals.
- Worksurfaces up to 54" have one slimline grommet centered along the back edge. Over 54" have two slimline grommets.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

## MODEL NUMBER

MODEL	D	W	MODEL NUMBER				Sales Price
			Basic Model	Edge	Trim	Laminate	
	24"	24"	CIWR2424	3L	<input type="checkbox"/>	<input type="checkbox"/>	90
	24"	30"	CIWR2430	3L	<input type="checkbox"/>	<input type="checkbox"/>	90
	24"	36"	CIWR2436	3L	<input type="checkbox"/>	<input type="checkbox"/>	95
	24"	42"	CIWR2442	3L	<input type="checkbox"/>	<input type="checkbox"/>	100
	24"	48"	CIWR2448	3L	<input type="checkbox"/>	<input type="checkbox"/>	110
	24"	54"	CIWR2454	3L	<input type="checkbox"/>	<input type="checkbox"/>	120
	24"	60"	CIWR2460	3L	<input type="checkbox"/>	<input type="checkbox"/>	125
	24"	72"	CIWR2472	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	24"	78"	CIWR2478	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
	24"	84"	CIWR2484	3L	<input type="checkbox"/>	<input type="checkbox"/>	150
	30"	24"	CIWR3024	3L	<input type="checkbox"/>	<input type="checkbox"/>	95
	30"	30"	CIWR3030	3L	<input type="checkbox"/>	<input type="checkbox"/>	95
	30"	36"	CIWR3036	3L	<input type="checkbox"/>	<input type="checkbox"/>	100
	30"	42"	CIWR3042	3L	<input type="checkbox"/>	<input type="checkbox"/>	120
	30"	48"	CIWR3048	3L	<input type="checkbox"/>	<input type="checkbox"/>	125
	30"	54"	CIWR3054	3L	<input type="checkbox"/>	<input type="checkbox"/>	130
	30"	60"	CIWR3060	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	72"	CIWR3072	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
	30"	78"	CIWR3078	3L	<input type="checkbox"/>	<input type="checkbox"/>	150
	30"	84"	CIWR3084	3L	<input type="checkbox"/>	<input type="checkbox"/>	155

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone


- C** Select laminate color.

Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954
Fog	961

Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Granite	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844
Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000

# Worksurfaces 3mm PVC Edge

Mitered Rectangular



## MODEL

### Mitered Rectangular Worksurface - 3mm PVC Edge

- Mitered Rectangular worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- All surfaces longer than 60" include an additional left-hand cantilever bracket for mid-surface support.
- Worksurfaces are predrilled for suspended pedestals.
- Worksurfaces up to 78" have one slimline grommet centered along the back edge. Over 78" have two slimline grommets.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

## MODEL NUMBER

MODEL	D	W	MODEL NUMBER			Sales Price	
			Basic Model	Edge	Trim		Laminate
24" 30"	24"	30"	CIWM2430L	3L	<input type="checkbox"/>	<input type="checkbox"/>	90
24" 30"	24"	30"	CIWM2430R	3L	<input type="checkbox"/>	<input type="checkbox"/>	90
24" 36"	24"	36"	CIWM2436L	3L	<input type="checkbox"/>	<input type="checkbox"/>	95
24" 36"	24"	36"	CIWM2436R	3L	<input type="checkbox"/>	<input type="checkbox"/>	95
24" 42"	24"	42"	CIWM2442L	3L	<input type="checkbox"/>	<input type="checkbox"/>	100
24" 42"	24"	42"	CIWM2442R	3L	<input type="checkbox"/>	<input type="checkbox"/>	100
24" 48"	24"	48"	CIWM2448L	3L	<input type="checkbox"/>	<input type="checkbox"/>	110
24" 48"	24"	48"	CIWM2448R	3L	<input type="checkbox"/>	<input type="checkbox"/>	110
24" 54"	24"	54"	CIWM2454L	3L	<input type="checkbox"/>	<input type="checkbox"/>	120
24" 54"	24"	54"	CIWM2454R	3L	<input type="checkbox"/>	<input type="checkbox"/>	120
24" 60"	24"	60"	CIWM2460L	3L	<input type="checkbox"/>	<input type="checkbox"/>	125
24" 60"	24"	60"	CIWM2460R	3L	<input type="checkbox"/>	<input type="checkbox"/>	125
24" 66"	24"	66"	CIWM2466L	3L	<input type="checkbox"/>	<input type="checkbox"/>	130
24" 66"	24"	66"	CIWM2466R	3L	<input type="checkbox"/>	<input type="checkbox"/>	130
24" 72"	24"	72"	CIWM2472L	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
24" 72"	24"	72"	CIWM2472R	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
24" 78"	24"	78"	CIWM2478L	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
24" 78"	24"	78"	CIWM2478R	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
24" 84"	24"	84"	CIWM2484L	3L	<input type="checkbox"/>	<input type="checkbox"/>	150
24" 84"	24"	84"	CIWM2484R	3L	<input type="checkbox"/>	<input type="checkbox"/>	150
30" 36"	30"	36"	CIWM3036L	3L	<input type="checkbox"/>	<input type="checkbox"/>	100
30" 36"	30"	36"	CIWM3036R	3L	<input type="checkbox"/>	<input type="checkbox"/>	100
30" 42"	30"	42"	CIWM3042L	3L	<input type="checkbox"/>	<input type="checkbox"/>	125
30" 42"	30"	42"	CIWM3042R	3L	<input type="checkbox"/>	<input type="checkbox"/>	125
30" 48"	30"	48"	CIWM3048L	3L	<input type="checkbox"/>	<input type="checkbox"/>	130

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone


**C** Select laminate color.

Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954
Fog	961

Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Granite	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844
Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000

# Worksurfaces 3mm PVC Edge

Mitered Rectangular



## Mitered Rectangular Worksurface - 3mm PVC Edge

- Mitered Rectangular worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- All surfaces longer than 60" include an additional left-hand cantilever bracket for mid-surface support.
- Worksurfaces are predrilled for suspended pedestals.
- Worksurfaces up to 78" have one slimline grommet centered along the back edge. Over 78" have two slimline grommets.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	D	W	MODEL NUMBER				Sales Price
			Basic Model	Edge	Trim	Laminate	
	30"	48"	CIWM3048R	3L	<input type="checkbox"/>	<input type="checkbox"/>	130
	30"	54"	CIWM3054L	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	54"	CIWM3054R	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	60"	CIWM3060L	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	60"	CIWM3060R	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	66"	CIWM3066L	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
	30"	66"	CIWM3066R	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
	30"	72"	CIWM3072L	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
	30"	72"	CIWM3072R	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
	30"	78"	CIWM3078L	3L	<input type="checkbox"/>	<input type="checkbox"/>	150
	30"	78"	CIWM3078R	3L	<input type="checkbox"/>	<input type="checkbox"/>	150
	30"	84"	CIWM3084L	3L	<input type="checkbox"/>	<input type="checkbox"/>	155
	30"	84"	CIWM3084R	3L	<input type="checkbox"/>	<input type="checkbox"/>	155

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**


Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**

COM **00000**

# Worksurfaces 3mm PVC Edge


"P" Shaped Peninsula - Piano Peninsula



## MODEL

### "P" Shaped Peninsula Worksurfaces - 3mm PVC Edge

- "P" Shaped Peninsula worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- Round end is supported by a 3" diameter metal column with height adjustment glide.
- Worksurfaces have one slimline grommet centered along the back edge.
- 72-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.



### Piano Peninsula Worksurfaces - 3mm PVC Edge

- Piano Peninsula worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- Worksurfaces have one slimline grommet centered along the back edge.
- 72-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

## MODEL NUMBER

D	L	Depth at "P"	MODEL NUMBER		Sales Price
			Basic Model	Trim	
24"	48"	60"	CIWPT244860L	<input type="checkbox"/>	330
24"	48"	60"	CIWPT244860R	<input type="checkbox"/>	330
24"	48"	72"	CIWPT244872L	<input type="checkbox"/>	340
24"	48"	72"	CIWPT244872R	<input type="checkbox"/>	340
30"	48"	72"	CIWPT304872L	<input type="checkbox"/>	350
30"	48"	72"	CIWPT304872R	<input type="checkbox"/>	350
Depth at Piano					
24"	48"	60"	CIWPP244860L	<input type="checkbox"/>	305
24"	48"	60"	CIWPP244860R	<input type="checkbox"/>	305
24"	48"	72"	CIWPP244872L	<input type="checkbox"/>	315
24"	48"	72"	CIWPP244872R	<input type="checkbox"/>	315
30"	48"	72"	CIWPP304872L	<input type="checkbox"/>	325
30"	48"	72"	CIWPP304872R	<input type="checkbox"/>	325



## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**


Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**

COM **00000**

# Worksurfaces 3mm PVC Edge

## Radiused Corner Peninsula



### Radiused Corner Peninsula Worksurfaces - 3mm PVC Edge

- Radiused Corner Peninsula worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- 72-inch worksurfaces include an additional left-hand cantilever barocket for mid-surface support.
- 48-inch worksurfaces have one slimline grommet centered along the back edge.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	D	W	MODEL NUMBER			Sales Price
			Basic Model	Trim	Laminate	
	24"	48"	CIWRC2448L	<input type="checkbox"/>	<input type="checkbox"/>	110
	24"	48"	CIWRC2448R	<input type="checkbox"/>	<input type="checkbox"/>	110
	24"	60"	CIWRC2460L	<input type="checkbox"/>	<input type="checkbox"/>	125
	24"	60"	CIWRC2460R	<input type="checkbox"/>	<input type="checkbox"/>	125
	24"	72"	CIWRC2472L	<input type="checkbox"/>	<input type="checkbox"/>	135
	24"	72"	CIWRC2472R	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	48"	CIWRC3048L	<input type="checkbox"/>	<input type="checkbox"/>	125
	30"	48"	CIWRC3048R	<input type="checkbox"/>	<input type="checkbox"/>	125
	30"	60"	CIWRC3060L	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	60"	CIWRC3060R	<input type="checkbox"/>	<input type="checkbox"/>	135
	30"	72"	CIWRC3072L	<input type="checkbox"/>	<input type="checkbox"/>	145
	30"	72"	CIWRC3072R	<input type="checkbox"/>	<input type="checkbox"/>	145

A      B      C

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone


**C** Select laminate color.

Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954
Fog	961

Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Granite	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844
Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000

# Worksurfaces 3mm PVC Edge

Radiused Corner Peninsula



## MODEL

### Radius Shoe Worksurfaces - 3mm PVC Edge

- Radiused Shoe worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- All surfaces longer than 60" include an additional left-hand cantilever barocket for mid-surface support.
- Worksurfaces have one slimline grommet centered along both back edges.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	D	W	L	MODEL NUMBER			Sales Price	
				Basic Model	Edge	Trim		Laminate
Radius Shoe Worksurfaces - 3mm PVC Edge	24"	48"	60"	CIWSP244860L	3L	<input type="checkbox"/>	<input type="checkbox"/>	295
	24"	48"	60"	CIWSP244860R	3L	<input type="checkbox"/>	<input type="checkbox"/>	295
	24"	48"	66"	CIWSP244866L	3L	<input type="checkbox"/>	<input type="checkbox"/>	305
	24"	48"	66"	CIWSP244866R	3L	<input type="checkbox"/>	<input type="checkbox"/>	305
	24"	48"	72"	CIWSP244872L	3L	<input type="checkbox"/>	<input type="checkbox"/>	310
	24"	48"	72"	CIWSP244872R	3L	<input type="checkbox"/>	<input type="checkbox"/>	310
	24"	48"	84"	CIWSP244884L	3L	<input type="checkbox"/>	<input type="checkbox"/>	320
	24"	48"	84"	CIWSP244884R	3L	<input type="checkbox"/>	<input type="checkbox"/>	320
	30"	48"	66"	CIWSP304866L	3L	<input type="checkbox"/>	<input type="checkbox"/>	305
	30"	48"	66"	CIWSP304866R	3L	<input type="checkbox"/>	<input type="checkbox"/>	305
	30"	48"	72"	CIWSP304872L	3L	<input type="checkbox"/>	<input type="checkbox"/>	310
	30"	48"	72"	CIWSP304872R	3L	<input type="checkbox"/>	<input type="checkbox"/>	310
	30"	48"	84"	CIWSP304884L	3L	<input type="checkbox"/>	<input type="checkbox"/>	320
	30"	48"	84"	CIWSP304884R	3L	<input type="checkbox"/>	<input type="checkbox"/>	320

A B C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**


Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**

COM **00000**

# Worksurfaces 3mm PVC Edge

Square Shoe



## Square Shoe Worksurfaces - 3mm PVC Edge

- Square Shoe worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- Specify Left-hand or Right-hand (see drawing).
- 60-inch worksurfaces include reinforcing bars set into the underside of the worksurface.
- All surfaces longer than 60" include an additional left-hand cantilever bracket for mid-surface support.
- Worksurfaces have one slimline grommet centered along both back edges.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	D	W	L	MODEL NUMBER			Sales Price							
				Basic Model	Edge	Trim		Laminate						
	24"	48"	60"	CIWSS244860L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							295
	24"	48"	60"	CIWSS244860R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							295
	24"	48"	66"	CIWSS244866L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							305
	24"	48"	66"	CIWSS244866R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							305
	24"	48"	72"	CIWSS244872L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							310
	24"	48"	72"	CIWSS244872R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							310
	24"	48"	84"	CIWSS244884L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							320
	24"	48"	84"	CIWSS244884R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							320
	30"	48"	66"	CIWSS304866L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							305
	30"	48"	66"	CIWSS304866R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							305
	30"	48"	72"	CIWSS304872L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							310
	30"	48"	72"	CIWSS304872R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							310
	30"	48"	84"	CIWSS304884L	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							320
	30"	48"	84"	CIWSS304884R	3L	<input type="checkbox"/>	<table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>							320

A
B
C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

<b>B</b> = Black
<b>G</b> = Gray
<b>S</b> = Sand
<b>W</b> = Warm Gray
<b>L</b> = Light Tone


**C** Select laminate color.

Cream	<b>85955</b>
Champagne	<b>925</b>
Barcelona	<b>85852</b>
Tidal Sand	<b>917</b>
Porcelain	<b>466</b>
Aruba Tan	<b>85851</b>
Black	<b>909</b>
Dark Gray	<b>85848</b>
Greige	<b>85954</b>
Fog	<b>961</b>

Black Grandin	<b>91561</b>
Smoke Granite	<b>91537</b>
Sand Grandin	<b>91562</b>
Light Granite	<b>1816</b>
Tundra	<b>7220</b>
Earthen	<b>7215</b>
Rose Grafix	<b>91845</b>
Shale Grafix	<b>91846</b>
Sierra Grafix	<b>91844</b>
Beige Grafix	<b>506</b>
Sand Stone	<b>7265</b>
Kentucky Walnut	<b>91558</b>
Tennessee Oak	<b>91560</b>
Light Oak	<b>91533</b>
Red Birch	<b>91817</b>
Light Ash	<b>91850</b>
Philadelphia Cherry	<b>91559</b>
Pennsylvania Cherry	<b>91536</b>
COM	<b>00000</b>


# Worksurfaces 3mm PVC Edge

90° Diagonal Corner - 90° Curvilinear Corner



## 90° Diagonal Corner Worksurfaces - 3mm PVC Edge

- 90° Diagonal Corner worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- A left-hand cantilever bracket is provided for back corner.
- One slimline grommet located 12" from back corner along right rear edge.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.



## 90° Curvilinear Corner Worksurfaces - 3mm PVC Edge

- 90° Curvilinear Corner worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- Cantilever brackets allow mounting to panels at 1" height increments.
- A left-hand cantilever bracket is provided for back corner.
- One slimline grommet located 12" from back corner along right rear edge.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	Left Depth	Panel Edge Length	Right Depth	Front Edge	MODEL NUMBER				Sales Price
					Basic Model	Edge	Trim	Laminate	
90° Diagonal Corner Worksurfaces - 3mm PVC Edge	24"	36"	24"	16 1/4"	CIWD243624	3L	<input type="checkbox"/>	<input type="checkbox"/>	115
	24"	42"	24"	25 1/2"	CIWD244224	3L	<input type="checkbox"/>	<input type="checkbox"/>	130
	24"	42"	30"	21 1/2"	CIWD244230	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
	24"	48"	24"	33 3/4"	CIWD244824	3L	<input type="checkbox"/>	<input type="checkbox"/>	135
	24"	48"	30"	30"	CIWD244830	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
	30"	42"	24"	21 1/2"	CIWD304224	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
	30"	42"	30"	16 1/4"	CIWD304230	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
	30"	48"	24"	30"	CIWD304824	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
	30"	48"	30"	25 1/2"	CIWD304830	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
	90° Curvilinear Corner Worksurfaces - 3mm PVC Edge	24"	36"	24"		CIWC243624	3L	<input type="checkbox"/>	<input type="checkbox"/>
24"		42"	24"		CIWC244224	3L	<input type="checkbox"/>	<input type="checkbox"/>	130
24"		48"	24"		CIWC244824	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
30"		36"	30"		CIWC303630	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
30"		42"	30"		CIWC304230	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
30"		48"	30"		CIWC304830	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
24"		42"	30"		CIWC244230	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
30"		42"	24"		CIWC304224	3L	<input type="checkbox"/>	<input type="checkbox"/>	140
24"		48"	30"		CIWC244830	3L	<input type="checkbox"/>	<input type="checkbox"/>	145
30"		48"	24"		CIWC304824	3L	<input type="checkbox"/>	<input type="checkbox"/>	145

A B C

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**

Philadelphia Cherry **91559**


Pennsylvania Cherry **91536**

COM **00000**



# Worksurfaces 3mm PVC Edge


"D" Shaped Peninsula (End Mount) - Curved Worksurface



## MODEL

### "D" Shaped Peninsula Worksurface - (End Mount) - 3mm PVC Edge

- D-shaped worksurfaces side mount to panels at 29–30" height.
- D-shaped worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Includes worksurface supports.
- The round end is supported by a 3" diameter metal column with adjustable glides.
- 72" worksurfaces contain two steel reinforcing bars.
- Includes mounting hardware.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.



### Curved Worksurface - 3mm PVC Edge

- Curved worksurfaces consist of 1 1/8" particle board between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Worksurface is typically used so radius corresponds to curved panels.
- Sides match up to 24-inch deep worksurfaces.
- Includes worksurface cantilever brackets.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Specify laminate color.

MODEL	D	W	MODEL NUMBER				Sales Price
			Basic Model	Edge	Trim	Laminate	
"D" Shaped Peninsula Worksurface - (End Mount) - 3mm PVC Edge	30"	48"	CIWSMP3048	3L	<input type="checkbox"/>	<input type="checkbox"/>	155
	30"	60"	CIWSMP3060	3L	<input type="checkbox"/>	<input type="checkbox"/>	170
	30"	72"	CIWSMP3072	3L	<input type="checkbox"/>	<input type="checkbox"/>	190
Curved Worksurface - 3mm PVC Edge	24"		CIWSC24				115

A                      B                      C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**

Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**


COM **00000**






# Countertops - Bullnose T-Edge

Straight T-edge - 90° T-edge - Curved for 32" High Panel T-edge




## Straight Countertop (For 32" High Panel) - T-edge

- Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels.
- Specify laminate color.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



## 90° Countertops (For 32" High Panel) - T-edge

- Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels.
- Specify laminate color.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



## Curved Countertops (For 32" High Panel) - T-edge

- Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels.
- Specify laminate color.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	Corresponding Panel Width	MODEL NUMBER			Sales Price
		Basic Model	Trim	Laminate	
	24"	CICTA24BN32	<input type="checkbox"/>	<input type="checkbox"/>	80
	30"	CICTA30BN32	<input type="checkbox"/>	<input type="checkbox"/>	85
	36"	CICTA36BN32	<input type="checkbox"/>	<input type="checkbox"/>	90
	42"	CICTA42BN32	<input type="checkbox"/>	<input type="checkbox"/>	110
	48"	CICTA48BN32	<input type="checkbox"/>	<input type="checkbox"/>	120
	54"	CICTA54BN32	<input type="checkbox"/>	<input type="checkbox"/>	130
	60"	STCT-6-BN32	<input type="checkbox"/>	<input type="checkbox"/>	140
	72"	CICTA72BN32	<input type="checkbox"/>	<input type="checkbox"/>	150
		CICTA9024RABN32	<input type="checkbox"/>	<input type="checkbox"/>	110
		CICTA9030RABN32	<input type="checkbox"/>	<input type="checkbox"/>	135
		CICTA9036RABN32	<input type="checkbox"/>	<input type="checkbox"/>	150
		CICTA24CVBN32	<input type="checkbox"/>	<input type="checkbox"/>	110

A

B

C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**

Philadelphia Cherry **91559**


Pennsylvania Cherry **91536**

COM **00000**




# Countertops 3mm PVC Edge

Straight - 90° - Curved




## Straight Countertop (For 32" High Panel) - 3mm PVC Edge

- Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels.



## 90° Countertop (For 32" High Panel) - 3mm PVC Edge

- Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels.



## Curved Countertop (For 32" High Panel) - 3mm PVC Edge

- Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels.

MODEL	Corresponding Panel Width	MODEL NUMBER			Sales Price	
		Basic Model	Edge	Trim		Laminate
	24	CIWCTWC243L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	90
	30"	CIWCTWC303L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	95
	36"	CIWCTWC363L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	100
	42"	CIWCTWC423L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	120
	48"	CIWCTWC483L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	130
	54"	CIWCTWC543L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	140
	60"	CIWCTWC603L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	150
	72"	CIWCTWC723L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	180
	78"	CIWCTWC783L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	195
	84"	CIWCTWC843L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	210
		CIWCTWC90243L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	120
		CIWCTWC90303L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	145
		CIWCTWC90363L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	160
		CIWCTWC243L	3L	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	120

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**

Philadelphia Cherry **91559**


Pennsylvania Cherry **91536**

COM **00000**




# Worksurface Accessories

## Support Panel - C-Leg Supports



### Worksurface Support Panel - T-edge

- Available with laminate on both sides.
- Support panel provides additional worksurface support in excessive worksurface loading applications.
- Mounts to panels. Screws to worksurface.
- Adjustable glides provide leveling capability.
- **Local is determined by the side of the worksurface support panel that adjoins the vertical panel. L = Left, R = Right.**
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Available in 26-inch and 29-inch heights.
- Specify laminate color.



### C-LEG Supports

- 1 x 2 steel leg assembly used for additional worksurface support in excessive worksurface loading applications.
- Mounts to the panel. Screws to worksurface.
- Adjustable glides provide leveling capability.
- Must specify left or right side version by adding -L(left) or -R(right) to product number.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	D	MODEL NUMBER				Sales Price
			Basic Model	L/R Local	Trim	Laminate	
	26"	20"	CIWSSP2026	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80
	26"	24"	CIWSSP2426	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	85
	26"	30"	CIWSSP3026	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	29"	20"	CIWSSP2029	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	85
	29"	24"	CIWSSP2429	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	29"	30"	CIWSSP3029	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95
	26"	20"	CIWSSPL2026	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80
	26"	24"	CIWSSPL2426	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	85
	26"	30"	CIWSSPL3026	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	29"	20"	CIWSSPL2029	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	85
	29"	24"	CIWSSPL2429	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90
	29"	30"	CIWSSPL3029	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95
		End of Worksurface					
	20"	29"	Left	CICLEG2029L	<input type="checkbox"/>		30
	20"	29"	Right	CICLEG2029R	<input type="checkbox"/>		30
	24"	29"	Left	CICLEG2429L	<input type="checkbox"/>		35
	24"	29"	Right	CICLEG2429R	<input type="checkbox"/>		35
	30"	29"	Left	CICLEG3029L	<input type="checkbox"/>		40
	30"	29"	Right	CICLEG3029R	<input type="checkbox"/>		40

A

B

C

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.

<b>B</b> = Black	
<b>G</b> = Gray	
<b>S</b> = Sand	
<b>W</b> = Warm Gray	
<b>L</b> = Light Tone	


- C** Select laminate color.

Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954
Fog	961

Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Granite	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844
Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000


# Worksurface Accessories

Vertical Filler - Printer Slots - CPU Sling




### Worksurface Vertical Filler

- Steel bracket connects worksurfaces with 3-inch height differences.
- Fills gap between surfaces to prevent accidental dropping of work tools or paper.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



### Printer Slots - Bullnose T-edge

- Allows printer paper to be fed up to a printer on a worksurface from a box below the worksurface.
- 1½ x 16½ slot can be added to a worksurface 3" from back edge, centered the length of the worksurface.
- Printer slot has a plastic insert to clearly seal the hole edges.
- Available in black only.
- Available in sizes listed below.
- Specify laminate color.



### Worksurface CPU Sling (Right Side Shown)

- Adjustable CPU holder mounts below the worksurface. CPU supported by nylon straps.
- CPU holder will support CPUs with total circumference up to 65".
- CPU holder slides in and out on ball bearing slides to allow easy access to the rear of the CPU.
- CPU sling pivots 360°.

MODEL	H	D	MODEL NUMBER			Sales Price
			Basic Model	Edge	Trim	
<b>Worksurface Vertical Filler</b>	3"	20"	CIWSVF20		<input type="checkbox"/>	7
	3"	24"	CIWSVF24		<input type="checkbox"/>	8
	3"	30"	CIWSVF30		<input type="checkbox"/>	10
<b>Printer Slots - Bullnose T-edge</b>	24"	24"	CIWS2424PF	B	<input type="checkbox"/>	85
	30"	24"	CIWS2430PF	B	<input type="checkbox"/>	85
	36"	24"	CIWS2436PF	B	<input type="checkbox"/>	90
	42"	24"	CIWS2442PF	B	<input type="checkbox"/>	95
	48"	24"	CIWS2448PF	B	<input type="checkbox"/>	100
	30"	30"	CIWS3030PF	B	<input type="checkbox"/>	90
	36"	30"	CIWS3036PF	B	<input type="checkbox"/>	95
<b>Worksurface CPU Sling (Right Side Shown)</b>	5½"	18"	CPUSLING			50

A

B

C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.  
 • The absence of  indicates that no choice is required.  
 • Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**




Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**

COM **00000**

# Worksurfaces Accessories

Cord Manager - Adjustable/Securable CPU Holder

MODEL	L	MODEL NUMBER		Sales Price
		Basic Model	Trim	
 <p><b>Worksurface Cord Manager</b></p> <ul style="list-style-type: none"> <li>Manages cords below worksurface in a 1" x 2" trough.</li> <li>Attaches to the underside of the worksurface between grommets.</li> <li>Cord Manager has holes to allow cables to be "zip tied" in place.</li> <li>Black only.</li> </ul>	6"	CIWCM24	B	12
	12"	CIWCM30	B	13
	18"	CIWCM36	B	15
	24"	CIWCM42	B	17
	30"	CIWCM48	B	18
	36"	CIWCM54	B	20
	42"	CIWCM60	B	22
 <p><b>Basic CPU Holder</b></p> <ul style="list-style-type: none"> <li>Slide mechanism of 14 ga. steel with 5" forward slide</li> <li>Adjustable side panels of 16 ga. steel to accommodate CPU's with the following dimensions: Vertical 11" to 21" Horizontal (side-to-side) 2" to 10 1/2"</li> <li>Three lengths of 1/4-20 clamping bolts (4", 7" and 10")</li> <li>Torx head mounting screws (to aid in tamper resistance) (includes torx drivers)</li> <li>Black only.</li> </ul>	Covers Lock			
	NC No Lock	ACPU		63
 <p><b>Basic CPU Holder with Covers</b></p> <ul style="list-style-type: none"> <li>Slide mechanism of 14 ga. steel with 5" forward slide</li> <li>Adjustable side panels of 16 ga. steel to accommodate CPU's with the following dimensions: Vertical 11" to 21" Horizontal (side-to-side) 2" to 10 1/2"</li> <li>Three lengths of 1/4-20 clamping bolts (4", 7" and 10")</li> <li>Torx head mounting screws (to aid in tamper resistance) (includes torx drivers)</li> <li>Adjustable covers of 16 ga. steel (to enhance aesthetics)</li> <li>Black only.</li> </ul>	WC No Lock	ACPU		92

A

B

## HOW TO ORDER

Indicate the following information on order form:



- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.  
Black Only



## MODEL

### Basic CPU Holder w/ Covers & Security Kit

- Adjustable covers of 16 ga. steel (to enhance aesthetics)
- Black only.
- Slide mechanism of 14 ga. steel with 5" forward slide
- Adjustable side panels of 16 ga. steel to accommodate CPU's with the following dimensions:
  - Vertical 11" to 21"
  - Horizontal (side-to-side) 2" to 10 1/2"
  - Depth (front-to-back) 16" maximum
- Three lengths of 1/4"-20 clamping bolts (4", 7" and 10")
- Torx head mounting screws (to aid in tamper resistance) (includes torx drivers)
- Adjustable covers of 16 ga. steel
- Three lengths of 7/16" dia. bolts with holes for padlock (4", 7" and 10")
- Two each 1/4" dia. plastic coated steel aircraft cables with lock collars
- 1/2" allen wrench (for lock collars)
- Black only.

### Covers

- Can be retrofitted in field to Basic Adjustable (to enhance aesthetics)
- Adjustable covers of 16 ga. steel
- Black only.

### Security Kit

- Accommodates CPU 16" max. depth (at 10 1/2" wide)
- **Security device requires 16 ga. steel covers to also be installed**
- Three lengths of 7/16" dia. bolts with holes for padlock (4", 7" and 10")
- Two each 1/4" dia. plastic coated steel aircraft cables with lock collars
- 1/2" allen wrench (for lock collars)
- Rear access guard with tamper resistant screws
- Black only.

Covers

Lock

## MODEL NUMBER

Basic Model

Sales Price

WC

Lock

ACPU

137

ACPUC

29

ACPUSK

44

A

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.



Note: • The  indicates that a choice is required.  
 • The absence of  indicates that no choice is required.  
 • Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

# Worksurfaces Accessories

## Cord Manager Hanger - Center Drawer

MODEL	MODEL NUMBER		Sales Price	
	Basic Model	Trim		
 <p><b>Extra Cable</b></p> <ul style="list-style-type: none"> <li>• 1/4" dia. plastic coated steel aircraft cable with lock collar.</li> <li>• 3/32" allen wrench (for lock collar)</li> <li>• Black only.</li> </ul>	ACPUCABLE		5	
 <p><b>Cord Manager Hanger</b></p> <ul style="list-style-type: none"> <li>• Black only.</li> <li>• Manages cords below the worksurface by providing two hooks 7 1/2" apart that allow you to wrap cords around the hooks.</li> </ul>	CICMH	B	10	

A

B

### HOW TO ORDER

Indicate the following information on order form:


1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
  - B** = Black
  - G** = Gray
  - S** = Sand
  - W** = Warm Gray
  - L** = Light Tone



**MODEL**

**Center Drawer**

- Injection molded plastic drawer with compartment tray included.
- Supported by ball bearing glides.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
- Available with key-alike option.
- Lock included with 2 keys.
- 1/4" dia. plastic coated steel aircraft cable with lock collar

W      H      D

17 1/2"    2 1/2"    17"

**MODEL NUMBER**

Basic Model	Trim
-------------	------

CJCD	<input type="checkbox"/>
------	--------------------------

**Sales Price**

40

A

B

**HOW TO ORDER**

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.



- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

**HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- B Select trim color.
 

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone

# Computer Accessories

MODEL	W	D	H	MODEL NUMBER			Sales Price
				Basic Model	Trim	Laminate Color	
 <p><b>Manuscript Stand</b></p> <ul style="list-style-type: none"> <li>• Enamel finish.</li> <li>• Adjustable height and tilt.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	8"	12"		WMS	<input type="checkbox"/>		\$35
 <p><b>Center Drawer</b></p> <ul style="list-style-type: none"> <li>• Molded plastic compartment tray.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	18"	18"	2 3/4"	3CD	<input type="checkbox"/>		27
 <p><b>Turntable</b></p> <ul style="list-style-type: none"> <li>• Two sizes.</li> <li>• 360° rotation, nontilt.</li> <li>• 3/4" thick laminate finish with flat vinyl edge.</li> </ul>	15"	18"		WTN1518		<input type="checkbox"/> <input type="checkbox"/>	25
	20"	24"		WTN2024		<input type="checkbox"/> <input type="checkbox"/>	27
 <p><b>CPU Sling</b></p> <ul style="list-style-type: none"> <li>• Vertically supports and stores CPU below the worksurface.</li> <li>• Straps have positive locking clamps.</li> <li>• Provides 5 1/2" of travel and 359° swivel.</li> <li>• Maximum weight capacity is 75 pounds.</li> <li>• Available in black (B) only.</li> <li>• Accommodates CPU with maximum circumference of 65".</li> <li>• Cannot be used on adjustable worksurfaces.</li> </ul>	5 3/8"		18"	CPUSLING	B		46
 <p><b>Composer Articulating Keyboard</b></p> <ul style="list-style-type: none"> <li>• Full articulation.</li> <li>• Adjustable wristrest.</li> <li>• Mouse arm.</li> <li>• ADA height</li> </ul>				HWS3305			135

A
B
C

## HOW TO ORDER




Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- C** Select laminate surface.
- |                        |                                 |
|------------------------|---------------------------------|
| <b>B</b> = Black       | <b>AK</b> = Black Grandin       |
| <b>G</b> = Gray        | <b>AL</b> = Smoke Granite       |
| <b>S</b> = Sand        | <b>AM</b> = Sand Grandin        |
| <b>W</b> = Warm Gray   | <b>AN</b> = Light Granite       |
| <b>L</b> = Light Tone  | <b>AO</b> = Tundra              |
|                        | <b>AP</b> = Earthen             |
|                        | <b>AQ</b> = Rose Grafix         |
|                        | <b>AR</b> = Shale Grafix        |
|                        | <b>AS</b> = Sierra Grafix       |
| <b>AA</b> = Cream      | <b>AT</b> = Beige Grafix        |
| <b>AB</b> = Champagne  | <b>AU</b> = Sand Stone          |
| <b>AC</b> = Barcelona  | <b>AV</b> = Kentucky Walnut     |
| <b>AD</b> = Tidal Sand | <b>AW</b> = Tennessee Oak       |
| <b>AE</b> = Porcelain  | <b>AX</b> = Light Oak           |
| <b>AF</b> = Aruba Tan  | <b>AY</b> = Red Birch           |
| <b>AG</b> = Black      | <b>AZ</b> = Light Ash           |
| <b>AH</b> = Dark Gray  | <b>BA</b> = Philadelphia Cherry |
| <b>AI</b> = Greige     | <b>BB</b> = Pennsylvania Cherry |
| <b>AJ</b> = Fog        | <b>ZZ</b> = COM                 |

MODEL	W	D	MODEL NUMBER			Sales Price
			Basic Model	Trim	Laminate Color	
 <p><b>Optional Tilting Mousepad with Bracket Assembly</b></p> <ul style="list-style-type: none"> <li>Converts stationary mousepad to tilting.</li> <li>Independent movement.</li> </ul>			KIT5772			\$15
 <p><b>Monitor Lift</b></p> <ul style="list-style-type: none"> <li>Spring loaded steel platform supports monitors weighing 15-35 pounds on a 13½" x 12½" surface.</li> <li>Height adjustment is 4" - 11" above the work surface.</li> <li>Non-skid mat keeps the monitor in place on the pad surface.</li> <li>Available in sand (S).</li> </ul>	Ht. Adj. Range	Platform Size	CICRTL	S		200
	4" - 11"	13½"W x 12½"D				
 <p><b>Carousel</b></p> <ul style="list-style-type: none"> <li>Consists of particleboard sandwiched between laminate and backer with vinyl T-edge molding around the perimeter of the surface.</li> <li>Contains cable access hole and 359° rotation.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> <li>Overall size is 16¼" x 17¼".</li> <li>Specify laminate color.</li> </ul>	18"	16½"	CICAR	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	45

A B C

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**


Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**

COM **00000**

# Overhead Panel Storage - Laminate End


## Low Shelf - Regular Shelf



### MODEL

#### Low Shelf

- 9-inch high monochromatic laminate covered particle board end panels with vinyl T-edge molding.
- Steel shelf.
- Accepts shelf dividers.
- Meets BIFMA standards: X5.6-1993.
- End panel bracket design prevents accidental dislodging of components.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



#### Regular Shelf

- 15-inch high monochromatic laminate covered particle board end panels with vinyl T-edge molding.
- Steel shelf.
- Accepts shelf dividers.
- Meets BIFMA standards: X5.6-1993.
- End panel bracket design prevents accidental dislodging of components.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.

MODEL	W	H	D	MODEL NUMBER		Sales Price
				Basic Model	Trim	
Low Shelf 24"	24"	9 1/4"	13 3/8"	CILS24	<input type="checkbox"/>	\$60
Low Shelf 30"	30"	9 1/4"	13 3/8"	CILS30	<input type="checkbox"/>	65
Low Shelf 36"	36"	9 1/4"	13 3/8"	CILS36	<input type="checkbox"/>	70
Low Shelf 42"	42"	9 1/4"	13 3/8"	CILS42	<input type="checkbox"/>	75
Low Shelf 48"	48"	9 1/4"	13 3/8"	CILS48	<input type="checkbox"/>	80
Low Shelf 54"	54"	9 1/4"	13 3/8"	CILS54	<input type="checkbox"/>	85
Low Shelf 60"	60"	9 1/4"	13 3/8"	CILS60	<input type="checkbox"/>	90
Regular Shelf 24"	24"	15 1/2"	13 3/8"	CIRS24	<input type="checkbox"/>	65
Regular Shelf 30"	30"	15 1/2"	13 3/8"	CIRS30	<input type="checkbox"/>	70
Regular Shelf 36"	36"	15 1/2"	13 3/8"	CIRS36	<input type="checkbox"/>	75
Regular Shelf 42"	42"	15 1/2"	13 3/8"	CIRS42	<input type="checkbox"/>	80
Regular Shelf 48"	48"	15 1/2"	13 3/8"	CIRS48	<input type="checkbox"/>	85
Regular Shelf 54"	54"	15 1/2"	13 3/8"	CIRS54	<input type="checkbox"/>	90
Regular Shelf 60"	60"	15 1/2"	13 3/8"	CIRS60	<input type="checkbox"/>	95

A B

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.



- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone


# Overhead Panel Storage - Laminate End

Low Shelf - Regular Shelf




# Overhead Panel Storage - Laminate End

Fabric Flipper Door - Laminate Flipper Door



- MODEL**
- Fabric Flipper Door**
- 15-inch high monochromatic laminate covered particle board end panels with vinyl T-edge molding.
  - Steel bottom and top shelves and fabric-covered front.
  - Meets BIFMA standards: X5.6-1993.
  - End panel bracket design prevents accidental dislodging of components.
  - Door opens above cabinet.
  - Lock is included with 2 keys.
  - Available with key-alike option.
  - Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



- Laminate Flipper Door**
- 15-inch high monochromatic laminate covered particle board end panels with vinyl T-edge molding.
  - Steel bottom and top shelves and laminate front surface.
  - Meets BIFMA standards: X5.6-1993.
  - End panel bracket design prevents accidental dislodging of components.
  - Door opens above cabinet.
  - Lock is included with 2 keys.
  - Available with key-alike option.
  - Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.
  - Specify laminate color.

MODEL	W	H	D	MODEL NUMBER				Sales Price
				Basic Model	Trim	Fabric	Laminate	
<b>Fabric Flipper Door</b>	24"	15 1/2"	14 1/2"	CIFDF24	<input type="checkbox"/>	<input type="checkbox"/>		\$125
	30"	15 1/2"	14 1/2"	CIFDF30	<input type="checkbox"/>	<input type="checkbox"/>		130
	36"	15 1/2"	14 1/2"	CIFDF36	<input type="checkbox"/>	<input type="checkbox"/>		135
	42"	15 1/2"	14 1/2"	CIFDF42	<input type="checkbox"/>	<input type="checkbox"/>		140
	48"	15 1/2"	14 1/2"	CIFDF48	<input type="checkbox"/>	<input type="checkbox"/>		145
	54"	15 1/2"	14 1/2"	CIFDF54	<input type="checkbox"/>	<input type="checkbox"/>		150
	60"	15 1/2"	14 1/2"	CIFDF60	<input type="checkbox"/>	<input type="checkbox"/>		155
<b>Laminate Flipper Door</b>	24"	15 1/2"	14 1/2"	CIDL24	<input type="checkbox"/>		<input type="checkbox"/>	140
	30"	15 1/2"	14 1/2"	CIDL30	<input type="checkbox"/>		<input type="checkbox"/>	145
	36"	15 1/2"	14 1/2"	CIDL36	<input type="checkbox"/>		<input type="checkbox"/>	150
	42"	15 1/2"	14 1/2"	CIDL42	<input type="checkbox"/>		<input type="checkbox"/>	155
	48"	15 1/2"	14 1/2"	CIDL48	<input type="checkbox"/>		<input type="checkbox"/>	160
	54"	15 1/2"	14 1/2"	CIDL-54	<input type="checkbox"/>		<input type="checkbox"/>	165
	60"	15 1/2"	14 1/2"	CIDL60	<input type="checkbox"/>		<input type="checkbox"/>	175

A B C D

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

- C** Select fabric color.

**Group A - FR701**

**1511** = Blue Neutral

**1506** = Green Neutral

**1518** = Wedgewood

**1510** = Silver Papier

**1546** = Cherry Neutral

**1515** = Quartz

**1531** = Gray Mix

**Group A - Eclipse**

**4595** = Meteor

**1690** = Tourmaline

**4604** = Chicory

**4605** = Amber Grain

**4593** = Serengeti

**4594** = Coco Palm

**1691** = Iron Ore

**Group A - Carrara**

**9447** = Beeswax

**9454** = Verdigris

**9456** = Tinctoria

**9455** = Green Earth

**9448** = Teak Oil

**9445** = Gesso

**9444** = Casein

**Group A - Galaxy**

**4526** = Desert Sand Gravel

**4538** = Bermuda Seamist

**4544** = Blueberry Sky

**4542** = Sundew Sandrift

**4525** = Fog Stardust

**4531** = Gobi Moonbeam

**4541** = Wrought Silver

**Group A - Heather**

**0774** = Wedgewood

**6465** = Malachite

**1100** = Mulberry

**0776** = Oatmeal

**6464** = Light Mauve

**1104** = Peasant Beige

**0773** = Gray Mix

**Group B - Serendipity**

**9617** = Coincidence

**9626** = Four Leaf Clover

**9622** = Lady Luck

**9619** = Guardian Angel


**9620** = Lucky Duck

**9618** = Fortuitous

**9624** = Silver Spoon

# Overhead Panel Storage - Laminate End


Steel Flipper Door - Hang-on Lateral File: Fabric



## MODEL

### Steel Flipper Door

- 15-inch high monochromatic laminate covered particle board end panels with vinyl T-edge molding.
- Steel bottom shelf, top shelf and front.
- Meets all BIFMA standards: X5.6-1993.
- End panel bracket design prevents accidental dislodging of components.
- Door opens above cabinet.
- Lock is included with 2 keys.
- Available with key-alike option.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.



### Hang-on Lateral File - Fabric

- Monochromatic laminate covered particle board end panels with vinyl T-edge molding.
- Powder coated steel drawer with fabric covered particle board front.
- End panel bracket design prevents accidental dislodging of components.
- Meets BIFMA standards: X5.6-1993.
- Available in key-alike option.
- Lock included with 2 keys.
- Accepts letter size hanging folders.
- Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) laminate and trim color.

## MODEL NUMBER

MODEL	W	H	D	MODEL NUMBER				Sales Price
				Basic Model	Trim	Fabric	Laminate	
Steel Flipper Door	24"	15 1/2"	14 1/2"	CIFDS24	<input type="checkbox"/>			\$175
	30"	15 1/2"	14 1/2"	CIFDS30	<input type="checkbox"/>			180
	36"	15 1/2"	14 1/2"	CIFDS36	<input type="checkbox"/>			185
	42"	15 1/2"	14 1/2"	CIFDS42	<input type="checkbox"/>			190
	48"	15 1/2"	14 1/2"	CIFDS48	<input type="checkbox"/>			195
	54"	15 1/2"	14 1/2"	CIFDS54	<input type="checkbox"/>			200
	60"	15 1/2"	14 1/2"	CIFDS60	<input type="checkbox"/>			215
Hang-on Lateral File - Fabric	13 1/4"	24"	14 1/4"	CIHLFF24	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	300
	13 1/4"	30"	14 1/4"	CIHLFF30	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	325
	13 1/4"	36"	14 1/4"	CIHLFF36	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	350
	13 1/4"	42"	14 1/4"	CIHLFF42	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	365
	13 1/4"	48"	14 1/4"	CIHLFF48	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	375

A B C D



**D** Select laminate color.

Cream	85955
Champagne	925
Barcelona	85852
Tidal Sand	917
Porcelain	466
Aruba Tan	85851
Black	909
Dark Gray	85848
Greige	85954
Fog	961
Black Grandin	91561
Smoke Granite	91537
Sand Grandin	91562
Light Granite	1816
Tundra	7220
Earthen	7215
Rose Grafix	91845
Shale Grafix	91846
Sierra Grafix	91844

Beige Grafix	506
Sand Stone	7265
Kentucky Walnut	91558
Tennessee Oak	91560
Light Oak	91533
Red Birch	91817
Light Ash	91850
Philadelphia Cherry	91559
Pennsylvania Cherry	91536
COM	00000

# Overhead Panel Storage - Laminate End

Hang-on Lateral File - Flipper Door Unit Backs

MODEL	W	H	D	MODEL NUMBER			Sales Price
				Basic Model	Trim	Laminate	
 <p><b>Hang-on Lateral File - Laminate</b></p> <ul style="list-style-type: none"> <li>• Monochromatic laminate covered particle board end panels with vinyl T-edge molding.</li> <li>• Powder coated steel drawer with laminate covered particle board front.</li> <li>• End panel bracket design prevents accidental dislodging of components.</li> <li>• Meets BIFMA standards: X5.6 1993.</li> <li>• Available in key-alike option.</li> <li>• Lock included with 2 keys.</li> <li>• Accepts letter size hanging folders.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) laminate and trim color.</li> </ul>	13 1/2"	24"	14 1/2"	CIHLFL24	<input type="checkbox"/>	<input type="checkbox"/>	\$330
	13 1/2"	30"	14 1/2"	CIHLFL30	<input type="checkbox"/>	<input type="checkbox"/>	340
	13 1/2"	36"	14 1/2"	CIHLFL36	<input type="checkbox"/>	<input type="checkbox"/>	350
	13 1/2"	42"	14 1/2"	CIHLFL42	<input type="checkbox"/>	<input type="checkbox"/>	360
	13 1/2"	48"	14 1/2"	CIHLFL48	<input type="checkbox"/>	<input type="checkbox"/>	370
 <p><b>Flipper Door Unit Backs</b></p> <ul style="list-style-type: none"> <li>• Optional steel back attaches to laminate end flipper door unit. (CI-FDF, FDL, FDS)</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	24"	15 1/2"		CIFDB24	<input type="checkbox"/>		12
	30"	15 1/2"		CIFDB30	<input type="checkbox"/>		14
	36"	15 1/2"		CIFDB36	<input type="checkbox"/>		16
	42"	15 1/2"		CIFDB42	<input type="checkbox"/>		18
	48"	15 1/2"		CIFDB48	<input type="checkbox"/>		20
	54"	15 1/2"		CIFDB54	<input type="checkbox"/>		22
	60"	15 1/2"		CIFDB60	<input type="checkbox"/>		24

A B C

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.

- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray

**S** = Sand

**W** = Warm Gray

**L** = Light Tone

**C** Select laminate color.

Cream **85955**

Champagne **925**

Barcelona **85852**

Tidal Sand **917**

Porcelain **466**

Aruba Tan **85851**

Black **909**

Dark Gray **85848**

Greige **85954**

Fog **961**

Black Grandin **91561**

Smoke Granite **91537**

Sand Grandin **91562**

Light Granite **1816**

Tundra **7220**

Earthen **7215**

Rose Grafix **91845**

Shale Grafix **91846**

Sierra Grafix **91844**

Beige Grafix **506**

Sand Stone **7265**

Kentucky Walnut **91558**

Tennessee Oak **91560**

Light Oak **91533**

Red Birch **91817**

Light Ash **91850**

Philadelphia Cherry **91559**

Pennsylvania Cherry **91536**

COM **00000**












# Panel Hung Accessories

## Tackboards with Backers



### Tackboards With Backer

- Tackboards are constructed of 3/4-inch tackable board laminated to a 1/4" masonite sheet and the front is covered with fabric.
- Includes mounting brackets to hang on panel the same width.

MODEL	W	H	MODEL NUMBER		Sales Price
			Basic Model	Fabric	
	24"	12"	CITBB2412	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	\$36
	30"	12"	CITBB3012	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	40
	36"	12"	CITBB3612	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43
	42"	12"	CITBB4212	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	47
	48"	12"	CITBB4812	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53
	60"	12"	CITBB6012	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	56
	24"	16"	CITBB2416	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	39
	30"	16"	CITBB3016	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	40
	36"	16"	CITBB3616	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	45
	42"	16"	CITBB4216	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	50
	48"	16"	CITBB4816	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	57
	60"	16"	CITBB6016	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69
	24"	30"	CITBB2430	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	50
	30"	30"	CITBB3030	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69
	36"	30"	CITBB3630	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	73
	42"	30"	CITBB4230	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	81
	48"	30"	CITBB4830	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	86
	60"	30"	CITBB6030	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	103
	24"	48"	CITBB2448	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69
	30"	48"	CITBB3048	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	84
	36"	48"	CITBB3648	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	107
	42"	48"	CITBB4248	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	121
	48"	48"	CITBB4848	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	127
	60"	48"	CITBB6048	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	149

A

B

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select fabric color.

#### Group A - FR701

1511 = Blue Neutral

1506 = Green Neutral

1518 = Wedgewood

1510 = Silver Papier

1546 = Cherry Neutral

1515 = Quartz

1531 = Gray Mix

#### Group A - Eclipse

4595 = Meteor

1690 = Tourmaline

4604 = Chicory

4605 = Amber Grain

4593 = Serengeti

4594 = Coco Palm

1691 = Iron Ore

#### Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

#### Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

#### Group A - Heather

0774 = Wedgewood

6465 = Malachite

1100 = Mulberry

0776 = Oatmeal

6464 = Light Mauve

1104 = Peasant Beige

0773 = Gray Mix

#### Group B - Serendipity

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck




9618 = Fortuitous

9624 = Silver Spoon



# Under Shelf/Cabinet Lighting

Standard Ballast Task Lights - Variable Intensity Standard Ballast Task Light - High Efficiency Electronic Ballast Task Lights

MODEL	Actual Bulb Width	Cabinet Width	MODEL NUMBER		Sales Price
			Basic Model	Trim	
 <p><b>Standard Ballast Task Lights</b></p> <ul style="list-style-type: none"> <li>Task light attaches to the underside of both laminate end and radiused front overhead storage units.</li> <li>UL listed.</li> <li>Includes T-8 cool white bulb.</li> <li>Uses rapid start magnetic ballast.</li> <li>Light has an 8 foot cord that can be routed either right hand or left hand.</li> <li>Specify trim color: black (B), sand (S), gray (G), warm gray (W) or light tone (L).</li> </ul>	18"	20"	CITLN24	<input type="checkbox"/>	\$40
	24"	26"	CITLN30	<input type="checkbox"/>	42
	24"	32"	CITLN36	<input type="checkbox"/>	44
	36"	38"	CITLN42	<input type="checkbox"/>	46
	36"	44"	CITLN48	<input type="checkbox"/>	48
	48"	50"	CITLN54	<input type="checkbox"/>	52
	48"	56"	CITLN60	<input type="checkbox"/>	56
 <p><b>Variable Intensity Standard Ballast Task Light</b></p> <ul style="list-style-type: none"> <li>Task light attaches to the underside of low shelf, regular shelf, counter tops or flipper door unit.</li> <li>UL listed.</li> <li>Includes T-8 cool white bulb.</li> <li>Uses rapid start magnetic ballast.</li> <li>Light has an 8 foot cord that can be routed either right hand or left hand.</li> <li>Switch allows variable intensity light.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	18"	20"	CITLV24	<input type="checkbox"/>	49
	24"	26"	CITLV30	<input type="checkbox"/>	51
	24"	32"	CITLV36	<input type="checkbox"/>	54
	36"	38"	CITLV42	<input type="checkbox"/>	56
	36"	44"	CITLV48	<input type="checkbox"/>	59
	48"	50"	CITLV54	<input type="checkbox"/>	64
	48"	56"	CITLV60	<input type="checkbox"/>	69
 <p><b>High Efficiency Electronic Ballast Task Lights</b></p> <ul style="list-style-type: none"> <li>Task light attaches to the underside of low shelf, regular shelf, counter tops or flipper door unit.</li> <li>UL listed.</li> <li>Includes T-8 cool white bulb.</li> <li>Uses rapid start electronic ballast.</li> <li>Light has an 8 foot cord that can be routed either right hand or left hand.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	20"	24"	CITLE24	<input type="checkbox"/>	76
	26"	30"	CITLE30	<input type="checkbox"/>	78
	32"	36"	CITLE36	<input type="checkbox"/>	81
	38"	42"	CITLE42	<input type="checkbox"/>	83
	44"	48"	CITLE48	<input type="checkbox"/>	86
	48"	54"	CITLE54	<input type="checkbox"/>	91
	56"	60"	CITLE60	<input type="checkbox"/>	96

A      B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |






# Freestanding Lighting - Mounting Options

Table Base Mount - Panel Mount Bracket - Worksurface Edge Mount



### Table Base Mount

- Weighted base accepts any double arm, single arm, or gooseneck light.
- Allows light to be placed anywhere on a desktop or table.
- Specify trim color: black (B), sand (S), gray (G), warm gray (W) or light tone (L).



### Panel Mount Bracket

- Bracket attaches to the trimrail of any panel at any height, and accepts any double arm, single arm, horizontal arm, or gooseneck light.
- Specify trim color: black (B), sand (S), gray (G), warm gray (W) or light tone (L).



### Worksurface Edge Mount

- Clamp on bracket can be attached along any exposed edge of a worksurface or table.
- Accepts any double arm, single arm, or gooseneck light.
- Specify trim color: black (B), sand (S), gray (G), warm gray (W) or light tone (L).

MODEL	MODEL NUMBER		Sales Price
	Basic Model	Trim	
	289090BM	<input type="checkbox"/>	\$44
	289090PM	<input type="checkbox"/>	25
	289090EM	<input type="checkbox"/>	13

A

B

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

Note: • The  indicates that a choice is required.  
 • The absence of  indicates that no choice is required.  
 • Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select accent stripe.




- B** = Black
- H** = White
- E** = Green
- R** = Red
- L** = Blue





# Traditional Paper Management

Mounting Rail - Overhead Hanging Rails - Paper Tray: Letter & Legal Size

MODEL	W	H	D	Weight #	MODEL NUMBER		Sales Price
					Basic Model	Trim	
 <p><b>Mounting Rail (load bar)</b></p> <ul style="list-style-type: none"> <li>Painted aluminum extrusion.</li> <li>Includes mounting brackets and end caps.</li> <li>Wire management capability.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	18"	3½"	¾"	2.0	CILB18	<input type="checkbox"/>	\$20
	24"	3½"	¾"	2.25	CILB24	<input type="checkbox"/>	21
	30"	3½"	¾"	2.75	CILB30	<input type="checkbox"/>	22
	36"	3½"	¾"	3.25	CILB36	<input type="checkbox"/>	23
	42"	3½"	¾"	3.75	CILB42	<input type="checkbox"/>	26
	48"	3½"	¾"	4.50	CILB48	<input type="checkbox"/>	27
	54"	3½"	¾"	5.25	CILB54	<input type="checkbox"/>	30
60"	3½"	¾"	6.00	CILB60	<input type="checkbox"/>	31	
 <p><b>Overhead Hanging Rails</b></p> <ul style="list-style-type: none"> <li>Used to support up to 3 letter or legal paper trays below flipper door and shelf units.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) laminate and trim color.</li> <li>One pair in each set.</li> </ul>					CIHGR	<input type="checkbox"/>	32
 <p><b>Paper Tray – Letter Size</b></p> <ul style="list-style-type: none"> <li>Painted steel bottom/back unit.</li> <li>Sides are injection molded.</li> <li>ID clips must be ordered separately.</li> <li>Stackable.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	13"	3"	9"	1.75	CILTTR	<input type="checkbox"/>	14
 <p><b>Paper Tray – Legal Size</b></p> <ul style="list-style-type: none"> <li>Painted steel bottom/back unit.</li> <li>Sides are injection molded.</li> <li>ID clips must be ordered separately.</li> <li>Stackable.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	15½"	3"	9"	2.25	CILGTR	<input type="checkbox"/>	19

A

B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:





- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- B** = Black
- G** = Gray
- S** = Sand
- W** = Warm Gray
- L** = Light Tone

# Traditional Paper Management

Vertical & Diagonal Storage Units - Vertical Paper Management - Paper Management I.D. Clips

MODEL	W	H	D	Weight #	MODEL NUMBER		Sales Price
					Basic Model	Trim	
 <p><b>Vertical Storage Unit</b></p> <ul style="list-style-type: none"> <li>Painted steel bottom/back unit.</li> <li>Sides are injection molded.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	5"	9"	12"	1.75	CIBBIN	<input type="checkbox"/>	\$20
 <p><b>Diagonal Storage Unit</b></p> <ul style="list-style-type: none"> <li>Painted steel bottom/back unit.</li> <li>Front is injection molded.</li> <li>ID clips must be ordered separately.</li> <li>Dividers can be used in left or right position.</li> <li>Set of three dividers included.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	9"	3"	12"	3.0	CISS3	<input type="checkbox"/>	32
 <p><b>Vertical Paper Management</b></p> <ul style="list-style-type: none"> <li>Hangs from horizontal panel frame members at top of panel.</li> <li>Mounting clip included.</li> <li>6 vertical paper slots</li> <li>Painted steel in desired trim color.</li> <li>ID clips must be ordered separately.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	21"	13 1/2"	2		CIVPM	<input type="checkbox"/>	50
 <p><b>Paper Management I.D. Clips</b></p> <ul style="list-style-type: none"> <li>Clear Plastic with paper insert</li> <li>CI-ID-1 and CI-IDS-1 are individual units.</li> <li>CI-ID-6 and CI-IDS-6 include 6 per box.</li> <li>Straight for diagonal storage.</li> <li>Slanted for paper trays.</li> </ul>	Straight ID Clip - 1 pack				CIID1		1
	Straight ID Clip - 6 pack				CIID6		3
	Straight ID Clip - 1 pack				CIIDS1		1
	Straight ID Clip - 6 pack				CIIDS6		3

A

B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray



**S** = Sand

**W** = Warm Gray

**L** = Light Tone

# Traditional Paper Management

Support Clips - Telephone Pad

MODEL	Description	MODEL NUMBER		Sales Price						
		Basic Model	Trim							
 <p><b>Support Clips</b></p> <ul style="list-style-type: none"> <li>Used to hang units from load bar.</li> <li>One clip required to hang each unit separately.</li> <li>Painted steel clip slides onto unit.</li> <li>Specify trim color: black (B), sand (S), gray (G), warm gray (W) or light tone (L).</li> </ul>	4" Binder Bin Support Clip	CISCBB	<input type="checkbox"/>	\$1						
	7 1/8" Slanted Storage Support Clip	CISCSS	<input type="checkbox"/>	1						
	12 1/4" Letter Size - Paper Tray Support Clip	CISCLT	<input type="checkbox"/>	1						
	14 1/2" Legal Size - Paper Tray Support Clip	CISCLG	<input type="checkbox"/>	1						
 <p><b>Telephone Pad</b></p> <ul style="list-style-type: none"> <li>Painted steel in desired trim color.</li> <li>Hangs from standard load bar.</li> <li>Accommodates standard phone sizes. (See tray size below.)</li> <li>Specify trim color: black (B), sand (S), gray (G), warm gray (W) or light tone (L).</li> </ul>	<table border="1"> <thead> <tr> <th>W</th> <th>H</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>2 1/8"</td> <td>8"</td> <td>10 3/8"</td> </tr> </tbody> </table>	W	H	D	2 1/8"	8"	10 3/8"	CITP	<input type="checkbox"/>	25
	W	H	D							
	2 1/8"	8"	10 3/8"							

A
B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.


- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- |          |              |
|----------|--------------|
| <b>B</b> | = Black      |
| <b>G</b> | = Gray       |
| <b>S</b> | = Sand       |
| <b>W</b> | = Warm Gray  |
| <b>L</b> | = Light Tone |

# Contemporary Paper Management

Tool Rail - Hanging Folder Holder - Paper Tray

MODEL	H	W	D	MODEL NUMBER		Sales Price
				Basic Model	Trim	
 <p><b>Tool Rail</b></p> <ul style="list-style-type: none"> <li>Accommodates the contemporary line of paper management components.</li> <li>Includes mounting bracket and end caps.</li> <li>Hangs on a panel of matching length.</li> <li>Multiple rails may be stacked together.</li> <li>Consists of four slots to accept components.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	4½"	30"		PMTR30	<input type="checkbox"/>	\$25
	4½"	36"		PMTR36	<input type="checkbox"/>	26
	4½"	42"		PMTR42	<input type="checkbox"/>	29
	4½"	48"		PMTR48	<input type="checkbox"/>	30
	4½"	54"		PMTR54	<input type="checkbox"/>	33
	4½"	60"		PMTR60	<input type="checkbox"/>	34
	4½"	72"		PMTR72	<input type="checkbox"/>	35
 <p><b>Hanging Folder Holder</b></p> <ul style="list-style-type: none"> <li>Plastic construction.</li> <li>One pair in each set.</li> <li>Allows letter and legal hanging file folders to be suspended from tool rail.</li> <li>Folders cascade down.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2"	1"	8½"	PFH	<input type="checkbox"/>	10
 <p><b>Paper Tray</b></p> <ul style="list-style-type: none"> <li>Plastic construction.</li> <li>Stores letter or legal size documents.</li> <li>Suspends from tool rail.</li> <li>Suitable for free-standing worksurface or overhead location.</li> <li>Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2"	9½"	14"	PLL	<input type="checkbox"/>	16

A

B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number."
- Any special service required.

Note:

- The  indicates that a choice is required.
- The absence of  indicates that no choice is required.
- Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select trim color.

**B** = Black

**G** = Gray



**S** = Sand

**W** = Warm Gray

**L** = Light Tone

# Contemporary Paper Management

Diagonal & Vertical Storage - Telephone Caddy

MODEL	H	W	D	MODEL NUMBER		Sales Price	
				Basic Model	Trim		
 <p><b>Diagonal Storage</b></p> <ul style="list-style-type: none"> <li>• Plastic construction.</li> <li>• Suspends from tool rail.</li> <li>• Suitable for free-standing worksurface or overhead location.</li> <li>• Three slanted dividers per unit.</li> <li>• Dividers in black only.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2½"	7"	12½"	PDS	<input type="checkbox"/>	\$30	
 <p><b>Vertical Storage</b></p> <ul style="list-style-type: none"> <li>• Injection molded plastic construction.</li> <li>• Suspends from tool rail.</li> <li>• Suitable for free-standing worksurface or overhead location.</li> <li>• Stores binders, phone books or periodicals.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	9"	5"	10½"	PVS	<input type="checkbox"/>	20	
 <p><b>Telephone Caddy</b></p> <ul style="list-style-type: none"> <li>• Plastic construction.</li> <li>• Holds telephone up to 8½" wide and 9½" deep.</li> <li>• Suspends from tool rail.</li> <li>• Specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color.</li> </ul>	2"	8½"	9½"	PTC	<input type="checkbox"/>	11	

A

B

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number."
3. Any special service required.

- Note:
- The  indicates that a choice is required.
  - The absence of  indicates that no choice is required.
  - Alpha-numeric characters in place of  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select trim color.

<b>B</b>	= Black
<b>G</b>	= Gray
<b>S</b>	= Sand
<b>W</b>	= Warm Gray
<b>L</b>	= Light Tone





U.S. Department of Justice

**UNICOR**

Federal Prison Industries, Inc.

CATPP400

