

The Opus Group

(Standard Offering)



Prices effective through August 31, 2001

All dimensions listed herein are nominal.
Actual dimensions have been rounded to the
nearest 1/2 inch.

Standard Offering 1-25

Opus Group Standard Offering	Terms and Conditions	1-3
Pedestals Configurations to suit virtually any filing requirement. Internal components available to customize product to suit individual needs.	General Information	1-5
	Dimensions	1-6
	Mobile and Freestanding Units	1-7
	Hanging Unit	1-8
	Worksurface-supporting Units	1-9
	Accessories	1-10
Radius Front Pedestals	General Information	1-12
	Mobile and Freestanding Units	1-13
	Accessories	1-14
Preconfigured Lateral Files & Storage Cabinets For standard filing and storage requirements. Includes all required accessories. Simple file specifications. One number specifies entire unit and internal components.	General Information	1-16
	Dimensions	1-17
	12" Drawer Units	1-18
Vertical Files	General Information	1-20
	Letter Size Files	1-21
	Legal Size Files	1-22
Kiosks	General Information	1-24
	Kiosk with Open Bookshelf	1-25
	Kiosk with Hinged Doors	1-25

Terms and Conditions

The Customer Service Center

Contact the FPI Customer Service Center for any questions or assistance regarding the information in this price list. Our business hours are 7:30 a.m. to 6:00 p.m. (EST), Monday through Friday (excluding federal holidays). Our phone number is (800) 827-3168.

Order Acknowledgment

FPI acknowledges every order. Orders are accepted, filled and invoiced based on the information in this written order-confirmation. Should you note any discrepancy, please advise us immediately.

Your order acknowledgment indicates a due date when your product will arrive. In the event your products are manufactured earlier than scheduled, we will ship them upon completion, unless otherwise specified. This generally applies only to parts orders, project level orders will be coordinated through our Project Managers.

Order Modifications

Modification to your purchase order will be accepted up to six weeks prior to the due date indicated on your order acknowledgment. However, if the revision results in a change in product availability, a new due date may be set by FPI. Such due date adjustment may be for your full purchase order, whether or not the specifications of all line-items on it are modified. All purchase order modifications are acknowledged in writing, including the annotation of any adjusted due date(s).

Standard Lead Time

Typical lead time for Standard Offering filing products delivery is 30 days after receipt of your order. Typical lead time for Expanded Offering filing products is 75 days after receipt of your order. Kiosks require a 75 day lead time.

Product Delivery and Pricing

We take both FOB Origin and FOB Destination orders. All products are shipped via surface transportation.

On FOB Origin orders, title/product responsibility passes to the customer at the time of shipment. You may arrange your own transportation on FOB Origin orders, coordinating with FPI accordingly. Otherwise, your own order will be shipped by common carrier at your expense.

On FOB Destination orders, title/product responsibility passes to the customer upon delivery to the dock of the designated point-of-delivery. Freight charges are included in the product prices listed in the FOB Destination column of this price list.

Contact the Customer Service Center for destination prices where none are given. Such destination pricing for delivery outside the continental US must be negotiated based on the freight rates at the time of shipment.

Services, such as space-planning design, storage, inside delivery and installation are not in this price list. Contact the Customer Service Center for such service-fee quotations.

Geographic Coverage

All shipments for the Continental United States include the 48 contiguous states and Washington, DC.

Special Note on Overseas Shipments

All FOB Destination shipments are prepaid to Port of Embarkation. All freight and handling charges beyond Port of Embarkation are the responsibility of the local government purchasing facility, unless other arrangements are made through FPI. The freight charges for deliveries to Alaska, Hawaii and all other countries will be negotiated based on freight rates at the time of delivery. There is an additional 10% crating charge for orders not shipping to the 48 contiguous states.

Special Packaging

Standard packaging varies per individual product. FPI will accommodate your special packaging requests; however, an upcharge may apply. Contact the Customer Service Center for more information.

Shipment Claims

FPI products are packaged to comply with carrier requirements. All shipments should be inspected by the consignee before acceptance. The delivering carrier should be requested to record any damage or shortage of items shipped. If any shortages are discovered, please also notify FPI Customer Service Center immediately.

Shipping damage and shortage claims must be filed with the carrier within 15 days of delivery. This applies to both FOB Destination and FOB Origin shipments. Carrier liability ends after 15 days for shipping damages or shortages.

Concealed Damage Claims

Claims for concealed damages must be filed with the carrier within 15 days after the delivery of goods. This applies to both FOB Destination and FOB Origin shipments. Carrier liability ends after 15 days for concealed damages.

Neither FPI nor the carrier will be responsible for damages if shipments are left unopened and/or claims are not filed within 15 days.

Product Storage

If necessary, FPI will store products at the factory at no expense to you for a period not to exceed 30 calendar days; however, such storage is predicated on the availability of our warehouse space at the time of need.

If FPI storage space is not available, or if you require storage in excess of 30 days, we will assist you in finding commercial storage alternatives at current market rates, at your expense.

Customer-Delayed Deliveries

Please notify the Customer Service Center at least two weeks prior to the confirmed due date when you cannot receive delivery of goods by that scheduled date. We will delay the delivery at your request; however, after 30 days of such delay, you will be invoiced for the subject products whether or not delivery is extended beyond this first 30 days.

FPI may allow up to two weeks for shipping. Therefore, if you do not request delayed delivery at least two weeks prior to the confirmed due date for arrival of your shipment, we may incur additional handling costs.

FPI will bill you for such handling costs if you refuse receipt of the goods, or request delayed shipment within less than two weeks prior to the due date on your order acknowledgment.

Product Returns

All product returns must be coordinated in advance with the FPI Customer Service Center. All freight or express service charges must be prepaid on return shipments.

Product returns may be subject to your being invoiced for additional handling/restocking fees. FPI will determine and notify you of such charges upon receipt and inspection of the returned goods.

Order Status

Call the Customer Service Center to obtain status of your order during order processing or the product and shipment/delivery of goods. We will give you the status based on your purchase order number and/or the FPI work order number on your order number on your order acknowledgment.

You may also access your order status by clicking on the customer service icon on our website at : www.FPI.gov.

Invoice Payment

Payments from government agencies should be addressed to:

FPI - FPI
P.O. Box 371736
Pittsburgh, PA 15252-7736
Payments from private sector parties should be addressed to:


FPI - LEX
Accounts Receivable
P.O. Box 11670
Lexington, KY 40583-3640

All general billing or specific invoice questions should be directed to the FPI Customer Service Center.

Product Warranty

FPI guarantees all filing products will be free from defects in materials and workmanship. If at any time an item we have provided does not meet your expectations, we will repair or replace it at our expense.

The Opus Group – Pedestal Files



Standard Lead Time 30 Days.

The Opus Group Pedestals

General Information

GENERAL INFORMATION

Pedestals are available in sizes and drawer combinations to suit any personal storage requirement. Freestanding and mobile units are designed to fit below most worksurfaces. Hanging and worksurface supporting units are sized to fit under Classic XXI Systems furniture. A mounting kit is provided with each unit to allow installation under other compatible workstations.

Preconfigured Units

To simplify the specification process, we offer preconfigured pedestals in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Height

Four pedestal styles are available. Heights include $\frac{1}{8}$ " allowance for leveling glides fully recessed. Worksurface Supporting: 27 $\frac{1}{4}$ " Freestanding: 22 $\frac{1}{4}$ ", 25 $\frac{3}{8}$ " Mobile: 24 $\frac{3}{8}$ ", 27 $\frac{1}{4}$ " Hanging: 22 $\frac{1}{8}$ ", 25 $\frac{1}{8}$ ".

Depth

Products are available in two standard depths: 21 $\frac{1}{8}$ " and 27 $\frac{1}{8}$ ".

Width

All products are 15" wide.

Drawer Dimensions

Refer to the illustrations on the next page for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Twenty-gauge steel body with 18- and 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Fronts: Two-piece metal construction. Twenty-two gauge steel outerskin welded to 22-gauge inner liner. With full width inset pull. Drawer fronts overlap front of pedestal.

Three-inch (pencil) drawer: Single wall two-piece construction. Body 22-gauge; back 22-gauge. Operates on two section $\frac{3}{4}$ extension ball bearing suspension.

Six-inch (box) drawer: single wall two-piece construction. Body 22-gauge; back 22-gauge. Operates on two-section $\frac{3}{4}$ extension ball bearing suspension.

Twelve-inch file drawer: Single wall, two-piece construction. Front liner 20-gauge; body 22-gauge. Mounted on full extension slide arm suspensions.

Adjustable Glides

Freestanding and floor supporting pedestals include four glides, adjustable from outside the cabinet.

Counterbalance

Counterbalance weight is standard in all mobile units and is recommended in all freestanding units.

Caster Kit

Consists of four twin-wheel hooded casters. Front two casters are locking; rear two casters are non-locking. Counterbalance weight included in all mobile units.

Locks

Locks are standard on all units. The lock is a high-security single-bit type. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Locks can be supplied with the plugs installed or shipped separately. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs:
3 keyed alike
10 keyed alike
17 keyed alike

Paint Finishes

All products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is epoxy powder paint.

All inside and outside shell and drawer surfaces are painted with the same specified paint color.

Interior components and accessories are painted Black. Mechanical components are black chrome-plated.

Colors shown in the current swatch card are standard and are available where specifications call for painted surfaces.

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

1. Two steel color chips (minimum 3"x 5") are required for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
2. All nonstandard colors are available at an upcharge, and may be subject to extended lead times. Orders will not be processed until color match is approved. Verbal approval is accepted; however, written confirmation must follow. Contact Customer Service at 1-800-827-3168.

The Opus Group Pedestals

Dimensions

Inside Dimensions of Drawers

	21 ⁵ / ₈ "D PEDESTAL			27 ⁵ / ₈ "D PEDESTAL		
	W	D	H	W	D	H
3" Pencil	12 ¹ / ₈ "	19 ⁷ / ₁₆ "	2 ¹ / ₁₆ "	12 ¹ / ₈ "	25 ¹³ / ₁₆ "	2 ¹ / ₁₆ "
6" Box	12 ¹ / ₈ "	19 ⁷ / ₁₆ "	5 ¹ / ₈ "	12 ¹ / ₈ "	25 ¹³ / ₁₆ "	5 ¹ / ₈ "
12" File	12 ¹ / ₈ "	18 ¹³ / ₁₆ "	11"	12 ¹ / ₈ "	19 ⁷ / ₁₆ "	11"

Pedestal Heights and Depths

	Depths	Heights Including Glides	Heights Including Casters	Heights Without Glides/Casters
Freestanding	21 ⁵ / ₈ ", 27 ⁵ / ₈ "	22 ¹ / ₄ ", 25 ³ / ₁₆ "		
Mobile	21 ⁵ / ₈ ", 27 ⁵ / ₈ "		24 ⁵ / ₈ ", 27 ⁵ / ₁₆ "	
Hanging	21 ⁵ / ₈ ", 27 ⁵ / ₈ "			22 ¹ / ₈ ", 25 ¹ / ₁₆ "

The Opus Group Pedestals

Mobile and Freestanding

Model	Feature	Dimensions			Model Number	Color	Price
		W	D	H			



Three Drawer File Pedestal

- One 3" pencil drawer with tray
- One 6" box drawer
- One 12" file drawer
- Counterbalance weight is included in mobile and freestanding units

Mobile	15	21 $\frac{1}{8}$	24 $\frac{1}{8}$	PEDMPPBF24	<input type="checkbox"/>	\$227.00
	15	27 $\frac{1}{8}$	24 $\frac{1}{8}$	PEDMPPBF30	<input type="checkbox"/>	239.00
Freestanding	15	21 $\frac{1}{8}$	22 $\frac{1}{4}$	PEDFPPBF24	<input type="checkbox"/>	226.00
	15	27 $\frac{1}{8}$	22 $\frac{1}{4}$	PEDFPPBF30	<input type="checkbox"/>	237.00



Two Drawer File Pedestal

- Two 12" file drawers
- Counterbalance weight is included in mobile and freestanding units

Mobile	15	21 $\frac{1}{8}$	27 $\frac{1}{16}$	PEDMPFF24	<input type="checkbox"/>	\$212.00
	15	27 $\frac{1}{8}$	27 $\frac{1}{16}$	PEDMPFF30	<input type="checkbox"/>	222.00
Freestanding	15	21 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDFPPFF24	<input type="checkbox"/>	210.00
	15	27 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDFPPFF30	<input type="checkbox"/>	221.00



Three Drawer File Pedestal

- Two 6" box drawers
- One 12" file drawer
- Counterbalance weight is included in mobile and freestanding units

Mobile	15	21 $\frac{1}{8}$	27 $\frac{1}{16}$	PEDMPBBF24	<input type="checkbox"/>	\$229.00
	15	27 $\frac{1}{8}$	27 $\frac{1}{16}$	PEDMPBBF30	<input type="checkbox"/>	245.00
Freestanding	15	21 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDFPBBF24	<input type="checkbox"/>	228.00
	15	27 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDFPBBF30	<input type="checkbox"/>	243.00



Four Drawer Pedestal

- Four 6" box drawers
- Counterbalance weight is included in mobile and freestanding unit
- Lock included

Mobile	15	21 $\frac{1}{8}$	27 $\frac{1}{16}$	PEDMPBBB24	<input type="checkbox"/>	\$247.00
--------	----	------------------	-------------------	------------	--------------------------	----------

INFORMATION

Lock

All units include a lock. Keying is random unless otherwise specified at time of order entry

Accessories

See page 10 for accessories.

Height

All freestanding pedestals include $\frac{1}{8}$ " allowance for glides in recessed position. Mobile pedestals include $2\frac{1}{16}$ " allowance for casters.





Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group Pedestals

Hanging

Model	Feature	Dimensions			Model Number	Color	Price
		W	D	H			
 Two Drawer Pedestal • One 6" box drawer • One 12" file drawer	Hanging	15	21 $\frac{1}{8}$	19 $\frac{3}{16}$	PEDHPBF24	<input type="checkbox"/>	\$165.00
		15	27 $\frac{1}{8}$	19 $\frac{3}{16}$	PEDHPBF30	<input type="checkbox"/>	186.00
 Two Drawer File Pedestal • Two 12" file drawers	Hanging	15	21 $\frac{1}{8}$	22 $\frac{1}{8}$	PEDHPPF24	<input type="checkbox"/>	\$184.00
		15	27 $\frac{1}{8}$	22 $\frac{1}{8}$	PEDHPPF30	<input type="checkbox"/>	198.00
 Three Drawer File Pedestal • Two 6" box drawers • One 12" file drawer	Hanging	15	21 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDHPBBF24	<input type="checkbox"/>	\$202.00
		15	27 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDHPBBF30	<input type="checkbox"/>	221.00
 Three Drawer Pedestal • One 3" pencil drawer with tray • One 6" box drawer • One 12" file drawer	Hanging	15	21 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDHPPBF24	<input type="checkbox"/>	\$200.00
		15	27 $\frac{1}{8}$	25 $\frac{1}{16}$	PEDHPPBF30	<input type="checkbox"/>	221.00

INFORMATION

Lock
 All units include a lock. Keying is random unless otherwise specified at time of order entry

Accessories
 See page 10 for accessories.

Height
 All freestanding pedestals include $\frac{1}{8}$ " allowance for glides in recessed position. Mobile pedestals include $2\frac{3}{16}$ " allowance for casters.



Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group Pedestals

Accessories

Model	Feature	Dimensions			Model Number	Color	Price
		W	D	H			
	Glide Kit • Adds 7/8 to 1 inch to pedestal height • Set of four				PEDGUDESET	<input type="checkbox"/>	\$6.00
	Caster Kit • Converts freestanding pedestals to mobile units • Adds 2 7/8 inches to pedestal height • Must use with counter-balance weight • Set of four			2 7/8	PEDCASTERSET	<input type="checkbox"/>	\$10.00
	Pencil Tray • For 3" pencil and 6" box drawers • Black finish only	12 1/8	4	1	PTR0004		\$4.00
	6" Partition • For 6" box drawers • Black enamel finish only • Sold in single units	12 1/8	3 3/4		DVIDER6		\$3.50
	Hanging Folder Partition • For 12" (pedestal) file drawers • Black enamel finish only • Sold in single units	12 1/8	3		DVIDER12		\$4.00


INFORMATION

Lock
 All units include a lock. Keying is random unless otherwise specified at time of order entry

Paint Finishes	
Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group – Radius Front Pedestals

(Standard Offering)



Standard Lead Time 30 Days.

The Opus Group Radius Front Pedestals

General Information

GENERAL INFORMATION

UNICOR Radius pedestals are available in sizes and drawer combinations to suit any personal storage requirement. Radius pedestals differ from standard Opus pedestals with $\frac{5}{8}$ " radiused front edges. Freestanding and mobile units are designed to fit below most worksurfaces. Hanging units are sized to fit under UNICOR Classic XXI System, XXI Notes, Fanfare and Crescendo furniture. A mounting kit is provided with each unit to allow installation under other compatible workstations.

Preconfigured Units

To simplify the specification process, UNICOR offers preconfigured pedestals in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Height

Four pedestal styles are available. Heights include $\frac{1}{4}$ " allowance for leveling glides fully recessed. Freestanding: 22 $\frac{3}{8}$ ", 25 $\frac{1}{16}$ " Mobile: 24 $\frac{5}{8}$ ", 27 $\frac{1}{16}$ " Hanging: 19 $\frac{3}{16}$ ", 22 $\frac{1}{8}$ ", 25 $\frac{1}{16}$ ".

Depth

Products are available in three standard depths: 17 $\frac{5}{8}$ ", 21 $\frac{1}{8}$ " and 27 $\frac{5}{8}$ ".

Width

All products are 15" wide.

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Twenty-gauge steel body with 18- and 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Fronts: Two-piece metal construction. Twenty-two gauge steel outerskin welded to 22-gauge inner liner. With full width inset pull. Drawer fronts overlap front of pedestal.

Three-inch (pencil) drawer: Single wall two-piece construction. Body 22-gauge; back 22-gauge. Operates on two section $\frac{3}{4}$ " extension ball bearing suspension.

Six-inch (box) drawer: single wall two-piece construction. Body 22-gauge; back 22-gauge. Operates on two-section $\frac{3}{4}$ " extension ball bearing suspension.

Adjustable Glides

Freestanding and floor supporting pedestals include four glides, adjustable from outside the cabinet. Standard glides provide $\frac{1}{8}$ " adjustment.

Counterbalance

Counterbalance weight is standard in all mobile units and is recommended in all freestanding units.

Caster Kit

Consists of four twin-wheel hooded casters. Front two casters are locking; rear two casters are non-locking. Counterbalance weight included in all mobile units.

Locks

Locks are standard on all units. The lock is a high-security single-bit type. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order.

Additional series locks are available at \$10 list price. Please contact the Customer Service Department. Locks can be master keyed. Master keys are available at \$30 list price.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Locks can be supplied with the plugs installed or shipped separately. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs:
3 keyed alike
10 keyed alike
17 keyed alike

Paint Finishes

All products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is epoxy powder paint.

All inside and outside shell and drawer surfaces are painted with the same specified paint color.

Interior components and accessories are painted Black. Mechanical components are black chrome-plated.

Colors shown in the current swatch card are standard and are available where specifications call for painted surfaces.

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

1. Two steel color chips (minimum 3" x 5") are required for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
2. All nonstandard colors are available at an upcharge, and may be subject to extended lead times. Orders will not be processed until color match is approved. Verbal approval is accepted; however, written confirmation must follow. Contact Customer Service at 1-800-827-3168.

The Opus Group Radius Front Pedestals

Mobile and Freestanding

Model	Feature	Dimensions			Model Number	Color	Price	
		W	D	H				
 <p>Pedestal</p> <ul style="list-style-type: none"> • One 3" pencil drawer with tray • One 6" box drawer • One 12" file drawer with hanging folder partition • Counterbalance weight included in mobile unit • Counterbalance weight recommended when freestanding unit is not under worksurface • Lock included 	Mobile	15	21"	24 ⁵ / ₁₆ "	PEDMPPBF24RF	<input type="checkbox"/>	\$232.00	
		15	27"	24 ⁵ / ₁₆ "	PEDMPPBF30RF	<input type="checkbox"/>	254.00	
	Freestanding	15	21"	22 ⁷ / ₁₆ "	PEDFPPBF24RF	<input type="checkbox"/>	230.00	
		15	27"	22 ⁷ / ₁₆ "	PEDFPPBF30RF	<input type="checkbox"/>	252.00	
	 <p>Pedestal</p> <ul style="list-style-type: none"> • Two 12" file drawers with hanging folder partitions • Counterbalance weight included in mobile unit • Counterbalance weight recommended when freestanding unit is not under worksurface • Lock included 	Mobile	15	21"	27 ⁷ / ₁₆ "	PEDMPFF24RF	<input type="checkbox"/>	\$215.00
			15	27"	27 ⁷ / ₁₆ "	PEDMPFF30RF	<input type="checkbox"/>	236.00
Freestanding		15	21"	25 ⁵ / ₁₆ "	PEDFPPF24RF	<input type="checkbox"/>	213.00	
		15	27"	25 ⁵ / ₁₆ "	PEDFPPF30RF	<input type="checkbox"/>	234.00	
 <p>Pedestal</p> <ul style="list-style-type: none"> • Two 6" box drawers • One 12" file drawer with hanging folder partition • Counterbalance weight included in mobile unit • Counterbalance weight recommended when freestanding unit is not under worksurface • Lock included 	Mobile	15	21"	27 ⁷ / ₁₆ "	PEDMPBBF24RF	<input type="checkbox"/>	\$234.00	
		15	27"	27 ⁷ / ₁₆ "	PEDMPBBF30RF	<input type="checkbox"/>	260.00	
	Freestanding	15	21"	25 ⁵ / ₁₆ "	PEDFPBBF24RF	<input type="checkbox"/>	233.00	
		15	27"	25 ⁵ / ₁₆ "	PEDFPBBF30RF	<input type="checkbox"/>	258.00	



INFORMATION

Lock
 All units include a lock. Keying is random unless otherwise specified at time of order entry

Paint Finishes	
Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group Radius Front Pedestals

Accessories

Model	Feature	Dimensions			Model Number	Color	Price
		W	D	H			
	Glide Kit • Adds 7/8 to 1 inch to pedestal height • Set of four				PEDGUDESET	<input type="checkbox"/>	\$6.00
	Caster Kit • Converts freestanding pedestals to mobile units • Adds 2 7/8 inches to pedestal height • Must use with counter-balance weight • Set of four			2 7/8	PEDCASTERSET	<input type="checkbox"/>	\$10.00
	Pencil Tray • For 3" pencil and 6" box drawers • Black finish only	12 1/8	4	1	PTR0004		\$4.00
	6" Partition • For 6" box drawers • Black enamel finish only • Sold in single units	12 1/8	3 3/4		DVIDER6		\$3.50
	Hanging Folder Partition • For 12" (pedestal) file drawers • Black enamel finish only • Sold in single units	12 1/8	3		DVIDER12		\$4.00

INFORMATION

Lock


All units include a lock. Keying is random unless otherwise specified at time of order entry

Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group – Preconfigured Lateral Files & Storage Cabinets (Standard Offering)



Standard Lead Time 30 Days.

The Opus Group Lateral Files & Cabinet/File

General Information

GENERAL INFORMATION

Our lateral files are designed on a 1½" module to provide an unparalleled degree of internal flexibility. Interior components are available 1½", 3", 6", 9", 10½", 12", 13½" and 15" high. These components are designed to efficiently accommodate virtually any filing and storage requirement.

Preconfigured Units

To simplify the specification process, we offer preconfigured files and storage cabinets in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Depth

All lateral files and storage cabinets are 18" deep.

Width

Lateral files and storage cabinets are available in three standard widths: 30", 36" and 42" in most models.

Drawer Dimensions

Refer to the illustrations on the next page for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

The shell is common to lateral file and storage cabinet units. Uprights are punched to accept interior components on 1½" centers. Uprights and top and bottom reinforcements are welded into rigid "boxframe." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners.

Illustrated shell heights include ⅝" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts: 20-gauge steel with full-width flush inset pull and label holder. Fronts are screw-mounted to roll-out shelves to build drawers. Roll-out shelf body: 20-gauge steel slotted on 1" or 1½" centers to accept dividers. Leading edge formed to provide pull; center section offset for additional strength. Shelf ends: 18-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions. Components have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.2-1989 standards for lateral files.

Hinged door: 20-gauge steel, double-wall construction. Equipped with outward stop to prevent contact with adjacent cabinet and full height vertical flush inset pull.

Shelves

Blank shelf: 22-gauge steel, formed 1" thick on front and back edges. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers.

Lateral files meet or exceed ANSI/BIFMA X5.2-1989 standards.

Receding Door

20-gauge steel with full-width flush inset pull and label holder. Doors have guiding mechanism fitted with nylon glides to prevent metal-to-metal contact and ensure effortless operation.

The diagrams on the following page identify various shelf and drawer combinations and related height clearances behind a receding door. The diagrams illustrate typical use. Additional interior options can be installed behind a receding door.

Note: Dimensions have been taken from the front raised edge of the roll-out shelf

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf.

Folder bars, 12-gauge steel, offset to maximize strength.

Adjustable Glides

Lateral files and storage cabinets are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a ¼" hex socket wrench, or from outside the cabinet using a ⅝" wrench. Standard glides provide ⅜" adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Locks

Locks are standard on all units. The lock is a high security, single bit type. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Locks can be supplied with the plugs installed or shipped separately. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs:
3 keyed alike
10 keyed alike
17 keyed alike

Standard Paint Finishes

All products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids epoxy enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

Interior components and accessories are black. Mechanical components are black chrome-plated.

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Belge	50
Baltic	51
Bordeau	52
COM	SP

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

- Two steel color chips (minimum 3"x 5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- All nonstandard colors, are available at an upcharge and may be subject to extended lead times. Orders will not be processed until color match is approved. Verbal approval is accepted; however, written confirmation must follow.

INSTALLATION

Caution Labels

Caution- and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.

Caution information is also permanently affixed to the left side of each drawer. Both labels contain important installation and loading information.

Installation Information

Complete instructions on the proper installation and use of the files are provided in a Users Guide in each file shipped.

The instructions refer to correct methods of leveling, ganging and loading.














The Opus Group Lateral Files & Cabinet/File

Dimensions





Inside Drawer and Shelf Dimensions*	30W x 18D Cabinet			36W x 18D Cabinet			42W x 18D Cabinet		
	W	D	H	W	D	H	W	D	H
12" Single Rollout Shelf	26 ³ / ₄ "	15 ⁵ / ₈ "	10 ⁷ / ₁₆ "	32 ³ / ₄ "	15 ⁵ / ₈ "	10 ⁷ / ₁₆ "	38 ³ / ₄ "	15 ⁵ / ₈ "	10 ⁷ / ₁₆ "
12" Drawer	26 ³ / ₄ "	15 ⁵ / ₈ "	11 ¹ / ₂ "	32 ³ / ₄ "	15 ⁵ / ₈ "	11 ¹ / ₂ "	38 ³ / ₄ "	15 ⁵ / ₈ "	11 ¹ / ₂ "

* Dimensions have been taken from the front raised edge of rollout shelf. The inside clear dimension wide approximately 1/2" greater.

Hanging File Configurations		30W Cabinet		36W Cabinet		42W Cabinet	
		Accessories Required	Inches of filing space	Accessories Required	Inches of filing space	Accessories Required	Inches of filing space
Letter	side-to-side	(1) set type A	 26 ³ / ₄ "	(1) set type A	 32 ³ / ₄ "	(1) set type A	 38 ³ / ₄ "
	front-to-back	(1) set type A (2) set type K	 30 ¹ / ₄ "	(1) set type A (2) set type K	 30 ¹ / ₄ "	(1) set type A (3) set type K	 45 ⁵ / ₈ "
Legal	side-to-side	(1) set type A	 26 ³ / ₄ "	(1) set type A	 32 ³ / ₄ "	(1) set type A	 38 ³ / ₄ "
	front-to-back	(1) set type A (1) set type K	 25 ¹ / ₈ "	(1) set type A (2) set type K	 30 ¹ / ₄ "	(1) set type A (2) set type K	 37 ¹ / ₄ "
EDP	side-to-side	(1) set type A	 26 ³ / ₄ "	(1) set type A	 32 ³ / ₄ "	(1) set type A	 38 ³ / ₄ "
I	12" Rollout Shelf Behind Receding Door						
12"							

The Opus Group Preconfigured Lateral Files

12" Drawer Fronts

Model	Dimensions			Model Number	Color	Price
	W	D	H			
 27" File, 2 high <ul style="list-style-type: none"> Two 12" drawers with type-A folder bars Counterbalance weight is included 	30	18	27	LATFF230	<input type="checkbox"/>	\$334.00
	36	18	27	LATFF236	<input type="checkbox"/>	352.00
	42	18	27	LATFF242	<input type="checkbox"/>	373.00
 39 1/4" File, 3 high <ul style="list-style-type: none"> Three 12" drawers with type-A folder bars Counterbalance weight is included 	30	18	39 1/4	LATFF330	<input type="checkbox"/>	\$413.00
	36	18	39 1/4	LATFF336	<input type="checkbox"/>	435.00
	42	18	39 1/4	LATFF342	<input type="checkbox"/>	461.00
 51 1/2" File, 4 high <ul style="list-style-type: none"> Four 12" drawers with type-A folder bars Counterbalance weight is included 	30	18	51 1/2	LATFF430	<input type="checkbox"/>	\$487.00
	36	18	51 1/2	LATFF436	<input type="checkbox"/>	514.00
	42	18	51 1/2	LATFF442	<input type="checkbox"/>	546.00
 65 3/32" File, 5 high <ul style="list-style-type: none"> One 12" receding door/rollout shelf with plate dividers One 1 1/2" tie bar Four 12" drawers with type-A folder bars Counterbalance weight is included 	30	18	65 3/32	LATFF530	<input type="checkbox"/>	\$580.00
	36	18	65 3/32	LATFF536	<input type="checkbox"/>	614.00
	42	18	65 3/32	LATFF542	<input type="checkbox"/>	651.00
 65 3/32" File <ul style="list-style-type: none"> One 20" hinged door insert with one blank shelf One 1 1/2" locking tie bar shelf Two 12" drawers with type-A folder bars for side-to-side filing One 10 1/2" drawer with FBA folder bars Cabinet supplied with two locks; one lock controls hinged doors, other lock controls drawers, keyed-alike unless otherwise specified Counterbalance weight is included 	30	18	65 3/32	LATFFMP530	<input type="checkbox"/>	\$740.00
	36	18	65 3/32	LATFFMP536	<input type="checkbox"/>	770.00
	42	18	65 3/32	LATFFMP542	<input type="checkbox"/>	802.00
 Plate Dividers <ul style="list-style-type: none"> set of three divides file drawer for use with lateral files only available in black only 				CIFFD3B		\$12.00
 Hanging Folder Rails <ul style="list-style-type: none"> set of two allows front to back filing available in black only 				CIFFHR2B		\$14.00

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.


Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group – Vertical Files

(Standard Offering)



Standard Lead Time 30 Days.

The Opus Group Vertical Files

General Information

GENERAL INFORMATION

Vertical files are available in sizes to suit virtually any paper storage requirements. 11" high drawers are available in combinations of 2, 3, 4 or 5 drawers. Vertical files are available in either 15" width for letter size paper, or 18" width for legal size paper. Drawers come pre-configured with either folder bars for hanging files, or compressor followers. If both accessories are desired in one drawer, order the unit with compressor followers, and separately order one set of folder bars for each drawer.

Preconfigured Units

To simplify the specification process, we offer preconfigured verticals in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Height

Four vertical file heights are available. Heights include $\frac{1}{8}$ " allowance for leveling glides fully recessed.

Depth

All vertical files are nominal 30" deep models. The actual depth is 27 $\frac{1}{8}$ ".

Width

Vertical files are available in 15" width for letter size paper or 18" for legal size paper.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

The shell is a 20-gauge steel unit with four 18-gauge vertical uprights. The uprights are pierced to allow internal components to fit in precise positions.

Drawers

Drawer fronts are 22-gauge fronts and 22-gauge inner surfaces spot welded together to form a $\frac{3}{4}$ " thick front. Fronts are screw mounted to roll out shelf bodies and feature a full width flush inset pull with a label holder.

The drawer body is 22-gauge formed steel that is punched to accept the option of either compressor follower mechanisms or hanging folder bars.

Suspensions

The three piece progressive action suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension features 116 hardened steel ball bearings per suspension.

Adjustable Glides

Vertical files are supplied with two adjustable glides near the front edge of the cabinet. The glides can be adjusted from inside the cabinet using either a straight blade screwdriver or a $\frac{1}{4}$ " hex socket wrench, or outside using a $\frac{7}{8}$ " wrench. Glides provide $\frac{3}{4}$ " of adjustment.

Locks

Locks are standard on all units. The lock is a high security, single bit type. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order.

All locks have removable and interchangeable cores. This feature provides for onsite custom keying. Locks can be supplied with the cores installed or shipped separately. To order cores for field installation, specify "lock cores not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 cores:
3 keyed alike
10 keyed alike
17 keyed alike

Interlock Mechanisms

All vertical files are equipped with a unique patented interlock safety system which permits only one drawer to be opened at a time. The system is designed to reduce the risk of a stand alone unit tipping over.

Paint Finishes

All products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified polyester enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

Interior components and accessories are painted Black.

Colors shown in the current swatch card are standard and are available where specifications call for painted surfaces.

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP


Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

1. Two steel color chips (minimum 3"x 5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
2. All nonstandard colors, except metallic paints, are available at no additional charge, but may be subject to extended lead times. Orders will not be processed until color match is approved. Verbal approval is accepted; however, written confirmation must follow.

The Opus Group Vertical Files

Letter Size Documents

Model	Accessory	Dimensions			Model Number	Color	Price
		W	D	H			
	Compressor	15	27 ³ / ₈	25 ³ / ₈	VER15302DCF	<input type="checkbox"/>	\$250.00
	Folder Bars	15	27 ³ / ₈	25 ³ / ₈	VER15302DFB	<input type="checkbox"/>	249.00
	Compressor	15	27 ³ / ₈	36 ¹ / ₈	VER15303DCF	<input type="checkbox"/>	\$310.00
	Folder Bars	15	27 ³ / ₈	36 ¹ / ₈	VER15303DFB	<input type="checkbox"/>	309.00
	Compressor	15	27 ³ / ₈	48	VER15304DCF	<input type="checkbox"/>	\$379.00
	Folder Bars	15	27 ³ / ₈	48	VER15304DFB	<input type="checkbox"/>	368.00
	Compressor	15	27 ³ / ₈	59 ¹ / ₈	VER15305DCF	<input type="checkbox"/>	\$445.00
	Folder Bars	15	27 ³ / ₈	59 ¹ / ₈	VER15305DFB	<input type="checkbox"/>	444.00
	Compressor • Fits into any letter size drawer. • Dark tone enamel finish. • Includes parts required for one 15" wide drawer.	15	1	7	CIV-15CF	<input type="checkbox"/>	\$15.00
	Folder Bars • Fits any letter or legal size drawer. • Dark tone enamel finish. • Includes parts required for one drawer.	1	26	9	CIV-30FB	<input type="checkbox"/>	\$15.00

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Lock

All units include a lock. Keying is random unless otherwise specified at time of order entry.

Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group Vertical Files

Legal Size Documents

Model	Accessory	Dimensions			Model Number	Color	Price
		W	D	H			
 25 1/2" High • Two 11" drawers with either folder bars or compressor follower in each drawer.	Compressor	18	27 7/8	25 1/4	VER18302DCF	<input type="checkbox"/>	\$257.00
	Folder Bars	18	27 7/8	25 1/4	VER18302DFB	<input type="checkbox"/>	257.00
 36 1/8" High • Three 11" drawers with either folder bars or compressor follower in each drawer.	Compressor	18	27 7/8	36 1/8	VER18303DCF	<input type="checkbox"/>	\$318.00
	Folder Bars	18	27 7/8	36 1/8	VER18303DFB	<input type="checkbox"/>	318.00
 48" High • Four 11" drawers with either folder bars or compressor follower in each drawer.	Compressor	18	27 7/8	48	VER18304DCF	<input type="checkbox"/>	\$389.00
	Folder Bars	18	27 7/8	48	VER18304DFB	<input type="checkbox"/>	389.00
 59 1/8" High • Five 11" drawers with either folder bars or compressor follower in each drawer.	Compressor	18	27 7/8	59 1/8	VER18305DCF	<input type="checkbox"/>	\$457.00
	Folder Bars	18	27 7/8	59 1/8	VER18305DFB	<input type="checkbox"/>	457.00
 Compressor • Fits into any letter size drawer. • Dark tone enamel finish. • Includes parts required for one 18" wide drawer.		18	1	7	CIV-18CF		\$15.00
 Folder Bars • Fits any letter or legal size drawer. • Dark tone enamel finish. • Includes parts required for one drawer.		1	26	9	CIV-30FB		\$15.00

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Lock

All units include a lock. Keying is random unless otherwise specified at time of order entry.


Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

The Opus Group – Kiosks

(Standard Offering)



*Kiosks require a standard 75 day lead time.

The Opus Group Kiosks Storage Units

General Information

GENERAL INFORMATION

Our kiosk units were designed to offer multiple storage options in one complete unit. These components are designed to efficiently accommodate virtually any filing and storage requirement.

Preconfigured Units

To simplify the specification process, we offer preconfigured files and storage cabinets in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Depth

All kiosks and storage cabinets are 24" deep.

Width

Kiosks are available in two standard widths: 30" and 36" in most models.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

The shell is common to lateral file and storage cabinet units. Uprights are punched to accept interior components on 1½" centers. Uprights and top and bottom reinforcements are welded into rigid "boxframe." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners.

Illustrated shell heights include ⅝" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts: 20-gauge steel with full-width flush inset pull and label holder. Fronts are screw-mounted to roll-out shelves to build drawers. Roll-out shelf body: 20-gauge steel slotted on 1" or 1½" centers to accept dividers. Leading edge formed to provide pull; center section offset for additional strength. Shelf ends: 18-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions. Components have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.2-1989 standards for lateral files.

Hinged door: 20-gauge steel, double-wall construction. Equipped with outward stop to prevent contact with adjacent cabinet and full height vertical flush inset pull.

Shelves

Blank shelf: 22-gauge steel, formed 1" thick on front and back edges. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers.

Kiosks meet or exceed ANSI/BIFMA X5.2-1989 standards.

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf.

Folder bars, 12-gauge steel, offset to maximize strength.

Adjustable Glides

Kiosks are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a ¼" hex socket wrench, or from outside the cabinet using a ⅞" wrench. Standard glides provide ¾" adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Locks

Locks are standard on all units. The lock is a high security, single bit type. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Locks can be supplied with the plugs installed or shipped separately. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs:
3 keyed alike
10 keyed alike
17 keyed alike

Standard Paint Finishes

All products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids epoxy enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

Interior components and accessories are black. Mechanical components are black chrome-plated.

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47
Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

- Two steel color chips (minimum 3"x 5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- All nonstandard colors, are available at an upcharge and may be subject to extended lead times. Orders will not be processed until color match is approved. Verbal approval is accepted; however, written confirmation must follow.

INSTALLATION

Caution Labels

Caution- and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.



Caution information is also permanently affixed to the left side of each drawer. Both labels contain important installation and loading information.

Installation Information

Complete instructions on the proper installation and use of the files are provided in a Users Guide in each file shipped.

The instructions refer to correct methods of leveling, ganging and loading.

The Opus Group Kiosk Storage Units

Model	Dimensions			Model Number	Color	Price
	W	D	Door End			
 <p>Kiosk with Open Bookshelf</p> <ul style="list-style-type: none"> Steel Kiosk available in 30" and 36" width, 65 9/32" height and 24" depth. Kiosk includes three 12" high x 24" or 30" wide lateral filing drawers with folder bars. One lock secures all 3 drawers. Kiosk includes a 6" wide full height wardrobe area with a separate lock and coat hanger rod. Wardrobe door must be specified on right or left side of kiosk. Open bookcase area has one adjustable blank shelf and a blank bottom shelf. 	30	24	Right	CIK/3061524.BC3DFRL	<input type="checkbox"/>	\$678.00
	36	30	Right	CIK/3661524.BC3DFRL	<input type="checkbox"/>	702.00
	30	24	Left	CIK/3061524.BC3DFLL	<input type="checkbox"/>	678.00 (shown)
	36	30	Left	CIK/3661524.BC3DFLL	<input type="checkbox"/>	702.00 (shown)
 <p>Kiosk with Hinged Doors</p> <ul style="list-style-type: none"> Steel Kiosk available in 30" and 36" width, 65 9/32" height and 24" depth. Kiosk includes three 12" high x 24" or 30" wide lateral filing drawers with folder bars. One lock secures all 3 drawers. Kiosk includes a 6" wide full height wardrobe area with a separate lock and coat hanger rod. Wardrobe door must be specified on right or left side of kiosk. Hinged doors hide bookshelf area with one adjustable blank shelf and a blank bottom shelf. 	30	24	Right	CIK/3061524.HD3DFRL	<input type="checkbox"/>	\$708.00
	36	30	Right	CIK/3661524.HD3DFRL	<input type="checkbox"/>	744.00
	30	24	Left	CIK/3061524.HD3DFLL	<input type="checkbox"/>	708.00 (shown)
	36	30	Left	CIK/3661524.HD3DFLL	<input type="checkbox"/>	744.00 (shown)
 <p>Kiosk Add-on Wardrobe</p> <ul style="list-style-type: none"> Steel Kiosk add-on wardrobe in 9" wide, 18" deep, and 65 9/32" height to match a 5 high Series XXI Lateral File. Add-on wardrobe includes a coat hook and front to back shelf. Wardrobe bolts to the end of a 5 high Series XXI Lateral File. Field drilling of Lateral is required. Wardrobe should be ordered as right-hand or left-hand, but it may be converted in the field from right to left. Wardrobe has separate lock. 	Right			CIK/0961518.LR	<input type="checkbox"/>	\$150.00
	Left			CIK/0961518.LR	<input type="checkbox"/>	150.00 (shown)

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Lock

All units include a lock. Keying is random unless otherwise specified at time of order entry.

Paint Finishes

Black	27
Gray	29
Warm Gray	33
Sand	28
Lt. Tone	32
Wrinkle Black	46
Wrinkle Gray	48
Wrinkle Warm Gray	57
Wrinkle Sand	47

Wrinkle Lt. Tone	58
Juniper	59
Postal Green	30
Country Blue	24
Medium Bronze	25
Hunter Green	26
Eggshell White	31
Beige	50
Baltic	51
Bordeau	52
COM	SP



U.S. Department of Justice

UNICOR

Federal Prison Industries, Inc.

CATPP600A

