

Upholstery Colors

U.S. Department of Justice

UNICOR

Federal Prison Industries, Inc.

212-88

Trevira FR

*1111 Solid Cranberry

Solid

*1107 Solid Cobalt Blue

1106 Solid Wedgewood

1110 Solid Plum

1114 Solid Clematis

*1103 Solid Burgundy

*1116 Solid Viridian

*1109 Solid Parsley

1108 Solid Aquamarine

*1105 Solid Pewter

1112 Solid Black

Victoria

6209 Victoria Hummingbird

6206 Victoria Cascade

6200 Victoria Gazelle

6207 Victoria Freshwater

6210 Victoria Garnet

6205 Victoria Foxglove

6201 Victoria Osage

6202 Victoria Cornsilk

Strand

4209 Strand Hummingbird

4206 Strand Cascade

4200 Strand Gazelle

4207 Strand Freshwater

4210 Strand Garnet

4205 Strand Foxglove

4202 Strand Cornsilk



*Starred items are available in Quickship Program.

Brompton

5208 Brompton Nassau

5206 Brompton Cascade

5207 Brompton Freshwater

5210 Brompton Garnet

5205 Brompton Foxglove

5201 Brompton Osage

Dot

2107 Dot Cobalt

2109 Dot Parsley

2108 Dot Aqua

2105 Dot Pewter

2103 Dot Burgundy

2102 Dot Rose

2113 Dot Gold

2112 Dot Black

Multi

3107 Multi Cobalt

3106 Multi Wedgewood

3110 Multi Plum

3114 Multi Clematis

3103 Multi Burgundy

3109 Multi Parsley

3108 Multi Aqua

3113 Multi Gold

3115 Multi Cayenne

3112 Multi Black

Wool/Nylon

Consulate

9092 Consulate
Green

9098 Consulate
Sky

9097 Consulate
Grape

9090 Consulate
Burgundy

9096 Consulate
Taupe

9095 Consulate
Charcoal

9094 Consulate
Gunmetal

9091 Consulate
Beige

9093 Consulate
Ginger

Diplomat

9123 Diplomat
Emerald

9125 Diplomat
Blue Heather

9126 Diplomat
Blackberry

9122 Diplomat
Char-Brown

9120 Diplomat
Berry-Multi

9124 Diplomat
Cherry

9121 Diplomat
Beige Heather

Nouvelle™ Herculon

3647 Textura
Solid Black

Textura

3662 Textura
Solid Emerald


2412 Textura
Mediterranean

2410 Textura
Seamist

3674 Textura
Solid Dresden

3661 Textura
Solid Navy

3670 Textura
Solid Pewter

3660 Textura
Solid Burgundy

3669 Textura
Solid Plum

3648 Textura
Rosedust

3664 Textura
Solid Blush

3666 Textura
Taupe

2411 Textura
Parchment

Embassy

9114 Embassy
Hunter

9111 Embassy
Aqua

9116 Embassy
Teal

9113 Embassy
Navy

9112 Embassy
Cinnamon

9110 Embassy
Wine

9115 Embassy
Plum

Protocol

9106 Protocol
Forest

9101 Protocol
Azure

9104 Protocol
Blueberry

9100 Protocol
Flame

9105 Protocol
Neutral

9103 Protocol
Rust

9102 Protocol
Ebony

Avante

3679 Avante
Emerald

3691 Avante
Aquamarine

2404 Avante
Green Isle

3688 Avante
Blue/Blush

2400 Avante
Blue Green

3681 Avante
Dresden

3689 Avante
Burgundy

3675 Avante
Plum

3678 Avante
Blush

3692 Avante
Rosedust

2402 Avante
Iris

3687 Avante
Navy

3684 Avante
Onyx

3676 Avante
Pewter

2403 Avante
Stone

3677 Avante
Spice

3682 Avante
Brown

Nylon Crepe

4678 Sage

4695 Teal

4682 Navy

4713 Periwinkle

4712 Raspberry

4672 Juniper

4706 Empire Green

4690 Blue Mist

4700 Aubergine

4705 Bordeaux

4673 Onyx

4702 Silver Leaf

4707 Stone Blue

4710 Boysenberry

4691 Lt. Plum

4692 Black Pearl

4711 Seafoam

4709 Parade Blue

4697 Lt. Blueberry

4708 Mulberry

4699 Slate

4675 Smoke

4670 Holland Blue

4704 Skipper Blue

4674 Rosewood

4680 Peach Tint

4679 Burgundy

4684 Espresso

4703 Terra Cotta

4676 Sienna

4683 Pebble

4689 Salmon

4698 Rust

4687 Fawn

4694 Red Lacquer

4671 Pale Copper

4693 Lambswool

4686 Alizarin

4696 Buttercream

4701 Sisal

This brochure will help you in selecting fabrics for UNICOR furniture. Great care has been taken to accurately reproduce the fabric colors in this catalog, however, there may be some variation in color between the printed photograph and the actual fabric. If you would like to see the actual samples before making a final decision, we will be pleased to send a fabric sampler to you.

Fire-resistant (FR) foam is available on all upholstered items for an additional charge.

For questions concerning fabric selection, delivery, assistance with interior design or color coordination, or if you wish a fabric sampler or additional catalogs please contact:

UNICOR Customer Service Center
(800) 827-3168 FAX (606) 254-9692

Nylon/Polyester

QuickShip only

Trevi

*2470 Trevi Hunter

*2481 Trevi Ocean Spray

*2473 Trevi Turquoise

*2474 Trevi Bristol

*2476 Trevi Burgundy

*2478 Trevi Blush

*2482 Trevi Wood Hue



Leather

TOP GRAIN

*0052 Hunter

0060 Lapidary Green

0054 Steel Blue

*0048 Blueberry

0055 Ivory

*0049 Burgundy

0051 Cocoa

0053 Taupe

*0047 Black

*Starred items are available in Quickship Program.

Vinyl

All Seasons

CG33 All Seasons
Hunter

CG35 All Seasons
Jade

CG20 All Seasons
Colonial Blue

CG59 All Seasons
Royal Blue

CG62 All Seasons
Saddle Tan

CG10 All Seasons
Burgundy

CG50 All Seasons
New Burgundy

CG43 All Seasons
Mauve

CG23 All Seasons
Deep Clay

CG09 All Seasons
Brandy

CG04 All Seasons
Black

CG12 All Seasons
Cadet

Gossamer

GS09 Gossamer
Teal

GS03 Gossamer
Jade

GS05 Gossamer
Seamist

GS02 Gossamer
Azure

GS07 Gossamer
Indigo

GS13 Gossamer
Berry

GS08 Gossamer
Tea Rose

GS11 Gossamer
Brick

GS14 Gossamer
Terrazzo

GS04 Gossamer
Shadow

GS10 Gossamer
Slate

GS06 Gossamer
Shale Dust

GS01 Gossamer
Bronze

Athens

AT02 Athens
Blue Jade

AT10 Athens
Peacock

AT16 Athens
Steel Blue

AT03 Athens
Ice Blue

AT08 Athens
Periwinkle

AT01 Athens
Currant


AT17 Athens
Wineberry

AT12 Athens
Pyrite


AT05 Athens
Cinnabar


AT09 Athens
Jasper

AT07 Athens
Carbon

AT11 Athens
Cobblestone

AT04 Athens
Chalk

AT13 Athens
Gypsum

AT15 Athens
Spice

Crossings

CR12 Crossings
Deep Emerald

CR09 Crossings
Teal

CR03 Crossings
Jade


CR05 Crossings
Seamist

CR02 Crossings
Azure

CR13 Crossings
Berry

CR08 Crossings
Tea Rose

CR11 Crossings
Brick

CR14 Crossings
Terrazzo

CR04 Crossings
Night Shade

CR07 Crossings
Indigo

CR06 Crossings
Shalestone

CR01 Crossings
Bronze

Twill

TW24 Twill
Emerald

TW16 Twill
Green Tea

TW10 Twill
Teal

TW25 Twill
Tropic Jade

TW08 Twill
Seamist

TW12 Twill
Wedgwood

TW03 Twill
Ice Blue

TW04 Twill
Delft Blue

TW23 Twill
Baltic Blue

TW01 Twill
Cabernet

TW22 Twill
English Rose

TW11 Twill
Tea Rose

TW19 Twill
Amethyst

TW07 Twill
Dusk

TW18 Twill
Black Ice

TW20 Twill
Onyx

TW14 Twill
Sterling Haze

TW13 Twill
Coconut

TW09 Twill
Nutmeg

TW15 Twill
Hazelnut

TW21 Twill
Cinnamon

TW05 Twill
Nectarine

Technical Data

FABRIC SPECIFICATIONS:	ATHENS, CROSSINGS, GOSSAMER, TWILL	ALL SEASONS
Width:	54"	54"
Roll Length:	30 yds	30 yds
Weight:	34 oz./linear yard	34 oz./linear yard
Face: (skin coat)	.00819 gauge	.008 gauge
Backing:	100% Polyester - 4 oz. napped	3.0 oz. Poly/cotton knit
PERFORMANCE TEST		
Surface Abrasion: Wyzenbeek (wire screen)	75,000 cycles	75,000 cycles
Fed. Standard 191A Method 5304		1,000,000 cycles
Tensile Strength: ASTM-D-751	99x73 lbs	90x110 lbs
Stitch Tear Strength: ASTM-D-751	12.54x7.48 lbs	12.50x50 lbs
Adhesion: ASTM-D-751	5.0 lbs./inch	4 lbs./inch
Cold Crack: ASTM-D-1790	-20°	-20°
Light Fastness: AATCC 16	Passed	Passed
Specific Treatments:	Permablok)™	PreFixx™ Protective Finish
	Sulfide Stain Resistant	Sulfide Stain Resistant
	Oil Resistant	Oil Resistant
	Mildew Resistant	Mildew Resistant
	Anti-static finish	Anti-static finish
	UV Stabilized	UV Stabilized
FLAMMABILITY		
Passes the Following Flammability Tests: FED. Std. A-A-2950 (Supercedes CC-A-680A)	√	√
City of Boston Code	√	√
NFPA 701 Life Safety Code (small scale)	√	√
FAA 25.853	√	√
NY & NJ Port Authority Code	√	√
MVSS 302	√	√
California Tech. Bulletin #117-75 Sec. E	√	√
BIFMA Class 1	√	√

Technical Data

FABRIC SPECIFICATIONS:		GROUP A		GROUP B	GROUP C	GROUP D	NYLON/POLYESTER	LEATHER
Type:		Trevira FR		Crepe	Wool/Nylon	Herculon	Trevi	Top Grain
Content:				100% nylon	75% wool/ 25% nylon	Olefin fiber	75% nylon/ 25%polyester	100% Leather aniline dyed through
Weight:		21 oz. per linear yd.		23.2 oz.per lin.yd.backed	20 oz. per linear yd.	22 oz.per linear yd.	14.1 oz. per linear yd.	
Width:		54"		54"	54"	54"	54"	
Construction:		17 x 18		23.8 x 24.9	18 x 14	13 x 12	36 x 36	
Backing:		Flame resistant acrylic		Acrylic	Acrylic latex	Acrylic latex	Acrylic	0.9/11 mm backing
Finish:								Protective color pigmented spray finish
PERFORMANCE:								
TEST		Solid, Dot, & Multi	Brompton,Strand, & Victoria					
Tensile Strength:								
(ASTM D-1682)	Warp	270 lbs.	168 lbs.	572+ lbf.	157+ lbs.	250+ lbs.	105+lbs.	
	Fill	285 lbs.	285 lbs.	706+ lbf.	195+ lbs.	250+ lbs.	357+lbs.	
Flex:								
(ASTM D-2097)								60,000 cycles
Tear Strength:								
(FSTM 5136-191)	Warp	115 lbs.	50 lbs.	128 lbf.				
	Fill	119 lbs.	90 lbs.	207 lbf.				
(ASTM D-2262)	Warp				22+ lbs.	35+ lbs.	10+lbf	
	Fill				32+ lbs.	35+ lbs.	25+lbf	
Breaking Force:								
Federal Test Standard 311								90lbs.
Elongation:								
Federal Test Standard 311								25% at 50 lbs.
Abrasion:								
(ASTM D-3597-81)		100,000+ cycles	100,000+ cycles		30,000+ cycles			
(ASTM D-3597)							250,000+ dbl. rubs (wire screen)	
(ASTM D-1175)				600,000+ dbl. rubs		100,000+ cycles		
(ASTM D-3884)								1,000 cycles
Seam Slippage:								
(ASTM D-3597)	Warp	40+lbs.	40 lbs.					
	Fill	40+ lbs.	40 lbs.					
(ASTM D-4304)	Warp			40+lbf	94+lbs.	35+ lbs.	40+lbf	
	Fill			40+lbf	38+lbs.	35+ lbs.	40+lbf	
Lightfastness:								
(AATCC-16A)		40 Hours	40 Hours	60+Hours/Class 5	80+ Hours	200 Hours	60+ Hours/Class 5	40 Hours
Colorfastness:								
(AATCC-107)	Water			Class 5*	Class 5	Class 5	Class 4.5	
	Solvent			Class 5*	Class 5	Class 5	Class 4.5	
Crocking:								
(AATCC8-1981)	Dry	Class 5	Class 5	Class 4.5*	Class 5	Class 5		
	Wet	Class 6	Class 6	Class 4.5*	Class 4.5	Class 5		
(AATCC8-1989)	Dry						Class 5	Class 4
	Wet						Class 5	Class 4
Pilling:								
(ASTM D-3511)		Class 4	Class 4	Class 4				
FLAMMABILITY:								
PASSES THE FOLLOWING FLAMMABILITY TESTS:								
NFPA 701 - 701 Small Scale		√	√					
NFPA 260					√		√	
ASTM E-E84, (Tunnel Test)		√ Class A	√ E84-81a	√ E84-81a	√ E84-81a	√ E84-81a	√	
FAA 25.853 (b-3) Appendix F				Horizontal Flame Test				
State of California - CS191-53		√ Class 1A	√	√	√	√	√	
California Technical Bulletin 117				√	√	√	√	√
City of Boston		√	√					
Port Authority New York & New Jersey		√	√					
B.I.F.M.A. Class A/Class 1		√	√	√	√	√	√	
California Technical Bulletin 133[1]		√	√					√
UFAC-Class 1, Upholstered Furniture Action Council				√	√	√	√	
Fed. Spec.191A-5906						√		

[1] As a compatible component, fabric when used with certain F.R. Foams or Barrier will meet requirements of California Bulletin 133, as per test results conducted by State of California Department of Consumer Affairs.

* Class in the colorfastness requirements is based on a numerical scale of 5 for negligible or no color change or color transfer to 1 for very severe color change or color transfer. All test performances are in accordance with ANSI/ASTM-D-3597-77