


Metal Products



METAL PRODUCTS TECHNICAL



UNICOR

Industrial Products Business Group

CAT11400



HOW TO USE THIS CATALOG

Key to Graphic:

1. The new Metals/TECHNICAL Catalog is divided into six product line groups; Storage, Work Benches and Tables, Steel Shelving, Industrial Racking, Food Service, and Additional Products.
2. The pages in each group are color coded and titled for clarity.
3. Opening pages have information specific to each product line group.
4. Interior pages of these sections are designed to make ordering simple. Charts contain ordering, shipping, and pricing information.
5. Colors available for any given product are represented on each page along with its 2-digit color code.
6. Color choices are made by the customer and the 2-digit color code must be added to the end of the stock number when ordering.
7. Other specific information, such as technical support, custom work, and load bearing capacity, can be found in the tinted color panels.
8. Web site and toll-free number to access additional information and pricing.



Metals/TECHNICAL catalog... supplying products to meet your needs.

It's easy to find products that work best for you, such as...

- Custom-fabricated products (prototype a product to your exact specifications)
- Ready-to-assemble shelving in an outstanding range of dimensions and sizes, shipped with fasteners for easy assembly with hand tools.
- Component parts, such as bins, drawers, and doors, that instantly increase the functionality of shelving.
- Racking, catwalks, and mezzanines for warehouse operations.
- Depending on your project's complexity, design specialists can provide guidance over the phone, prepare sketches and estimates from a floor plan you provide, or even visit your site to develop a layout — for a nominal administrative charge.

The ultimate security: a full guarantee. UNICOR is committed to meeting your highest standards for performance. If at any time a product does not meet your expectations, UNICOR will promptly repair or replace it at no expense to you.

We invite you now to get to know UNICOR's quality metal products and the flexibility and versatility they offer. If you have any questions, please call UNICOR's Customer Service Center at 800 827-3168.

You are viewing the **Metals/TECHNICAL** catalog.



FLIP THIS CATALOG OVER to view the **Metals/BASICS** catalog.



Metals/BASICS Catalog contents include:

- Lockers & Cabinets
- Shelving
- Tables/Work Benches
- Industrial Stacking Racks
- Food Service
- Additional Products

WE ARE COMMITTED TO YOUR TOTAL AND COMPLETE SATISFACTION.

UNICOR has been manufacturing top quality, durable metal products for more than 50 years. We are proud of our capabilities and are ready, willing, and able to put them to work for you.

We are convenient and easy to use. Since UNICOR is a government-established source, you need not waste valuable time with a prolonged procurement process. You can come directly to us. Additionally, you don't need a firm specification before you talk with us. We may even be able to suggest solutions to your needs. All you have to do is give us a call.

This catalog is not intended to be all-inclusive. Rather, it is designed to give you an idea of our diverse product line. If you don't see exactly what you need, contact us and we will gladly work with you to prototype a product to your exact specifications.

Your complete and absolute satisfaction is our top priority. We are committed to this goal. In fact, we are so sure you will be satisfied with our products and services that we offer the following "Escape-Proof" Guarantee.

We take great pride in teaching a good work ethic and marketable job skills. As a result, we produce high quality goods and services for our customers. We are committed to your complete and continual satisfaction. If, at any time, an item we have provided does not entirely meet your expectations, we will cheerfully and promptly repair or replace it, entirely at our expense.

Let us show you what we can do for you.

Metals/TECHNICAL

How To Use This Catalog	i
How to Order	iv
Terms and Conditions	v
Shelving	2
Steel Shelving Specifications and General Information.	2
Nut & Bolt, Build Your Own or Expand Components	6
Steel Shelving, Nut & Bolt Accessories.	10
Clip-Type Components	16
Industrial Racking	20
Industrial Pallet Racking	22
Industrial Catwalk and Mezzanine Systems.	30
Industrial Cantilever Racks	32
Industrial Stacking Racks	34
Additional Products	36
Metal Lumber	36
Casters.	36
Storeroom Carts.	37
Filtration Services	37
Security Fence Panels.	37

FLIP THIS CATALOG OVER TO VIEW:

Metals/BASICS Catalog

- Lockers & Cabinets
- Shelving
- Tables/Work Benches
- Industrial Stacking Racks
- Food Service
- Additional Products

HOW TO ORDER

IT'S AS EASY AS ...

- 1 Call us toll-free at 800 827-3168.**
Please have your credit card information ready if you are going to charge your purchase.
- 2 Fax your order to 859 254-9048.**
Be sure to include all credit card information.
- 3 Mail your purchase order to:**
UNICOR Customer Service Center
P.O. Box 11670
Lexington, KY 40577-1670
- 4 Order on the Internet: www.unicor.gov**
Click on Industrial Products on our home page for a list of most of the items in this catalog, or enter your stock number (product number) in our shops department to order your products. Have your credit card ready.

If you want a sales representative to call you...

If you need a quote...

If you need a design layout...

If you want assembly or installation of a metal product...

Just call Unicor at (202) 305-3424.

TERMS AND CONDITIONS

The Customer Service Center

Contact the FPI Customer Service Center for any questions or assistance regarding the information in this price list. Our business hours are 7:30 a.m. to 6:00 p.m. (EST), Monday through Friday (excluding federal holidays). Our phone number is **800 827-3168**.

Order Acknowledgment

FPI acknowledges every order. Orders are accepted, billed, and invoiced based on the information in this written order confirmation. Should you note any discrepancy, please advise us immediately.

Your order acknowledgment indicates a due date when your product will arrive. In the event your products are manufactured earlier than scheduled, we will ship them upon completion, unless otherwise specified. Project level orders will be coordinated through our Project Managers.

Order Modifications

Modification to your purchase order will be accepted up to four weeks prior to the due date indicated on your order acknowledgment. However, if the revision results in a change in product availability, a new due date may be set by FPI. Such due date adjustments may be for your full purchase order, whether or not the specifications of all line-items on it are modified. All purchase order modifications are acknowledged in writing, including the annotation of any adjusted due date(s). Purchase order cancellations may result in a re-stocking fee.

Standard Lead Time

Typical lead time for product delivery is 60 days after receipt of your order.

Product Delivery and Pricing

We take both FOB Origin and FOB Destination orders. All products are shipped via surface transportation. On FOB Origin orders, title/product responsibility passes to the customer at the time of shipment. You may arrange your own transportation on FOB Origin orders, coordinating with FPI accordingly. Otherwise, your own order will be shipped by common carrier at your expense.

On FOB Destination orders, title/product responsibility passes to the customer upon delivery to the dock of the designated point of delivery. Freight charges are included in the product prices listed with a FOB Destination column.

Contact the Customer Service Center for destination prices where none are given. Such destination

pricing for delivery outside the continental United States must be negotiated based on the freight rates at the time of shipment.

Services such as layout design, storage, inside delivery, and installation, and off-loading are not contained in this price list. Contact a technical representative at 202 305-3424 for a quote on these services.

Geographic Coverage

All shipments for the continental United States include the 48 contiguous states and Washington, D.C.

Special Note on Overseas Shipments

All FOB Destination shipments are prepaid to the Port of Embarkation. All freight and handling charges beyond the port of embarkation are the responsibility of the local government purchasing facility, unless other arrangements are made through FPI. The freight charges for deliveries to Alaska, Hawaii, and foreign countries will be negotiated based on freight rates at the time of delivery. There is an additional 10% crating charge for orders not shipping to the 48 contiguous states. All shipments must include a physical address.

Special Packaging

Standard packaging varies per individual product. FPI will accommodate your special packaging requests; however, an upcharge may apply. Contact the Customer Service Center for more information.

Shipment Claims

FPI products are packaged to comply with carrier requirements. All shipments should be inspected by the consignee before acceptance. The delivering carrier should be requested to record any damage or shortage of items shipped. If any shortages are discovered, please notify the FPI Customer Service Center immediately.

Shipping damage and shortage claims must be filed with the carrier within 15 days of delivery. This applies to both FOB Destination and FOB Origin shipments. Carrier liability ends after 15 days for shipping damages or shortages.

Concealed Damage Claims

Claims for concealed damages must be filed with the carrier within 15 days after the delivery of goods. This applies to both FOB Destination and FOB Origin shipments. Carrier liability ends after 15 days for concealed damages.

Neither FPI nor the carrier will be responsible for damages if shipments are left unopened and/or claims are not filed within 15 days.

Product Storage

If necessary, FPI may store products at the factory at no expense to you for a period not to exceed 30 calendar days; however, such storage is predicated on the availability of our warehouse space at the time of need.

If FPI storage space is not available, or if you require storage in excess of 30 days, we will assist you in finding commercial storage alternatives at current market rates, at your expense.

Customer-Delayed Deliveries

Please notify the Customer Service Center at least two weeks prior to the confirmed due date when you cannot receive delivery of goods by that scheduled date. We will delay the delivery at your request; however, after 30 days of such delay, you will be invoiced for the subject products whether or not delivery is extended beyond the first 30 days.

FPI may allow up to two weeks for shipping. Therefore, if you do not request delayed delivery at least two weeks prior to the confirmed due date for arrival of your shipment, you may incur additional handling costs.

FPI will bill you for such handling costs if you refuse receipt of the goods, or request delayed shipment within less than two weeks prior to the due date on your order acknowledgment.

Product Returns

All product returns must be coordinated in advance with the FPI Customer Service Center. All freight or express service charges must be prepaid on return shipments.

Product returns may be subject to your being invoiced for additional handling/restocking fees. FPI will determine and notify you of such charges upon receipt and inspection of the returned goods.

Order Status

Call the Customer Service Center to obtain status of your order during order processing or the product and shipment/delivery of goods. We will give you the status based on your purchase order number and/or the FPI work order number on your order acknowledgment.

You may also access your order status by clicking on the customer service icon on our website at: www.unicor.gov.

Invoice Payment

Payments from government agencies should be addressed to:

FPI - FPI
P.O. Box 371736
Pittsburgh, PA 15252-7736

Payments from private sector parties should be addressed to:

FPI - LEX
Accounts Receivable
P.O. Box 11670
Lexington, KY 40583-3640

All general billing or specific invoice questions should be directed to the FPI Customer Service Center at **800 827-3168**.

Product Warranty

FPI guarantees all industrial products will be free from defects in materials and workmanship. If at any time an item we have provided does not meet your expectations, we will repair or replace it at our expense.

See MANUFACTURING CAPABILITIES, page 51, BASICS catalog

SHELVING



STEEL SHELVING

Whether you choose our ready-to-assemble shelving packages, component parts for custom shelving, or the flexible clip-type shelving, UNICOR has the shelving you need. You'll find our merchandise strong and durable.

It's as easy as 1, 2, 3, 4 to specify your shelving. Refer to the following graphic pictorial of each step.

HOW TO SELECT STEEL SHELVING:

1 Select a Style/Type:

- Open shelving with detachable bolt fasteners
- Open shelving with clip-type fasteners
- Closed shelving with detachable bolt fasteners
- Closed shelving with clip-type fasteners
- Ledge shelving
- Counter shelving
- Wire shelving

Each style offers a wide range of applications with many accessory items to maximize your storage requirements.



open shelving



closed shelving



counter shelving



ledge shelving

2 Choose a Size:

UNICOR shelving is available in a wide range of depths, widths, and heights.

Widths	Depths
24"	12"
30"	15"
36"	18"
42"	24"
48"	30"
	36"

Standard sizes are found on page 36


Shelf Height	Number of Openings	Number of Shelves
75"	6	7
87"	7	8
99"	8	9
111"	9	10

Numerous additional sizes available up to 171"

3

Determine a Configuration:

UNICOR accepts customer-supplied layout and designs or offers assistance based on your available floor space. UNICOR staff will assist you in the selection of the style that best fits your requirements and will provide complete design and layout services of your storage areas, if requested. Call (202) 305-3424 for assistance.



1. Angle-Sway Braces
2. Cross-Strap Braces
3. Flush Bars
4. Angle Bin Dividers
5. Bin Front
6. Shelf Reinforcing Side and Center Angles
7. Corner Post or Upright
8. Base Strip
9. Bin Dividers
10. Label Holders
11. Double Door
- 11-L. Handle Lock
12. Ledge Shelf
13. Back Panel
14. End Panel
15. Plain Shelf
16. Intermediate Partition
17. Bin Dividers
18. Storage Drawer

4

Determine Load-Bearing Capacity:

UNICOR shelving is available in three classes of strength. Each class has a different weight capacity.

Standard Shelf Sizes

LBS Per Shelf

WIDTH	DEPTH	CLASS 1	CLASS 1A	CLASS 2	CLASS 3
24"	12"	700	1000	1200	2000
24"	15"	700	1000	1150	2000
24"	18"	700	900	1000	2200
24"	24"	700	900	1000	1700
24"	30"	700	800	900	1600
24"	36"	700	800	900	1500
30"	12"	600	900	1200	1800
30"	15"	600	900	1200	1750
30"	18"	600	800	1100	1700
30"	24"	600	800	1050	1650
30"	30"	600	750	1000	1600
30"	36"	550	650	950	1600
36"	12"	400	800	1000	1500
36"	15"	400	750	1100	1650
36"	18"	450	750	1000	1800
36"	24"	450	700	1000	1700
36"	30"	450	700	860	1500
36"	36"	450	500	700	1300
42"	12"	300	350	700	850
42"	15"	300	350	600	900
42"	18"	350	400	525	1300
42"	24"	300	350	700	1200
42"	30"	300	350	650	1050
42"	36"	300	350	650	1050
48"	12"	300	320	400	560
48"	15"	300	320	400	750
48"	18"	300	320	400	650
48"	24"	300	400	520	1000
48"	30"	300	400	400	1150
48"	36"	250	390	420	1000

SHELVING

STEEL SHELVING SPECIFICATIONS & GENERAL INFORMATION

All shelving complies with GSA requirements and Federal specifications.

Uprights (standard)

All uprights (corner posts) are made from structural steel angles 1" x 1 $\frac{3}{4}$ " x $\frac{1}{8}$ " 10-gauge thick. Uprights have $\frac{5}{16}$ " diam. holes on 1" centers that span the entire height of the post for shelf spacing and adjustment. Cross-strap braces, angle-sway braces, and partitions attach to the upright. Four uprights are required for each unit; heights available from 36" to 195". Bolts, nuts, and braces do not obstruct the full adjustability of the shelves.




Beaded Uprights (clip-type) for Lighter Loads

Made from 14-gauge steel. Comes with rectangular mounting holes the entire length of the post to receive shelf clips, permitting adjustment of shelf height in 1 $\frac{1}{2}$ " increments. Additional holes are provided as may be required for attachment of all other component parts of shelving units whenever such components attach to posts (shown on page 16).


Angle-Sway Braces

Made from 13-gauge steel. Each angle leg is 4 $\frac{1}{16}$ " long x $\frac{13}{16}$ " wide. The angle sway brace reinforces open type shelving and provides clear, unobstructed shelf openings. Use with heavy or extra heavy loads on standard shelving.



Clips

Used on clip-type shelving; clips are one-piece construction and are easily positioned without any tools. One clip is hooked into each corner post, and first one side and then the other side of the flanged shelf is tilted into place.




End Panel/Partition

Made from 22-gauge steel (standard) used at ends of shelving units and at intermediate joints in rack formations. Mounting holes are spaced on 1" centers to match mating holes in post.





Back Panel/Partition

Made from 22-gauge steel (standard) used at back of shelves in single-faced units and between double-faced units. Mounting holes are spaced on centers to match mating holes in post, with an additional vertical row of holes in the center for attachment to shelves.



Cross-Strap Braces

Made from $\frac{1}{8}$ " thick steel strap $\frac{3}{4}$ " wide with $\frac{5}{16}$ " holes at each end for bolting to post. Units with heights of 8'3" and higher should use two pairs on each side and back. Cross-strap braces are intended for lighter loads only. For heavy or extra heavy loads, angle-sway braces are recommended.



Flush Bars/Storage Drawer Guides

Made from 22-gauge steel, used at shelf ends (2 per shelf) to prevent storage drawers, boxes, etc. from catching behind uprights.

Standard Shelves

Shelves come in one of four categories: Class 1, 1A, 2, and 3, depending on load requirements. Plain, Class 1 shelves are made from 18-gauge steel flanged down on all sides with $\frac{13}{16}$ " holes at sides and ends of assembly to uprights, and $\frac{5}{16}$ " holes spaced 2" apart on the surface for attachment of optional bin dividers. Class 1 shelves have no reinforcement angles. Reinforcement angles sold separately. See shelf load capacity on page 3.



Label Holders

Used for shelves 24" to 48" wide and made from 22-gauge steel, 1" high with edges turned back to accommodate $1\frac{5}{16}$ " label. Two holes at each end and one in center for fastening to matching holes in shelf face with self-inserting clips.





Bin Fronts

Made from 18-gauge steel, for use with closed shelving units to retain small articles on shelves. Has holes for securing to front of shelf and for attaching label holder.



Flanged Bin Dividers

Made from 20-gauge steel, with matching holes for top and bottom flanges for securing to shelf bin divider holes with bolts or self-inserting clips. Dividers attach to the top and bottom of the shelf for heavy-duty use. For heights 6" through 10", front edges are folded back flat. Heights 12" to 24" have the front edge formed into a bead. All rear edges are flanged $\frac{1}{2}$ " at right angles. Not for use with Class 3 shelving.




Angle-Type Bin Divider

Made from 18-gauge steel, with matching holes in bottom flange for securing to shelf bin divider holes with bolts and self-inserting clips, for division of shelf openings into smaller compartments.

Storage Drawer

Made from 20-gauge steel, with combined pull handle/label holders for $1\frac{1}{2}$ " x 3" cards. Each drawer has slots for dividers on 1" centers and stops to prevent drawers from falling when fully extended.




Drawer Insert Units

For use in 36" wide shelving units with depths of either 12" or 18". Drawers have two dividers each, adjustable on 1" centers, and have provisions for label inserts $1\frac{1}{32}$ " high. Extra dividers can be purchased separately. Drawers have stops to prevent falling when fully extended.

Base Strip or Closure

Made from 18-gauge steel (for standard units) and 22-gauge (for clip-type units) for closing the space between the bottom shelf and the floor.



SHELVING

NUT & BOLT

Build Your Own or Expand Components



Corner Post or Upright

Made from structural steel angles 1" x 1/8" thick, with 3/8" diameter holes on 1" centers, span the entire height of post for shelf spacing adjustment. Four post or uprights required for each unit. Heights: from 36" to 171". Other sizes available on request.

Upright

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D/H)	PRICE
SHV4001 nn	Upright	3.0	1" x 1 1/4" x 36"	▼
SHV4002 □□	Upright	3.3	1" x 1 1/4" x 39"	▼
SHV4003 ■■	Upright	4.0	1" x 1 1/4" x 48"	▼
SHV4004 □□	Upright	5.0	1" x 1 1/4" x 60"	▼
SHV4005 ■■	Upright	6.0	1" x 1 1/4" x 72"	▼
SHV4006 □□	Upright	6.3	1" x 1 1/4" x 75"	▼
SHV4007 ■■	Upright	7.3	1" x 1 1/4" x 87"	▼

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D/H)	PRICE
SHV4008 ■■	Upright	8.3	1" x 1 1/4" x 99"	▼
SHV4009 □□	Upright	9.3	1" x 1 1/4" x 111"	▼
SHV4010 ■■	Upright	10.3	1" x 1 1/4" x 123"	▼
SHV4011 □□	Upright	11.3	1" x 1 1/4" x 135"	▼
SHV4012 ■■	Upright	12.3	1" x 1 1/4" x 147"	▼
SHV4013 □□	Upright	13.3	1" x 1 1/4" x 159"	▼
SHV4014 ■■	Upright	14.3	1" x 1 1/4" x 171"	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.

Parchment

08

Black

27

Sand

28

Dove Gray

29

Lt. Gray

53

Additional colors may be available. Please call (202) 305-3424 for more information.

End Panels/Partitions

Made from 22-gauge steel (standard) and 24-gauge steel (clip-type), end panel partitions are used at ends of shelving units and at intermediate joints in rack formations. Mounting holes are spaced on 1" centers. Furnished for units 12" through 36" in depth. Panels for shelving 18" deep and more have an additional vertical row of holes in the center for attachment to shelves. Panels for ends of the units extend to the floor to enclose the base. Available in heights 39" through 111".



End Panels/Partitions

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV4039 nn	End Panel/Partition	3.4	12" x 36"	▼
SHV4040 □□	End Panel/Partition	3.7	12" x 39"	▼
SHV4041 ■■	End Panel/Partition	4.5	12" x 48"	▼
SHV4042 □□	End Panel/Partition	5.7	12" x 60"	▼
SHV4043 ■■	End Panel/Partition	6.8	12" x 72"	▼
SHV4044 □□	End Panel/Partition	7.1	12" x 75"	▼

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV4045 ■■	End Panel/Partition	8.2	12" x 87"	▼
SHV4046 □□	End Panel/Partition	9.3	12" x 99"	▼
SHV4047 ■■	End Panel/Partition	10.5	12" x 111"	▼
SHV4048 □□	End Panel/Partition	4.3	15" x 36"	▼
SHV4049 ■■	End Panel/Partition	4.7	15" x 39"	▼
SHV4050 □□	End Panel/Partition	5.7	15" x 48"	▼
SHV4051 ■■	End Panel/Partition	7.2	15" x 60"	▼


End Panels/Partitions

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV4053	□□ Partition	9.0	15" x 75"	▼
SHV4055	□□ Partition	11.8	15" x 99"	▼
SHV4057	□□ Partition	5.2	18" x 36"	▼
SHV4059	□□ Partition	6.9	18" x 48"	▼
SHV4061	□□ Partition	10.4	18" x 72"	▼
SHV4063	□□ Partition	12.6	18" x 87"	▼
SHV4065	□□ Partition	16.0	18" x 111"	▼
SHV4067	□□ Partition	7.7	24" x 39"	▼

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV4069	□□ Partition	11.8	24" x 60"	▼
SHV4071	□□ Partition	14.8	24" x 75"	▼
SHV4073	□□ Partition	19.5	24" x 99"	▼
SHV4075	□□ Partition	9.7	30" x 39"	▼
SHV4077	□□ Partition	21.7	30" x 87"	▼
SHV4079	□□ Partition	27.7	30" x 111"	▼
SHV4081	□□ Partition	22.6	36" x 75"	▼
SHV4083	□□ Partition	29.9	36" x 99"	▼

Back Panels

Made from 22-gauge steel (standard) and 24-gauge steel (clip-type), back panels are used at the back of shelves in single-faced units and between double-faced units. Mounting holes are spaced on 1" centers with an additional vertical row of holes in the center for attachment to shelves. Panels extend to floor to enclose base. Furnished for units in widths of 24" through 48" and heights from 39" through 111".



UNICOR Back PANELS

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV4015	■ ■ Back Panel	8.0	24" x 39"	▼
SHV4016	□ □ Back Panel	15.5	24" x 75"	▼
SHV4017	■ ■ Back Panel	18.0	24" x 87"	▼
SHV4018	□ □ Back Panel	20.5	24" x 99"	▼
SHV4019	■ ■ Back Panel	23.0	24" x 111"	▼
SHV4020	□ □ Back Panel	9.5	30" x 39"	▼
SHV4021	■ ■ Back Panel	19.1	30" x 75"	▼
SHV4022	□ □ Back Panel	22.3	30" x 87"	▼
SHV4023	■ ■ Back Panel	25.5	30" x 99"	▼
SHV4024	□ □ Back Panel	28.7	30" x 111"	▼
SHV4025	■ ■ Back Panel	11.5	36" x 39"	▼

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV4026	■ ■ Back Panel	22.9	36" x 75"	▼
SHV4027	□ □ Back Panel	26.7	36" x 87"	▼
SHV4028	■ ■ Back Panel	30.5	36" x 99"	▼
SHV4029	□ □ Back Panel	34.3	36" x 111"	▼
SHV4030	■ ■ Back Panel	13.8	42" x 39"	▼
SHV4031	□ □ Back Panel	27.0	42" x 75"	▼
SHV4032	■ ■ Back Panel	31.4	42" x 87"	▼
SHV4033	□ □ Back Panel	35.8	42" x 99"	▼
SHV4034	■ ■ Back Panel	40.2	42" x 111"	▼
SHV4035	□ □ Back Panel	30.0	48" x 75"	▼
SHV4036	■ ■ Back Panel	36.0	48" x 87"	▼
SHV4037	□ □ Back Panel	40.0	48" x 99"	▼
SHV4038	■ ■ Back Panel	46.0	48" x 111"	▼

SHELVING

NUT & BOLT

Build Your Own or Expand Components

Plain Shelf

Shelves come in one of four classes:

Class 1, 1A, 2, and 3, depending on load requirements. Plain shelves are made from steel flanged down on all sides $\frac{1}{8}$ ", with holes at sides and ends for assembly to uprights, and $\frac{5}{16}$ " holes spaced 2" apart on the surface for attachment of optional bin dividers. Shelves are available in depths of 12" through 36" and widths from 24" through 48". (Reinforcement angles sold separately.)

Plain Shelves

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D)	PRICE
SHV3002	Plain Shelf	7.9	24" x 18"	
SHV3004	Plain Shelf	8.2	36" x 12"	
SHV3006	Plain Shelf	14.6	36" x 24"	
SHV3008	Plain Shelf	12.7	24" x 30"	
SHV3010	Plain Shelf	6.5	30" x 12"	
SHV3012	Plain Shelf	9.3	30" x 18"	

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D)	PRICE
SHV3015	Plain Shelf	17.7	30" x 36"	
SHV3016	Plain Shelf	9.8	36" x 15"	
SHV3017	Plain Shelf	17.8	36" x 30"	
SHV3018	Plain Shelf	21.0	36" x 36"	
SHV3019	Plain Shelf	9.0	42" x 12"	
SHV3020	Plain Shelf	10.9	42" x 15"	
SHV3021	Plain Shelf	12.8	42" x 18"	
SHV3022	Plain Shelf	16.6	42" x 24"	
SHV3023	Plain Shelf	20.4	42" x 30"	
SHV3024	Plain Shelf	24.2	42" x 36"	
SHV3025	Plain Shelf	10.4	48" x 12"	
SHV3026	Plain Shelf	14.8	48" x 18"	
SHV3027	Plain Shelf	19.2	48" x 24"	
SHV3029	Plain Shelf	28	48" x 36"	

- Select a finish color.
- Place 2-digit color code at end of stock no.

Parchment
08


Black
27

Sand
28

Dove Gray
29

Lt. Gray
53

Additional colors may be available. Please call (202) 305-3424 for more information.



UNICOR's shelf styles can be used with standard or clip-type shelving applications.



Cornice Shelf

Made from 18-gauge steel, the cornice shelf gives a more finished appearance and smooth working surface over a plain top shelf of any unit. Available 2" thick in depths of 12" through 36" and widths from 24" through 42", the shelf is flanged 2" on the edge.


Cornice Shelves

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D)	PRICE
SHV3031	<input type="checkbox"/> Cornice Shelf	10.0	24" x 15"	▼
SHV3033	<input type="checkbox"/> Cornice Shelf	14.5	24" x 24"	▼
SHV3035	<input type="checkbox"/> Cornice Shelf	20.5	24" x 36"	▼
SHV3037	<input type="checkbox"/> Cornice Shelf	12.4	30" x 15"	▼
SHV3039	<input type="checkbox"/> Cornice Shelf	17.8	30" x 24"	▼
SHV3041	<input type="checkbox"/> Cornice Shelf	25.0	30" x 36"	▼

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D)	PRICE
SHV3043	<input type="checkbox"/> Cornice Shelf	15.3	36" x 15"	▼
SHV3045	<input type="checkbox"/> Cornice Shelf	21.6	36" x 24"	▼
SHV3047	<input type="checkbox"/> Cornice Shelf	30.0	36" x 36"	▼
SHV3049	<input type="checkbox"/> Cornice Shelf	17.2	42" x 15"	▼
SHV3051	<input type="checkbox"/> Cornice Shelf	24.4	42" x 24"	▼
SHV3053	<input type="checkbox"/> Cornice Shelf	34.2	42" x 36"	▼

Ledge Shelf

Made from 16-gauge steel, ledge shelves have a finished appearance and smooth working surface. They come with two front and two rear brackets already welded on that are used to attach the shelf to the unit. Available in depths from 18" through 36" and widths from 24" through 42", the shelf is flanged 2" on the edge.



Ledge Shelves

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D)	PRICE
SHV3055	<input type="checkbox"/> Ledge Shelf	14.9	24" x 24"	▼
SHV3057	<input type="checkbox"/> Ledge Shelf	20.7	24" x 36"	▼
SHV3059	<input type="checkbox"/> Ledge Shelf	18.0	30" x 24"	▼
SHV3061	<input type="checkbox"/> Ledge Shelf	25.0	30" x 36"	▼


STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/D)	PRICE
SHV3063	<input type="checkbox"/> Ledge Shelf	21.3	36" x 24"	▼
SHV3065	<input type="checkbox"/> Ledge Shelf	29.5	36" x 36"	▼
SHV3067	<input type="checkbox"/> Ledge Shelf	29.6	42" x 24"	▼
SHV3069	<input type="checkbox"/> Ledge Shelf	34.0	42" x 36"	▼

NUT & BOLT ACCESSORIES

Build Your Own or Expand Components

Reinforcing Angle Class 1A Shelf

A Class 1A shelf is reinforced with a structural steel angle in front for light shelf loads. One reinforcing angle is required in front. Shelf and reinforcing angles are priced separately. Size of brace is $\frac{1}{8}$ " x 1" x 1" x width of shelf. See shelving capacity chart on page 3.



Reinforcing Angles/Braces

FOR CLASS 1A SHELF

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (D)	PRICES
SHV2016	<input type="checkbox"/> Side Cross Brace	2.2	12"	▼
SHV2017	<input type="checkbox"/> Side Cross Brace	2.3	15"	▼
SHV2018	<input type="checkbox"/> Side Cross Brace	2.4	18"	▼
SHV2019	<input type="checkbox"/> Side Cross Brace	2.6	24"	▼
SHV2020	<input type="checkbox"/> Side Cross Brace	2.9	30"	▼
SHV2021	<input type="checkbox"/> Rear Cross Brace	3.2	36"	▼

- Select a finish color.
- Place 2-digit color code at end of stock no.

Parchment

08

Black

27

Sand

28

Dove Gray

29

Lt. Gray

53


Additional colors may be available. Please call (202) 305-3424 for more information.

Reinforcing Angles Class 2 Shelf

A Class 2 shelf is reinforced with angles in front and rear for medium shelf loads. Two per shelf are required—one in front and one in rear. Shelf and reinforcing angles are priced separately. Size of cross braces are $\frac{1}{8}$ " x 1" x 1" x width of shelf.

FOR CLASS 2 SHELF

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (D)	PRICES
SHV2022	<input type="checkbox"/> Rear Cross Brace	2.6	24"	▼
Shv2023	<input type="checkbox"/> Rear Cross Brace	2.9	30"	▼
shv2024	<input type="checkbox"/> Rear Cross Brace	3.2	36"	▼
shv2025	<input type="checkbox"/> Rear Cross Brace	3.6	42"	▼
shv2026	<input type="checkbox"/> Rear Cross Brace	3.9	48"	▼



Reinforcing Angles Class 3 Shelf

A Class 3 shelf requires heavier $\frac{3}{16}$ " reinforcing angles on the front and rear, two standard reinforcing angles in the center, and a side reinforcing angle on each end. The heavy front and rear angle is $\frac{3}{16}$ " x 1" x 1" x width of shelf. The center is $\frac{1}{8}$ " x 1" x 1" x width of shelf. The side is made from 10-gauge, cold rolled steel and is $\frac{5}{8}$ " x $1\frac{1}{16}$ " x $\frac{5}{8}$ " x width of shelf



Reinforcing Angles/Braces

FOR CLASS 3 SHELF

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (D)	PRICES
SHV2002	Front/Rear Angle Brace	1.8	1" x 1" x 30"	▼
SHV2003	Front/Rear Angle Brace	2.2	1" x 1" x 36"	▼
SHV2004	Front/Rear Angle Brace	2.6	1" x 1" x 42"	▼
SHV2005	Front/Rear Angle Brace	3.0	1" x 1" x 48"	▼
SHV2006	H.D. Front/Rear Angle Brace	2.0	1" x 1" x 24"	▼
SHV2007	H.D. Front/Rear Angle Brace	2.6	1" x 1" x 30"	▼
SHV2008	H.D. Front/Rear Angle Brace	3.2	1" x 1" x 36"	▼
SHV2009	H.D. Front/Rear Angle Brace	3.8	1" x 1" x 42"	▼
SHV2010	H.D. Front/Rear Angle Brace	4.2	1" x 1" x 48"	▼
SHV2011	Side Angle Brace	1.5	$\frac{5}{8}$ " x $1\frac{1}{16}$ " x 18"	▼
SHV2012	Side Angle Brace	2.0	$\frac{5}{8}$ " x $1\frac{1}{16}$ " x 24"	▼
SHV2013	Side Angle Brace	2.5	$\frac{5}{8}$ " x $1\frac{1}{16}$ " x 30"	▼
SHV2014	Side Angle Brace	3.0	$\frac{5}{8}$ " x $1\frac{1}{16}$ " x 36"	▼
SHV2015	Angle Sway Brace	0.2	$4\frac{1}{16}$ " x $1\frac{1}{16}$ "	▼

Angle Sway Brace


Made from 13-gauge steel. Each angle leg is $4\frac{1}{16}$ " long x $1\frac{1}{16}$ " wide. The angle sway brace reinforces open type shelving and provides clear unobstructed shelf openings. Use with heavy or extra heavy loads.



Flush Bars/ Storage Drawer Guides

Made from 22-gauge steel, used at shelf ends (two per shelf) to prevent storage drawers, boxes, etc. from catching behind uprights.

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W)	PRICE
SHV5011	Flush Bar	1.1	18"	▼




NUT & BOLT ACCESSORIES

Build Your Own or Expand Components

Bin Fronts

Made from 18-gauge steel for use with closed shelving units to retain small articles on shelves. Has holes for securing to front of shelf and for attaching label holder.



Bin Front

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV5002	<input type="checkbox"/> <input type="checkbox"/> Bin Front	2.5	30" x 3"	▼
SHV5004	<input type="checkbox"/> <input type="checkbox"/> Bin Front	3.5	42" x 3"	▼
SHV5006	<input type="checkbox"/> <input type="checkbox"/> Bin Front	2.8	30" x 4"	▼
SHV5008	<input type="checkbox"/> <input type="checkbox"/> Bin Front	4.0	42" x 4"	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.

Parchment

08

Black

27

Sand

28

Dove Gray

29

Lt. Gray

53

Additional colors may be available. Please call (202) 305-3424 for more information.

Label Holders

Made from 22-gauge steel, holders are 1" high with edges turned back to accommodate a 1 $\frac{3}{8}$ " label. Two holes at each end and one in center match holes in shelf face with self-inserting clips for easy fastening. For shelves 24" to 48" wide.




Label Holder

STOCK NO.	WEIGHT (LBS)	DIM. (W)	PRICE
SHV5086	<input type="checkbox"/> <input type="checkbox"/> 0.3	24"	▼
SHV5087	<input type="checkbox"/> <input type="checkbox"/> 0.4	30"	▼
SHV5088	<input type="checkbox"/> <input type="checkbox"/> 0.5	36"	▼
SHV5089	<input type="checkbox"/> <input type="checkbox"/> 0.6	42"	▼
SHV5090	<input type="checkbox"/> <input type="checkbox"/> 0.7	48"	▼

Base Strip or Closure

Made from 18-gauge steel (for standard units) and 22-gauge (for clip-type units) for closing the space between the bottom shelf and floor.



STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV5091	<input type="checkbox"/> <input type="checkbox"/> Base Strip	1.0	24" x 2"	▼
SHV5092	<input type="checkbox"/> <input type="checkbox"/> Base Strip	1.2	30" x 2"	▼
SHV5093	<input type="checkbox"/> <input type="checkbox"/> Base Strip	1.4	36" x 2"	▼
SHV5094	<input type="checkbox"/> <input type="checkbox"/> Base Strip	1.6	42" x 2"	▼
SHV5095	<input type="checkbox"/> <input type="checkbox"/> Base Strip	1.8	48" x 2"	▼

Doors

Made from 20-gauge steel, and are easily attached to shelving. Base strips (see page 19) are recommended to close the opening between the door frame and the floor.



Single Doors


Single doors can be used on standard ledge or counter units up to 111" high, and can be attached to angle uprights. Available in swing or hinge type, single doors fit all types of closed shelving units with openings 24" wide. Doors include handles, integral paracentric key locks, and three-point, up-and-down bolt-locking mechanisms.



STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV5059	Single Door	14.9	24" x 36"	▼
SHV5060	Single Door	16.2	24" x 39"	▼
SHV5061	Single Door	19.2	24" x 48"	▼
SHV5062	Single Door	23.5	24" x 60"	▼
SHV5063	Single Door	24.1	24" x 72"	▼
SHV5064	Single Door	28.4	24" x 75"	▼
SHV5065	Single Door	32.7	24" x 87"	▼
SHV5066	Single Door	39.3	24" x 99"	▼
SHV5067	Single Door	43.3	24" x 111"	▼

Double Doors


Double doors are made for openings 36" wide, and are available in various combinations. Left-hand doors have plain handles; right-hand doors have handles with integral paracentric key locks and three-point, up-and-down bolt-locking mechanisms. For units over 87" high, two or more pairs of doors are available for use in tiers.



STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV5068	Double Door	23.9	36" x 36"	▼
SHV5069	Double Door	25.6	36" x 39"	▼
SHV5070	Double Door	30.8	36" x 48"	▼
SHV5071	Double Door	37.7	36" x 60"	▼
SHV5072	Double Door	44.6	36" x 72"	▼
SHV5073	Double Door	45.4	36" x 75"	▼
SHV5074	Double Door	52.3	36" x 87"	▼
SHV5075	Double Door	62.6	36" x 99"	▼
SHV5076	Double Door	69.4	36" x 111"	▼
SHV5077	Double Door	60.5	48" x 75"	▼


NUT & BOLT ACCESSORIES

Build Your Own or Expand Components



Flanged Bin Divider

Full height dividers are used to create small, individual storage bins within the shelving unit, while angle and sliding dividers subdivide the shelf surface. Full height and angle dividers are fixed in place; sliding dividers are easily moved to accommodate changing storage needs.



Flanged Bin Divider

STOCK NO.	WEIGHT (LBS)	DIM. (D/H)	PRICE
SHV5013 nn	.9	12" x 6"	▼
SHV5014 □□	1.2	15" x 6"	▼
SHV5015 ■■	1.5	18" x 6"	▼
SHV5016 □□	2.1	24" x 6"	▼
SHV5017 ■■	1.3	12" x 8"	▼
SHV5018 □□	1.6	15" x 8"	▼
SHV5019 ■■	1.9	18" x 8"	▼
SHV5020 □□	2.5	24" x 8"	▼
SHV5021 ■■	1.5	12" x 10"	▼
SHV5022 □□	1.8	15" x 10"	▼
SHV5023 ■■	2.2	18" x 10"	▼
SHV5024 □□	3.0	24" x 10"	▼
SHV5025 ■■	1.9	12" x 12"	▼
SHV5026 □□	2.3	15" x 12"	▼

STOCK NO.	WEIGHT (LBS)	DIM. (D/H)	PRICE
SHV5027 ■■	2.7	18" x 12"	▼
SHV5028 □□	3.5	24" x 12"	▼
SHV5029 ■■	4.3	30" x 12"	▼
SHV5030 □□	5.1	36" x 12"	▼
SHV5031 ■■	2.2	18" x 12"	▼
SHV5032 □□	2.9	15" x 18"	▼
SHV5033 ■■	3.6	18" x 18"	▼
SHV5034 □□	5.0	24" x 18"	▼
SHV5035 ■■	6.4	30" x 18"	▼
SHV5036 □□	7.8	36" x 18"	▼
SHV5037 ■■	4.5	12" x 24"	▼
SHV5038 □□	5.6	15" x 24"	▼
SHV5039 ■■	6.7	18" x 24"	▼
SHV5040 □□	8.9	24" x 24"	▼
SHV5045 ■■	11.1	30" x 24"	▼
SHV5046 □□	13.3	36" x 24"	▼

- Select a finish color.
- Place 2-digit color code at end of stock no.

Parchment

08

Black

27

Sand

28


Dove Gray

29

Lt. Gray

53

Additional colors may be available. Please call (202) 305-3424 for more information.




Angle Type Bin Divider

Made from 16-gauge steel, with matching holes in bottom flange for securing to shelf bin divider holes with bolts or self-inserting clips, for division of shelf openings into smaller compartments.

STOCK NO.	WEIGHT (LBS)	DIM. (D/H)	PRICE
SHV5047 □□	1.0	12" x 4"	▼
SHV5048 □□	1.3	15" x 4"	▼
SHV5049 □□	1.6	18" x 4"	▼

Storage Drawers

Made from 20-gauge steel with combined pull handle/label holders for 1 1/2" x 3" cards. Each drawer has slots for dividers on 1" centers and stops to prevent drawers from falling when fully extended. Note: Two flush bars per shelf are recommended at shelf ends for all drawers to prevent drawers catching behind upright.




Drawers

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (D/W/H)	PRICE
SHV5053	<input type="checkbox"/> <input type="checkbox"/> Storage Drawer w/2 Dividers	4.0	5 5/16" x 11 1/4" x 42 3/32"	▼
SHV5057	<input type="checkbox"/> <input type="checkbox"/> Storage Drawer w/2 Dividers	8.0	11 1/8" x 11 1/4" x 42 3/32"	▼

Drawer Dividers

Drawers have two dividers each, for use in 36" wide shelving units with depths of either 12" or 18". Inserts are made of 22-gauge steel, are adjustable on 1" centers, and accommodate label inserts 1 1/2" high.



Storage Drawer Divider

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV5055	<input type="checkbox"/> <input type="checkbox"/> Divider Only	0.2	5 5/16" x 42 3/32"	▼
SHV5058	<input type="checkbox"/> <input type="checkbox"/> Divider Only	1.0	11 1/8" x 42 3/32"	▼



18-Drawer and 24-Drawer Inserts


Overall dimensions are 10 3/4"H x 33 3/8"W for use in shelving units 36" wide. Made for 12" and 18" shelf depths, drawers have two dividers each, adjustable on 1" centers, and accommodate label inserts 1 1/2" high. Drawers are designed to prevent falling when fully extended.

Multi-Drawer Inserts

STOCK NO.	DESCRIPTION	WEIGHT (LBS)	DIM. (W/H)	PRICE
SHV5078	<input type="checkbox"/> <input type="checkbox"/> 18 Drawer Insert for 12" deep shelf	80	10 3/4" x 33 3/8"	▼
SHV5079	<input type="checkbox"/> <input type="checkbox"/> Divider Only	0.4	5" x 2"	▼
SHV5080	<input type="checkbox"/> <input type="checkbox"/> 18 Drawer Insert for 18" deep shelf	110	10 3/4" x 33 3/8"	▼
SHV5082	<input type="checkbox"/> <input type="checkbox"/> 24 Drawer Insert for 18" deep shelf	120	10 3/4" x 33 3/8"	▼
SHV5083	<input type="checkbox"/> <input type="checkbox"/> Divider Only	0.1	3" x 2"	▼
SHV5084	<input type="checkbox"/> <input type="checkbox"/> 24 Drawer Insert for 12" deep shelf	90	10 3/4" x 33 3/8"	▼

CLIP-TYPE COMPONENTS

Build Your Own or Expand Components



Clip-Type Shelving/Angle Uprights

The standard angle upright design uses four adjustable clips per shelf to make shelf height adjustments very easy for all end users. Angle posts are available in 1½" increments.



- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.

Parchment

08

Black

27

Sand

28

Dove Gray

29

Lt. Gray

53

Additional colors may be available. Please call (202) 305-3424 for more information.

Angle Posts


Angle posts are available in 1½" increments.

STOCK NO.	WEIGHT (LBS)	DIM. (H)	PRICE
RC100017	2.0	3'-1"	▼
RC100019	2.1	3'-4"	▼
RC100025	2.6	4'-1"	▼
RC100033	3.2	5'-1"	▼
RC100041	3.9	6'-1"	▼
RC100049	4.5	7'-1"	▼
RC100057	5.1	8'-1"	▼
RC100065	5.8	9'-1"	▼
RC100073	6.4	10'-1"	▼
RC100081	7.0	11'-1"	▼
RC100089	7.7	12'-1"	▼
RC100090	8.3	13'-1"	▼
RC100091	8.9	14'-1"	▼
RC100092	9.6	15'-1"	▼
RC100093	10.2	16'-1"	▼

Beaded Posts

Beaded posts are available in 1½" increments. For sizes not shown, use price of next higher size and show stock number as NPN when ordering.

STOCK NO.	WEIGHT (LBS)	DIM. (H)	PRICE
RC107019	4.6	3'-4"	▼
RC107033	7.0	5'-1"	▼
RC107049	9.8	7'-1"	▼
RC107065	12.5	9'-1"	▼
RC107081	15.3	11'-1"	▼
RC107090	18.0	13'-1"	▼
RC107092	20.8	15'-1"	▼



Side Panels

Side sheets are available in 1½" increments.

Side Panels


STOCK NO.	WEIGHT (LBS)	DIM. (D/H)	PRICE
RC101090	2.1	12" x 3'-1"	▼
RC101092	2.2	12" x 3'-4"	▼
RC101098	2.7	12" x 4'-1"	▼
RC101106	3.4	12" x 5'-1"	▼
RC101114	4.1	12" x 6'-1"	▼
RC101122	4.7	12" x 7'-1"	▼
RC101130	5.4	12" x 8'-1"	▼
RC101163	2.7	15" x 3'-1"	▼
RC101165	3.0	15" x 3'-4"	▼
RC101171	3.6	15" x 4'-1"	▼
RC101179	4.5	15" x 5'-1"	▼
RC101187	5.4	15" x 6'-1"	▼
RC101195	6.3	15" x 7'-1"	▼
RC101203	7.2	15" x 8'-1"	▼
RC101236	3.4	18" x 3'-1"	▼
RC101238	3.7	18" x 3'-4"	▼
RC101244	4.5	18" x 4'-1"	▼

STOCK NO.	WEIGHT (LBS)	DIM. (D/H)	PRICE
RC101252	5.6	18" x 5'-1"	▼
RC101260	6.7	18" x 6'-1"	▼
RC101268	7.8	18" x 7'-1"	▼
RC101276	8.9	18" x 8'-1"	▼
RC101309	4.7	24" x 3'-1"	▼
RC101311	5.1	24" x 3'-4"	▼
RC101317	6.3	24" x 4'-1"	▼
RC101325	7.8	24" x 5'-1"	▼
RC101333	9.3	24" x 6'-1"	▼
RC101341	10.9	24" x 7'-1"	▼
RC101349	12.4	24" x 8'-1"	▼
RC101406	12.0	30" x 6'-1"	▼
RC101414	14.0	30" x 7'-1"	▼
RC101422	16.0	30" x 8'-1"	▼
RC101512	15.0	32" x 7'-1"	▼
RC101513	17.1	32" x 8'-1"	▼
RC101479	14.6	36" x 6'-1"	▼
RC101487	17.0	36" x 7'-1"	▼
RC101495	19.4	36" x 8'-1"	▼

Cross Strap Brace

Made from 1/8" thick steel strap 1" wide with 5/16" holes at each end for bolting to post.

cross and side strap braces sold in pairs (as shown)



Side Cross Brace

STOCK NO.	WEIGHT (LBS)	DIM. (W/D/H)	PRICE
SHV5132	4.4	18" x 1" x 1/8"	▼
SHV5134	5.0	30" x 1" x 1/8"	▼

Rear Cross Brace


STOCK NO.	WEIGHT (LBS)	DIM. (W/D/H)	PRICE
SHV5128	5.8	36" x 1" x 1/8"	▼
SHV5129	6.8	42" x 1" x 1/8"	▼
SHV5130	7.8	48" x 1" x 1/8"	▼

CLIP-TYPE COMPONENTS

Build Your Own or Expand Components

Back Panels

Back sheets are available in 1½" increments.



- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.

Parchment

08

Black

27

Sand

28

Dove
Gray

29

Lt.
Gray

53


Additional colors may be available. Please call (202) 305-3424 for more information.

Back Panels


STOCK NO.	WEIGHT (LBS)	DIM. (W/H)	PRICE
RC105041 □□	10.0	24" x 6'-1"	▼
RC105057 □□	13.4	24" x 8'-1"	▼
RC105114 □□	12.7	30" x 6'-1"	▼
RC105130 □□	16.9	30" x 8'-1"	▼
RC105165 □□	8.4	36" x 3'-4"	▼
RC105179 □□	12.8	36" x 5'-1"	▼
RC105195 □□	17.9	36" x 7'-1"	▼
RC105236 □□	9.0	42" x 3'-1"	▼
RC105244 □□	12.1	42" x 4'-1"	▼
RC105260 □□	18.0	42" x 6'-1"	▼
RC105309 □□	10.3	48" x 3'-1"	▼
RC105317 □□	13.8	48" x 4'-1"	▼
RC105333 □□	20.6	48" x 6'-1"	▼

Base Strip For Angle Posts

When 1½" front bases are used, half shelf clips are furnished for the bottom shelf. Add 1" to base height to determine elevation of first shelf.



Angle Post



Beaded Post

Base Strip for Angle Posts

STOCK NO.	WEIGHT (LBS)	DIM. (W/H)	PRICE
RC107970	0.8	24" x 1½"	▼
RC107971	0.9	30" x 1½"	▼
RC107972	1.0	36" x 1½"	▼
RC107973	1.1	42" x 1½"	▼
RC107974	1.2	48" x 1½"	▼
RC107976	0.8	24" x 3"	▼
RC107977	1.0	30" x 3"	▼
RC107978	1.1	36" x 3"	▼
RC107979	1.3	42" x 3"	▼
RC107980	1.5	48" x 3"	▼

Base Strip For Beaded Posts

When 1½" front bases are used, half shelf clips are furnished for the bottom shelf. Add 1" to base height to determine elevation of first shelf.

Base Strip for Beaded posts

STOCK NO.	WEIGHT (LBS)	DIM. (W/H)	PRICE
RC107990	0.8	24" x 1½"	▼
RC107991	0.9	30" x 1½"	▼
RC107992	1.0	36" x 1½"	▼
RC107993	1.1	42" x 1½"	▼
RC107994	1.2	48" x 1½"	▼
RC107996	0.8	24" x 3"	▼
RC107997	1.0	30" x 3"	▼
RC107998	1.1	36" x 3"	▼
RC107999	1.3	42" x 3"	▼
RC108000	1.5	48" x 3"	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.



Additional colors may be available. Please call (202) 305-3424 for more information.

INDUSTRIAL RACKING



UNICOR's industrial storage products are strong and durable, designed with flexibility, and meet the engineered weight specification for application.

TYPES OF INDUSTRIAL RACKING



Pallet Racking

This style provides convenient, heavy-duty storage of palletized items.

Catwalks and Mezzanines

Turn empty ceiling space into functional space for storage, work, or service.

INDUSTRIAL RACKING

Customers can create configurations or we will design a system to meet your needs. Our systems are complete. We offer services from the first step to turnkey projects, including installation. For additional information, call (202) 305-3424.



Cantilever Racking

Designed for continuous, barrier-free horizontal storage of heavy items, such as lumber and furniture.


Stacking Racks


Made for forklift handling, stacking racks provide instant pallet storage when you need it, and they nest together completely when you don't.


INDUSTRIAL PALLET RACKING

Beam Capacity


12-GAUGE MEASUREMENT


	SPAN	STORAGE CAPACITY PER PAIR (LBS)	WEIGHT (LBS)
	4'	8,707	23.5
	4.5'	7,739	26
	5'	6,965	28.5
	6'	5,805	33.5
	7'	4,975	39
	8'	4,353	44
	9'	3,870	49
	10'	3,483	54
	12'	2,902	64.5
	14'	2,488	74.5
16'	2,056	85	


	4'	12,777	26.5
	4.5'	11,358	29.5
	5'	10,222	32.5
	6'	8,518	38.5
	7'	7,301	44.5
	8'	6,389	50.5
	9'	5,679	56
	10'	5,111	62
	12'	4,259	74
	14'	3,651	85.5
16'	3,194	97.5	

	4'	17,414	29.5
	4.5'	15,479	32.5
	5'	13,931	36
	6'	11,609	42.5
	7'	9,951	49
	8'	8,707	56
	9'	7,739	62.5
	10'	6,965	69
	12'	5,805	82
	14'	4,975	95.5
16'	4,353	108.5	

12-GAUGE MEASUREMENT

	4'	6,518	18
	4.5'	5,794	19.5
	5'	5,215	21.5
	6'	4,345	25
	7'	3,725	29
	8'	3,259	32.5
	9'	2,897	36
	10'	2,607	40
	12'	2,173	47.5
	14'	1,862	54.5
16'	1,539	62	

	4'	9,477	20
	4.5'	8,424	22
	5'	7,582	24
	6'	6,318	28.5
	7'	5,416	32.5
	8'	4,739	37
	9'	4,212	41
	10'	3,791	45
	12'	3,159	53.5
	14'	2,708	62
16'	2,369	70.5	

	4'	12,845	22
	4.5'	11,418	24.5
	5'	10,276	27
	6'	8,564	31.5
	7'	7,340	36.5
	8'	6,423	41
	9'	5,709	46
	10'	5,138	50.5
	12'	4,282	60
	14'	3,670	69.5
16'	3,211	79	

Industrial Pallet Racking

Industrial shelf beam capacity specifications are listed to the left, with the shipping weight. Beam products are listed below with stock numbers and descriptions.



Beams

STOCK NO.	DESCRIPTION	DIM. (W/L)	PRICE
PRKBM12103	Beam, Shelf, 12GA	3.5' x 10.0'	▼
PRKBM12103	Beam, Shelf, 12GA	3.5' x 10.0'	▼
PRKBM12103	Beam, Shelf, 12GA	3.5' x 10.0'	▼
PRKBM12103	Beam, Shelf, 12GA	3.5' x 10.0'	▼
PRKBM12105	Beam, Shelf, 12GA	5.5' x 10.0'	▼
PRKBM12124	Beam, Shelf, 12GA	4.5' x 12.0'	▼
PRKBM12135	Beam, Shelf, 12GA	5.5' x 13.0'	▼
PRKBM12144	Beam, Shelf, 12GA	4.5' x 14.0'	▼
PRKBM12163	Beam, Shelf, 12GA	3.5' x 16.0'	▼
PRKBM12165	Beam, Shelf, 12GA	5.5' x 16.0'	▼
PRKBM1244	Beam, Shelf, 12GA	4.5' x 4.0'	▼
PRKBM12453	Beam, Shelf, 12GA	3.5' x 4.5'	▼
PRKBM12455	Beam, Shelf, 12GA	5.5' x 4.5'	▼
PRKBM1254	Beam, Shelf, 12GA	4.5' x 5.0'	▼

INDUSTRIAL PALLET RACKING

Beams

STOCK NO.	DESCRIPTION	DIM. (W/L)	PRICE
	□□		
PRKBM1263	□□ Beam, Shelf, 12GA	3.5" x 6.0'	▼
	□□		
PRKBM1265	□□ Beam, Shelf, 12GA	5.5" x 6.0'	▼
	□□		
PRKBM1274	□□ Beam, Shelf, 12GA	4.5" x 7.0'	▼
	□□		
PRKBM1283	□□ Beam, Shelf, 12GA	3.5" x 8.0'	▼
	□□		
PRKBM1285	□□ Beam, Shelf, 12GA	5.5" x 8.0'	▼
	□□		
PRKBM12855	□□ Beam, Shelf, 12GA	5.5" x 8.5'	▼
	□□		
PRKBM1294	□□ Beam, Shelf, 12GA	4.5" x 9.0'	▼
	□□		
PRKBM14103	□□ Beam, Shelf, 14GA	3.5" x 10.0'	▼
	□□		
PRKBM14105	□□ Beam, Shelf, 14GA	5.5" x 10.0'	▼
	□□		
PRKBM141055	□□ Beam, Shelf, 14GA	5.5" x 10.5'	▼
	□□		
PRKBM14123	□□ Beam, Shelf, 14GA	3.5" x 12.0'	▼
	□□		
PRKBM14125	□□ Beam, Shelf, 14GA	5.5" x 12.0'	▼
	□□		
PRKBM14144	□□ Beam, Shelf, 14GA	4.5" x 14.0'	▼

STOCK NO.	DESCRIPTION	DIM. (W/L)	PRICE
PRKBM14145	□□ Beam, Shelf, 14GA	5.5" x 14.0'	▼
PRKBM14153	□□ Beam, Shelf, 14GA	3.5" x 15.0'	▼
PRKBM14163	□□ Beam, Shelf, 14GA	3.5" x 16.0'	▼
PRKBM14164	□□ Beam, Shelf, 14GA	4.5" x 16.0'	▼
PRKBM14165	□□ Beam, Shelf, 14GA	5.5" x 16.0'	▼
PRKBM1443	□□ Beam, Shelf, 14GA	3.5" x 4.0'	▼
PRKBM1444	□□ Beam, Shelf, 14GA	4.5" x 4.0'	▼
PRKBM1445	□□ Beam, Shelf, 14GA	5.5" x 4.0'	▼
PRKBM14453	□□ Beam, Shelf, 14GA	3.5" x 4.5'	▼
PRKBM14454	□□ Beam, Shelf, 14GA	4.5" x 4.5'	▼
PRKBM14455	□□ Beam, Shelf, 14GA	5.5" x 4.5'	▼
PRKBM1453	□□ Beam, Shelf, 14GA	3.5" x 5.0'	▼
PRKBM1454	□□ Beam, Shelf, 14GA	4.5" x 5.0'	▼
PRKBM1455	□□ Beam, Shelf, 14GA	5.5" x 5.0'	▼
PRKBM1463	□□ Beam, Shelf, 14GA	3.5" x 6.0'	▼
PRKBM1464	□□ Beam, Shelf, 14GA	4.5" x 6.0'	▼
PRKBM1465	□□ Beam, Shelf, 14GA	5.5" x 6.0'	▼
PRKBM1473	□□ Beam, Shelf, 14GA	3.5" x 7.0'	▼
PRKBM1474	□□ Beam, Shelf, 14GA	4.5" x 7.0'	▼
PRKBM1475	□□ Beam, Shelf, 14GA	5.5" x 7.0'	▼
PRKBM1483	□□ Beam, Shelf, 14GA	3.5" x 8.0'	▼
PRKBM1484	□□ Beam, Shelf, 14GA	4.5" x 8.0'	▼
PRKBM1485	□□ Beam, Shelf, 14GA	5.5" x 8.0'	▼
PRKBM1493	□□ Beam, Shelf, 14GA	3.5" x 9.0'	▼
PRKBM1494	□□ Beam, Shelf, 14GA	4.5" x 9.0'	▼
PRKBM1495	□□ Beam, Shelf, 14GA	5.5" x 9.0'	▼
PRKBM14954	□□ Beam, Shelf, 14GA	4.5" x 9.5'	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.


Lt. Gray

53

Orange

03

Additional colors may be available. Please call (202) 305-3424 for more information.



Crossbars

Crossbars assist with pallet loading and prevent beam spread. Heavy duty crossbars are 3" wide and are used in conjunction with standard pallets. A minimum of two crossbars is recommended for every pallet load applied. A 90-degree flange prevents slipping, ensures pallets loading, and prevents accidental beam spreading.

CrossBars

STOCK NO.	DESCRIPTION	LENGTH	PRICE
PRKCB24	□□ Crossbar, Hvy-Duty, Flanged 12GA	24"	▼
PRKCB30	□□ Crossbar, Hvy-Duty, Flanged, 12GA	30"	▼
PRKCB36	□□ Crossbar, Hvy-Duty, Flanged, 12GA	36"	▼
PRKCB40	□□ Crossbar, Hvy-Duty, Flanged, 12GA	40"	▼
PRKCB42	□□ Crossbar, Hvy-Duty, Flanged, 12GA	42"	▼
PRKCB48	□□ Crossbar, Hvy-Duty, Flanged, 12GA	48"	▼
PRKCB54	□□ Crossbar, Hvy-Duty, Flanged, 12GA	54"	▼

SIZE	GAUGE	WEIGHT
24"	12	5 lbs.
40"	12	8 lbs.
42"	12	9 lbs.
48"	12	10 lbs.

INDUSTRIAL PALLET RACKING

Upright Frames

UNICOR pallet rack upright frames are made from 12- and 14-gauge thick steel in a wide selection of heights. Create an endless variety of configuration and capacity requirements.



Storage Capacity

HT.	GAUGE	DEPTH	FREE STANDING	WEIGHT (LBS)
4'	12	36"	46,200	49
4'	12	40"	46,200	50
4'	12	42"	46,200	59
4'	12	48"	46,200	66
4'	14	36"	32,000	40
4'	14	40"	32,000	42
4'	14	42"	32,000	53
4'	14	48"	32,400	66
6'	12	36"	46,200	63
6'	12	40"	46,200	64
6'	12	42"	46,200	65
6'	12	48"	46,200	66
6'	14	36"	32,400	46
6'	14	40"	32,400	46
6'	14	42"	32,400	47
6'	14	48"	32,400	47
8'	12	36"	39,200	87
8'	12	40"	39,200	88
8'	12	42"	39,200	88
8'	12	48"	39,200	88
8'	14	36"	29,200	62
8'	14	40"	29,200	62
8'	14	42"	29,200	63
8'	14	48"	29,200	64
9'	12	36"	36,400	96
9'	12	40"	36,400	96
9'	12	42"	36,400	97
9'	12	48"	36,400	101
9'	14	36"	26,900	69
9'	14	40"	26,900	70
9'	14	42"	26,900	71
9'	14	48"	26,900	72
10'	12	36"	33,400	100
10'	12	40"	33,400	101
10'	12	42"	33,400	102
10'	12	48"	33,400	103
10'	14	36"	24,600	75
10'	14	40"	24,600	75
10'	14	42"	24,600	76
10'	14	48"	24,600	77
12'	12	36"	25,600	127
12'	12	40"	25,600	128
12'	12	42"	25,600	129
12'	12	48"	25,600	130
12'	14	36"	20,200	91
12'	14	40"	29,200	91
12'	14	42"	20,200	92
12'	14	48"	20,200	93
14'	12	36"	19,400	145
14'	12	40"	19,400	146
14'	12	42"	19,400	148
14'	12	48"	19,400	150
14'	14	36"	18,200	105
14'	14	42"	18,200	107
14'	14	48"	18,200	108

Upright Frames

STOCK NO.	DESCRIPTION	DIM. (D/H)	PRICE
PRKUP121030	Frame, Upright, 12GA	30" x 10'	▼
PRKUP121036	Frame, Upright, 12GA	36" x 10'	▼
PRKUP121040	Frame, Upright, 12GA	40" x 10'	▼
PRKUP121042	Frame, Upright, 12GA	42" x 10'	▼
PRKUP121048	Frame, Upright, 12GA	48" x 10'	▼
PRKUP121230	Frame, Upright, 12GA	30" x 12'	▼
PRKUP121236	Frame, Upright, 12GA	36" x 12'	▼
PRKUP121240	Frame, Upright, 12GA	40" x 12'	▼
PRKUP121242	Frame, Upright, 12GA	42" x 12'	▼
PRKUP121248	Frame, Upright, 12GA	48" x 12'	▼
PRKUP121330	Frame, Upright, 12GA	30" x 13'	▼
PRKUP121430	Frame, Upright, 12GA	30" x 14'	▼
PRKUP121436	Frame, Upright, 12GA	36" x 14'	▼
PRKUP121440	Frame, Upright, 12GA	40" x 14'	▼
PRKUP121442	Frame, Upright, 12GA	42" x 14'	▼

INDUSTRIAL PALLET RACKING

Upright Frames

STOCK NO.	DESCRIPTION	DIM. (D/H)	PRICE
PRKUP121448	■ ■ Frame, Upright, 12GA	48" x 14'	▼
PRKUP121524	□ □ Frame, Upright, 12GA	24" x 15'	▼
PRKUP121536	■ ■ Frame, Upright, 12GA	36" x 15'	▼
PRKUP121540	□ □ Frame, Upright, 12GA	40" x 15'	▼
PRKUP121542	■ ■ Frame, Upright, 12GA	42" x 15'	▼
PRKUP121548	□ □ Frame, Upright, 12GA	48" x 15'	▼
PRKUP121636	■ ■ Frame, Upright, 12GA	36" x 16'	▼
PRKUP121640	□ □ Frame, Upright, 12GA	40" x 16'	▼
PRKUP121642	■ ■ Frame, Upright, 12GA	42" x 16'	▼
PRKUP121648	□ □ Frame, Upright, 12GA	48" x 16'	▼
PRKUP121740	■ ■ Frame, Upright, 12GA	40" x 17'	▼
PRKUP121824	□ □ Frame, Upright, 12GA	24" x 18'	▼
PRKUP121830	■ ■ Frame, Upright, 12GA	30" x 18'	▼
PRKUP121836	□ □ Frame, Upright, 12GA	36" x 18'	▼
PRKUP121840	■ ■ Frame, Upright, 12GA	40" x 18'	▼
PRKUP121842	□ □ Frame, Upright, 12GA	42" x 18'	▼
PRKUP121848	■ ■ Frame, Upright, 12GA	48" x 18'	▼
PRKUP122040	□ □ Frame, Upright, 12GA	40" x 20'	▼
PRKUP122042	■ ■ Frame, Upright, 12GA	42" x 20'	▼
PRKUP122048	□ □ Frame, Upright, 12GA	48" x 20'	▼
PRKUP122140	■ ■ Frame, Upright, 12GA	40" x 21'	▼
PRKUP122142	□ □ Frame, Upright, 12GA	42" x 21'	▼
PRKUP122240	■ ■ Frame, Upright, 12GA	40" x 22'	▼
PRKUP122340	□ □ Frame, Upright, 12GA	40" x 23'	▼
PRKUP122440	■ ■ Frame, Upright, 12GA	40" x 24'	▼
PRKUP122540	□ □ Frame, Upright, 12GA	40" x 25'	▼
PRKUP12436	■ ■ Frame, Upright, 12GA	36" x 4'	▼
PRKUP12440	□ □ Frame, Upright, 12GA	40" x 4'	▼
PRKUP12442	■ ■ Frame, Upright, 12GA	42" x 4'	▼
PRKUP12448	□ □ Frame, Upright, 12GA	48" x 4'	▼
PRKUP12536	■ ■ Frame, Upright, 12GA	36" x 5'	▼
PRKUP12548	□ □ Frame, Upright, 12GA	48" x 5'	▼
PRKUP12624	■ ■ Frame, Upright, 12GA	24" x 6'	▼
PRKUP12636	□ □ Frame, Upright, 12GA	36" x 6'	▼
PRKUP12640	■ ■ Frame, Upright, 12GA	40" x 6'	▼
PRKUP12642	□ □ Frame, Upright, 12GA	42" x 6'	▼

STOCK NO.	DESCRIPTION	DIM. (D/H)	PRICE
PRKUP12736	□ □ Frame, Upright, 12GA	36" x 7'	▼
PRKUP12824	□ □ Frame, Upright, 12GA	24" x 8'	▼
PRKUP12836	□ □ Frame, Upright, 12GA	36" x 8'	▼
PRKUP12842	□ □ Frame, Upright, 12GA	42" x 8'	▼
PRKUP12924	□ □ Frame, Upright, 12GA	24" x 9'	▼
PRKUP12936	□ □ Frame, Upright, 12GA	36" x 9'	▼
PRKUP12942	□ □ Frame, Upright, 12GA	42" x 9'	▼
PRKUP141024	□ □ Frame, Upright, 14GA	24" x 10'	▼
PRKUP141036	□ □ Frame, Upright, 14GA	36" x 10'	▼
PRKUP141042	□ □ Frame, Upright, 14GA	42" x 10'	▼
PRKUP141130	□ □ Frame, Upright, 14GA	30" x 11'	▼
PRKUP141218	□ □ Frame, Upright, 14GA	18" x 12'	▼
PRKUP141230	□ □ Frame, Upright, 14GA	30" x 12'	▼
PRKUP141240	□ □ Frame, Upright, 14GA	40" x 12'	▼
PRKUP141248	□ □ Frame, Upright, 14GA	48" x 12'	▼
PRKUP141424	□ □ Frame, Upright, 14GA	24" x 14'	▼
PRKUP141436	□ □ Frame, Upright, 14GA	36" x 14'	▼

- 1 — Select a finish color.
- 2 — Place 2-digit color code at end of stock no.



53



03

Additional colors may be available. Please call (202) 305-3424 for more information.

INDUSTRIAL PALLET RACKING



Upright Frames

STOCK NO.	DESCRIPTION	DIM. (D/H)	PRICE
PRKUP141454	□□ Frame, Upright, 14GA	54" x 14'	▼
PRKUP141640	□□ Frame, Upright, 14GA	40" x 16'	▼
PRKUP141748	□□ Frame, Upright, 14GA	48" x 17'	▼
PRKUP141836	□□ Frame, Upright, 14GA	36" x 18'	▼
PRKUP142040	□□ Frame, Upright, 14GA	40" x 20'	▼
PRKUP14440	□□ Frame, Upright, 14GA	40" x 4'	▼
PRKUP14448	□□ Frame, Upright, 14GA	48" x 4'	▼
PRKUP14548	□□ Frame, Upright, 14GA	48" x 5'	▼
PRKUP14630	□□ Frame, Upright, 14GA	30" x 6'	▼

STOCK NO.	DESCRIPTION	DIM. (D/H)	PRICE
PRKUP14640	□□ Frame, Upright, 14GA	40" x 6'	▼
PRKUP14648	□□ Frame, Upright, 14GA	48" x 6'	▼
PRKUP14736	□□ Frame, Upright, 14GA	36" x 7'	▼
PRKUP14824	□□ Frame, Upright, 14GA	24" x 8'	▼
PRKUP14836	□□ Frame, Upright, 14GA	36" x 8'	▼
PRKUP14842	□□ Frame, Upright, 14GA	42" x 8'	▼
PRKUP14930	□□ Frame, Upright, 14GA	30" x 9'	▼
PRKUP14940	□□ Frame, Upright, 14GA	40" x 9'	▼
PRKUP14948	□□ Frame, Upright, 14GA	48" x 9'	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.


Lt. Gray

53

Orange

03

Additional colors may be available. Please call (202) 305-3424 for more information.



Rigid Wall Mount Bracket

Rigid Wall Mount Bracket

Roll-formed wall brackets provide extra support and space rack from wall. Bolts not included.

Rigid Wall Mount Brackets

STOCK NO.	DESCRIPTION	DIM. (W/L)	PRICE
PRKBRKTWL10	□□ Bracket, 12ga	3' x 10"	▼
PRKBRKTWL12	□□ Bracket, 12ga	3' x 12"	▼
PRKBRKTWL15	□□ Bracket, 12ga	3' x 15"	▼
PRKBRKTWL18	□□ Bracket, 12ga	3' x 18"	▼
PRKBRKTWL24	□□ Bracket, 12ga	3' x 24"	▼
PRKBRKTWL36	□□ Bracket, 12ga	3' x 36"	▼
PRKBRKTWL4	□□ Bracket, 12ga	3' x 4"	▼
PRKBRKTWL6	□□ Bracket, 12ga	3' x 6"	▼
PRKBRKTWL8	□□ Bracket, 12ga	3' x 8"	▼

INDUSTRIAL PALLET RACKING



Drum Cradles

This 12-gauge steel welded unit fits between shelf beams for secure storage of drums, barrels, and other cylindrical items. Available in 36", 40", 42", and 48" depths.

Drum Cradles

STOCK NO.	DESCRIPTION	DIM. (D)	PRICE
PRKDRMCRD36	Cradle, Drum	36"	▼
PRKDRMCRD40	Cradle, Drum	40"	▼
PRKDRMCRD42	Cradle, Drum	42"	▼
PRKDRMCRD48	Cradle, Drum	48"	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.

Lt. Gray

53

Orange

03


Additional colors may be available. Please call (202) 305-3424 for more information.

Row Spacers

Row spacers provide extra support and space from row to row.

Row Spacers

STOCK NO.	DESCRIPTION	DIM. (L)	PRICE
PRKROWSPC12	spacer, row, rigid, 12ga	12"	▼
PRKROWSPC16	spacer, row, rigid, 12ga	16"	▼
PRKROWSPC19	spacer, row, rigid, 12ga	19"	▼
PRKROWSPC21	spacer, row, rigid, 12ga	21"	▼
PRKROWSPC36	spacer, row, rigid, 12ga	36"	▼
PRKROWSPC4	spacer, row, rigid, 12ga	4"	▼
PRKROWSPC8	spacer, row, rigid, 12ga	8"	▼



Row Spacer

INDUSTRIAL PALLET RACKING



Expanded Metal Decking

Expanded metal decking functions as a solid deck while offering the advantage of a mesh surface. Decking is manufactured using 12-gauge crossbars, 14-gauge bracing, and ¾ No. 9 expanded metal.

Expanded Metal Decking

STOCK NO.	DIM. (W/D)	PRICE
PRKDKEK2448 □□	48" X 24"	▼
PRKDKEK3053 □□	53" X 30"	▼
PRKDKEK3642 □□	42" X 36"	▼
PRKDKEK3653 □□	53" X 36"	▼
PRKDKEK3672 □□	72" X 36"	▼
PRKDKEK4042 □□	42" X 40"	▼
PRKDKEK4053 □□	53" X 40"	▼

STOCK NO.	DIM. (W/D)	PRICE
PRKDKEK4224 □□	24" X 42"	▼
PRKDKEK4248 □□	48" X 42"	▼
PRKDKEK4260 □□	60" X 42"	▼
PRKDKEK4824 □□	24" X 48"	▼
PRKDKEK4840 □□	40" X 48"	▼
PRKDKEK4853 □□	53" X 48"	▼
PRKDKEK4872 □□	72" X 48"	▼
PRKDKEK5453 □□	53" x 54"	▼

- Select a finish color.
- Place 2-digit color code at end of stock no.



Lt. Gray

53



Orange

03

Additional colors may be available. Please call (202) 305-3424 for more information.

Corner Guards and Bump Rails

Protects support corners from impact, providing extra safety. Upright Frame Corner Guard safeguards corners from impact, and the bump guard rail protects throughout the aisle to keep lifts from accidental hits on rack system.


Corner Guards

STOCK NO.	DIM. (H)	PRICE
PRKGRDCRN36 □□	36"	▼

*Special order

Bump Rails

STOCK NO.	DESCRIPTION	PRICE
PRKBMPrAIL5 □□	Bump Rail, Forklift, 3" x 5" x ¾" T x 120L	▼
PRKENDRAD □□	ASSY, End Rail, 3" x 5" x ¾" x 2' Radius	▼



Bumper

INDUSTRIAL PALLET RACKING

Channel Decking

14-gauge corrugated steel channel decking provides a strong, flat storage area within the full amount of space between the steps of the beams, providing maximum storage space for boxes and other bulk items. Made in the same depth size as upright frames in 12" wide locking increments. Available in 18- and 20-gauge on special quote.

Channel Decking

STOCK NO.	DIM. (W/D)	PRICE
PRKDKCHN24 ■■	12" X 24"	▼
PRKDKCHN36 ■■	12" X 36"	▼
PRKDKCHN40 ■■	12" X 40"	▼
PRKDKCHN42 ■■	12" X 42"	▼
PRKDKCHN48 ■■	12" X 48"	▼

- 1 Select a finish color.
- 2 Place 2-digit color code at end of stock no.

Lt. Gray


53

Orange

03

Additional colors may be available. Please call (202) 305-3424 for more information.

Channel Decking



PALLET RACKING OPTIONS

CHANNEL DECKING provides the user with a flat storage area. The full depth of the decking fits in between the steps of the BEAMS. This provides maximum storage space for boxes or any storage requirements. Made of corrugated steel for extra support and available in the same description depth size as the UPRIGHT FRAMES for ease of ordering. The DRUM CRADLE provides space for drums, barrels, or a variety of cylindrical storage requirements. HEAVY DUTY FLANGED CROSSBARS are 3" wide and are used in conjunction with standard pallets. A minimum of two CROSSBARS is recommended for every pallet load applied. A 90-degree hook prevents accidental slipping. EXPANDED METAL DECKING is a very popular method of storage. UNICOR's quality design and multi-task functions make this shelving very desirable. With the expanded metal decking the surface is open, but it can also be used as a solid deck. The "open" feature of this decking meets safety and fire standards and has a very appealing appearance.

CATWALK SYSTEMS & MEZZANINES

UNICOR can design a customized unit to meet your requirements and specifications. Each mezzanine system is different; therefore, contacting a UNICOR

technical representative is your first step. Please call (202) 305-3424.



CATWALK SYSTEMS




Custom quality Catwalk structures are available through our industrial products program. In conjunction with industrial shelving, UNICOR manufactures components used in the Catwalk product line. Installation is available, upon ordering, through experienced professional contracted installers with complete product knowledge. Metal shelving is available in the shelving section of this catalog.

CATWALK SYSTEMS & MEZZANINES

Starter Units

Begin your catwalk and mezzanine system with one starter unit, featuring four corner columns. Then connect with as many add-on units as needed.



Hand Rails

Steel hand rails, 42" high and 1½" square tube, for all open areas of catwalks provide reliable security.


SPECIAL NOTICE:

UNICOR offers a complete turnkey process for your mezzanine requirements. Our technical specialists review your specifications and custom design a system to maximize your space.

Each system is fully installed using UNICOR's government contract installer and all projects are covered under UNICOR's standard guarantee. Each mezzanine system is different; therefore, contacting a UNICOR technical representative is your first step. Please call **(202) 305-3424**.

Bar Grating

Standard surface is steel bar grating (19W4 or 19W2). Other less expensive style surfaces also available.



Stairs, Ladders, Steps, and Landings

Steel fabricated stairs, ladders, and steps are easy to install. Choose from the variety of models. Landing units include grating plus handrail and kickplate for two sides.



INDUSTRIAL CANTILEVER RACKS



CANTILEVER RACKS

For heavy, oversized, large, and odd-sized items, cantilever racking is ideal because it provides long expanses of horizontal storage with no space lost to uprights. Access for loading and unloading is easier. Cantilever racks are available in single storage and double storage shelving, in light and heavy-duty capacities.

The cantilever design ensures easy assembly and adjustment with fool-proof removal and replacement of arms. Simply fasten arms to columns with locking bracket pins. The heavier the load, the greater the clamping action and rigidity of the system. And because arms function independently of each other, individual stock locations can be exactly the dimensions you need.

The Cantilever Capacities

are dependent on the length of the section or row; the type, height, and number of uprights; the number and size of the arms; and the size of the base. The capacity of the uprights is listed in the item description. The allowable capacity is determined by the overall system's design. The total arm capacity (2,000 lb. light duty, 4,000 lb. heavy-duty structural) must not add up to more than the upright capacity.

To increase the capacity of the overall section, uprights, shorter arms, and larger bases may be used. There are several styles of cantilever uprights, including the seismic rated capacity type. Because of the complexity that the combination of these options creates, it is suggested that the manufacturer review the overall design of the system. The load information (weight and cubic measurements of the load) will be necessary to calculate an adequate design of the system. Please feel free to use our expert technical support for any cantilever system requirements.

Cantilever Arms

STOCK NO.	DESCRIPTION	DIM.	WEIGHT (LBS)	PRICE
CTLARMHDS36	<input type="checkbox"/> Cant-arm, Std, h/d, Structural	36"	29.3	▼
CTLARMHDS60	<input type="checkbox"/> Cant-arm, Std, h/d, Structural	60"	100	▼
CTLARMLDS36	<input type="checkbox"/> Cant-arm, Std, h/d, Structural	36"	25.8	▼

** The cantilever arms are made of structural steel. Capacities are determined by the designated (HD)-4,000 lb. heavy-duty and (LD)-2,000 lb. light duty. Overall system capacities are determined using a mathematical formula. Please call the factory for capacity assistance.*

INDUSTRIAL CANTILEVER RACKS

Decking Options

Bar grating has been a very desirable decking method for the cantilever and stacking rack products. Bar grating is priced by the square foot and is quoted according to the system requirements.

Decking options are available and must be quoted according to system configurations. Cantilever systems are available for seismic rated regions. Complete installation and engineering studies are also available at an additional charge. Call for price at (202) 305-3424, (202) 305-3784, or (800) 827-3168.

* Additional sizes are available.
Please call us for a quote at (202) 305-3424 or (405) 262-4875 ext. 391.

Cantilever Uprights and Bases

STOCK NO.	DESCRIPTION	DIM.	WEIGHT (LBS)	PRICE
CTLUPS1448	<input type="checkbox"/> Cant-uprt, Std, 14,000, Sgl	14', 48" arms*	560	▼
CTLUPS1848	<input type="checkbox"/> Cant-uprt, Std, 14,000, Sgl	18', 48" arms*	675	▼
CTLUPS1436	<input type="checkbox"/> Cant-uprt, Std, 18,000, Sgl	14', 36" arms*	540	▼
CTLUPS1836	<input type="checkbox"/> Cant-uprt, Std, 18,000, Sgl	18', 36" arms*	655	▼
CTLUPS1424	<input type="checkbox"/> Cant-uprt, Std, 28,000, Sgl	14', 24" arms*	520	▼
CTLUPS1824	<input type="checkbox"/> Cant-uprt, Std, 28,000, Sgl	18', 24" arms*	635	▼
CTLUPS1448	<input type="checkbox"/> Cant-uprt, Std, 30,000, Sgl	14', 48" arms*	624	▼
CTLUPS1848	<input type="checkbox"/> Cant-uprt, Std, 30,000, Sgl	18', 48" arms*	744	▼
CTLUPS1436	<input type="checkbox"/> Cant-uprt, Std, 40,000, Sgl	14', 36" arms*	588	▼
CTLUPS1836	<input type="checkbox"/> Cant-uprt, Std, 40,000, Sgl	18', 36" arms*	708	▼
CTLUPS1424	<input type="checkbox"/> Cant-uprt, Std, 60,000, Sgl	14', 24" arms*	553	▼
CTLUPS1824	<input type="checkbox"/> Cant-uprt, Std, 60,000, Sgl	18', 24" arms*	672	▼

- 1 — Select a finish color.
- 2 — Place 2-digit color code at end of stock no.

Orange

03

Lt. Gray

53

Additional colors may be available. Please call (202) 305-3424 for more information.

Cantilever Horizontal Bracing

STOCK NO.	DESCRIPTION	DIM.	WEIGHT (LBS)	PRICE
CTLHRZBRC60	<input type="checkbox"/> Horizontal-brace, Cant-uprt	60"	84	▼

* The cantilever arms are made of structural steel. Capacities are determined by the designated (HD)-4,000 lb. heavy-duty and (LD)-2,000 lb. light duty. Overall system capacities are determined using a mathematical formula. Please call the factory for capacity assistance.



INDUSTRIAL STACKING RACKS

INDUSTRIAL STACKING RACKS

Pallet stacking racks stack together for instant forklift-ready storage, then nest neatly together when unneeded, taking up very little floor space. Wood pallets can be forked right on the racks or the entire rack can be used as a pallet. Available in 13 models in 3000-lb. and 4000-lb. load

capacities, the units are made of tube steel in a rigid post and brace structure that provides maximum strength with maximum weight. Color coding identifies size and load capacity. Ideal for supply depot operations and food storage facilities.



Blue



Orange



Green



Yellow



Beige



Brown



Dove Gray



stacking racks

Stacking Racks

STOCK NO.	DESCRIPTION	DIM. (W/D/H)	PRICE
3990012276000	Rack, Stack, 3K, Blue	53" x 48" x 48"	▼
3990012276001	Rack, Stack, 3K, Orange	53" x 48" x 42"	▼
3990012276003	Rack, Stack, 3K, Yellow	53" x 42" x 42"	▼
3990012625955	Rack, Stack, 3K, Beige	53" x 42" x 48"	▼
3990012276002	Rack, Stack, 4K, Green	53" x 48" x 54"	▼

STOCK NO.	DESCRIPTION	DIM. (W/D/H)	PRICE
3990013134497	Rack, Stack, 4K, Green	64" x 64" x 48"	▼
3990013146004	Rack, Stack, 3K, Gray	53" x 48" x 64"	▼
3990013152782	Rack, Stack, 4K, Brown	48" x 48" x 54"	▼
3990013152783	Rack, Stack, 4K, Yellow	60" x 60" x 42"	▼
3990013152784	Rack, Stack, 3K, Orange	72" x 48" x 48"	▼
3990013152785	Rack, Stack, 4K, Gray	53" x 48" x 64"	▼
3990013152786	Rack, Stack, 4K, Orange	53" x 48" x 72"	▼
3990013531115	Rack, Stack, 3K, Green	72" x 60" x 60"	▼



nested stacking racks

3K = 3,000-lb. load capacity
4K = 4,000-lb. load capacity

INDUSTRIAL STACKING RACKS



Tire Rack

Stacking tire racks enable you to store tires quickly with a forklift. Racks are manufactured using 2" square 14-gauge tubes. Sizes vary. Rack bases can be manufactured to meet your storage application.

Call our technical representative at 202 305-3424.

Place 2-digit color code at end of stock no.

Dove Gray
29

Parchment
08

Black
27

Lt. Gray
53

Sand
28

Tire Racks: Base

STOCK NO.	DESCRIPTION	DIM. (W/D)	PRICE
BASETIRES46	Base, Tire, Double-stacked	6' x 4'	
BASETIRESS356	Base, Tire, Single-stacked	6' x 3.5'	
BASETIRESS36	Base, Tire, Single-stacked	6' x 3'	
BASETIRESS46	Base, Tire, Single-stacked	6' x 4'	

Tire Racks: Post

STOCK NO.	DESCRIPTION	DIM. (L)	PRICE
POSTTIRE33	Post, Tire	33"	▼
POSTTIRE57	Post, Tire	57"	▼
POSTTIRE45	Post, Tire	45"	▼

Additional colors may be available. Please call (202) 305-3424 for more information.

ADDITIONAL PRODUCTS

METAL LUMBER & MISCELLANEOUS




examples of finished metal lumber pieces



Metal Lumber

Slotted angles are the universal fasteners of metal shelving and support units. This multipurpose product can be cut, combined, and fastened together through pre-punched hole patterns into unlimited configurations for endless functions. Use for cross-aisle and down-aisle shelving, for tall package racking, hanging support for overhead doors, and more. Available in 12- and 14-gauge galvanized steel. Sold in bundles of 10 pieces with 75 bolts and nuts.

STOCK NO.	DESCRIPTION	DIMENSION (L)	PRICE
SLA1212	Angle, Steel Slotted, 12ga, ty4, cl2	12.0'	▼
SLA1410	Angle, Steel Slotted, 14ga, ty2, cl2	10.0'	▼
SLA1415	Angle, Steel Slotted, 14ga, ty2, cl2	15.0'	▼



Intake Screening Station

An enclosed, all-in-one unit, the mobile Intake Screening Station provides a secure holding environment for all the equipment needed for full-service intake information/registration. Locking space is provided for your CPU, printer, flatbed scanner and monitor.

STOCK NO.	DESCRIPTION	DIMENSION (L)	WEIGHT	PRICE

Casters

Take full advantage of the versatility of slotted angles with these specially designed casters.

- Attach these 3½" and 4" swivel casters to angles or corner gusset plates for instant mobility. In sets of four, hardware included. Each package contains 75 each of 5/16" x 3/4" bolts with nuts.
- The 3½" rigid caster is rated at 250-lb. capacity. Wheel tread is 1½" wide. Four mounting holes are 5/16" dia. and spaced 1¾" x 4".
- The 4" rigid caster is rated at 400-lb. capacity. Wheel tread is 1¾" wide. Four mounting holes are 3/8" dia. and spaced 1¾" x 5".

- The 3½" swivel caster is rated at 250-lb. capacity and measures 5" high. Wheel tread is 1½" wide. Mounting plate is 4¼" x 3¾" and has four 3/8" dia. x 3/4" long slots spaced 2½" x 3½".



flat caster CAS3R



flat caster CAS4R



swivel caster CAS3S

Casters

STOCK NO.	DESCRIPTION	WHEEL DIM.	PLATE DIM.	PRICE
CAS3R	Caster, Flat	3½"	5" x 2½"	▼
CAS4R	Caster, Flat	4"	6½" x 3¼"	▼
CAS3S	Caster, Swivel	3½"	4¼" x 3¾"	▼

ADDITIONAL PRODUCTS

Storeroom Carts

These aluminum storeroom carts are ideal for moving large and heavy items. Featuring fully welded construction and a diamond tread deck, these carts are strong, durable, and corrosion resistant. Each cart comes with 6" casters, two swivel w/brakes and two rigid. An aluminum push handle can be on either end of the cart.


STOCK NO.	DIM. (W/D)	WEIGHT (LBS)	PRICE
AUC2448	24" x 48"	85	▼
AUC3048	30" x 48"	100	▼
AUC3060	30" x 60"	115	▼
AUC3660	36" x 60"	135	▼
AUC3672	36" x 72"	155	▼



FILTRATION SERVICES

UNICOR provides a one-stop source for your total filtration needs. With many different products, we have the right solution to help you achieve and maintain the clean, quality air you want in your facility.

See page 47 of UNICOR's Metals/BASICS catalog.




UNICOR has a complete filtration program. For further details, call 920 845-5810.

SECURITY FENCE PANELS

Security fence panels provide immediate perimeter protection, and are easy to install, temporary, portable and easily modified. Great for construction sites, restricted areas, crowd control, equipment security, sporting events, emergency protection, utility repair, building access, etc. Solid welded panels have easily connected security posts. Panels attach with two clamps, and are portable and durable. Easily installed—no digging or drilling. Each end stands securely on 6" x 24" metal plates, so no concrete is required.


UNICOR's fencing program can meet all your security needs. We manufacture a full line of fencing including ornamental, chain link and security panels, and we can provide installation services for temporary or permanent fence applications. Call (202) 305-3424 for assistance.




standard panel with barbwire

Security Fence Panels

STOCK NO.	DESCRIPTION	PRICE
FNC7400	6' X 12' Security Panel w/barb wire 1 3/8" frame	▼
FNC7401	6' X 12' Security Panel w/o barb wire 1 3/8" frame	▼
FNC7402	6' X 3' Security Gate Panel 1 3/8" frame	▼
FNC7450	5' Security Panel post on mounting plate	▼



gate panel



CAT11400