

# Accessories Spec Sheet

Ergonomic Office Accessories


January 2025

Version 2.0




6G Keyboard Shelves


Keyboard Shelf w/ Mouse Platform  
900 Standard



Keyboard Shelf w/ Mouse Platform  
950 Standard Compact



Keyboard Shelf w/o Mouse Platform  
(Available in Standard and Compact)



Product Number	Price	Color	Keyboard Platform	Mouse Platform	Palm Support	Track Length
EK6G90090S18	\$	Black	19"W x 10.63"D	8.5" dia. Clip	19" Gel w/ synthetic leather cover	18"
EK6G90090S22						22"
Keyboard Shelf w/ 6G Mechanism, 900 Standard Platform, Mouse Platform and Gel Palm Support						

EK6G95090S22	\$	Black	19"W x 8.4"D	8.5" dia. Clip	19" Gel w/ synthetic leather cover	22"
Keyboard Shelf w/ 6G Mechanism, 950 Standard Compact Platform, Mouse Platform and Gel Palm Support						

EK6G550SMP2522	\$	Black	25"W x 10.63"D	N/A	25" Gel w/ synthetic leather cover	22"
EK6GW550SMP2522		White				
Keyboard Shelf w/ 6G Mechanism, 550 Big Compact Platform and Gel Palm Support						

EK6G500SMP2722	\$	Black	27"W x 10.63"D	N/A	27" Gel w/ synthetic leather cover	22"
EK6GW500SMP2722		White				
Keyboard Shelf w/ 6G Mechanism, 500 Big Platform and Gel Palm Support						


ACCESSORIES Features

- Intuitive height adjustment that requires no locks, levers or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk

Notes:

- All keyboard mechanisms offer 0° - 15° tilt for low-risk typing postures
- 7" height adjustment, 1.75" above track to 5.25" below track

Keyboard Shelf



ONLY FOR FLOAT TABLES

Product Number	Price	Keyboard Platform	Palm Support	Track Length	Weight	Color
EK6FB259F125	\$	25"W x 9"D	19" Foam	12.5"	15"	Black
EK6FW259F125	\$	25"W x 9"D	19" Foam	12.5"	15"	White
EK6FB550F2514	\$	25"W x 14"D	25" Foam	14"	15"	Black
EK6FB500F2714	\$	27"W x 14"D	27" Foam	14"	15"	Black
EK6FB259G125	\$	25"W x 9"D	19" Gel	12.5"	15"	Black
EK6FW259G125	\$	25"W x 9"D	19" Gel	12.5"	15"	White
EK6FB550G2514	\$	25"W x 14"D	25" Gel	14"	15"	Black
EK6FB500G2714	\$	27"W x 14"D	27" Gel	14"	15"	Black
EK6FB259S125	\$	25"W x 9"D	19" Slim	12.5"	15"	Black
EK6FW259S125	\$	25"W x 9"D	19" Slim	12.5"	15"	White
EK6FB550SMP2514	\$	25"W x 14"D	19" and 5" Slim	14"	15"	Black
EK6FW550SMP2514	\$	25"W x 14"D	19" and 5" Slim	14"	15"	White
EK6FB500SMP2714	\$	27"W x 14"D	19" and 7" Slim	14"	15"	Black
EK6FW500SMP2714	\$	27"W x 14"D	19" and 7" Slim	14"	15"	White


ACCESSORIES

- Intuitive height adjustment that requires no locks, levers or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk

Notes:

- All keyboard mechanisms offer 0° - 15° tilt for low-risk typing postures
- 7" height adjustment, 1.75" above track to 5.25" below track

Element Disc LED Light w/ Dimmer




Product Number	Price	Mount / Base	Color
ELEECTSB	\$	w/ Universal Slatwall Mount	Black
ELEECTSS	\$		Silver
ELEECTSW	\$		White
ELEECTKB	\$	w/ 2-Piece Clamp On Mount	Black
ELEECTKS	\$		Silver
ELEECTKW	\$		White
ELEECTBB	\$	w/ Desktop Base (Standard)	Black
ELEECTBS	\$		Silver
ELEECTBW	\$		White
ELEECTXB	\$	w/ Tech Base (1 USB + 1 AC Power ports)	Black
ELEECTXS	\$		Silver
ELEECTXW	\$		White

ACCESSORIES Features

- 5 watt Hi-Output MCX LED with dimmer control for seven levels of adjustable light output
  - Perfect internal counterbalance provides fingertip adjustability
  - Made of up to 81% recycled and 99% recyclable content
  - Heat-dispersing design provides unique, modern aesthetic
  - Designed to easily fit under overhead bins and on virtually any desktop work space
  - Tech Base has 1 USB outlet and 1 three-pronged power outlet
  - Energy Star Rated
- Notes:
- Two-piece clamp requires minimum .25" clearance between desk and wall or panel
  - Universal slatwall mount adjusts to fit most standard slatwalls
  - Desktop base is 8" in diameter

Horizon LED Light w/ Dimmer




Product Number	Price	Mount / Base	Color
H2BEB	\$	Desktop Base	Black
H2BES	\$		Silver
H2BEW	\$		White


- 7.5 watt Thin-Film LED with touch dimmer control for complete control of light output
- Internal counterbalance provides effortless positioning
- Even plane of illumination casts just one shadow, removing visual clutter
- No button interface prevents dirt and liquid from entering the fixture
- 8" diameter base
- Energy Star 2.0 Rated

Nova Disc LED Lights w/ Dimmer

w/ Clamp Mount



w/ Desktop Base



w/ Charging Base (2 USB ports)



See Below for  
USB Details

w/ Wireless Charging Base  
(2 USB + Wireless)



See Below for  
USB Details

Product Number	Price	Mount / Base	Color
NV3ECG	\$	w/ Clamp Mount	Gray
NV3ECB	\$		Black
NV3ECW	\$		White


NV3EBG	\$	w/ Desktop Base	Gray
NV3EBB	\$		Black
NV3EBW	\$		White

NV3EYG	\$	w/ Charging Base (2 USB ports)	Gray
NV3EYB	\$		Black
NV3EYW	\$		White

NV3EQG	\$	w/ Wireless Charging Base (2 USB + Wireless)	Gray
NV3EQB	\$		Black
NV3EQW	\$		White


ACCESSORIES Features

- Made of up to 50% recycled and 70% recyclable content
- “Forever Hinges” allow effortless movement while ensuring stability and product longevity
- Occupancy sensor automatically turns off light when no movement is detected, conserving energy
- 7W LED with touch dimming to easily adjust brightness from 14% to 100%
- Energy Star Rated



Charging Base (w/ 2 USB Ports)


CPU Bracket



ONLY FOR FLOAT TABLES


1

CPU Holder



2

CPU Holder




- Under-the-desk track provides easy access or convenient stowing
- One-touch 360° swivel motion provides effortless access to cables, ports and drives
- Helps prevent awkward postures that could lead to injury
- Promotes longer CPU life by allowing CPUs to stay cool and vent freely
- Elevates CPUs off the floor where dust build-up and other hazards can damage valuable computer equipment
- CPU Holders ship with mounting bracket for Casegood products. If ordering for a Float Table, CPU Bracket (FCBB, FCBS, FCBW) must be ordered as well

Product Number	Price	Description	Color	Ship Weight
FCBB	\$	CPU Bracket	Black	1 lb.
FCBS	\$		Silver	1 lb.
FCBW	\$		White	1 lb.

#	Product Number	Price	CPU Size	Color	Max Weight	Ship Weight
1	ECPU200	\$	1 - 5"W x 12"H	Black	15 lb.	10 lb.
2	CPU600	\$	3.5 - 9"W x 12 - 20"H	Black	50 lb.	12 lb.


Lock: Core




Product Number	Price	Description	Ship Weight
LCN100TA - LCN449TA	\$	Locks Core Nickel	1 lb.
LOX101-323	\$	Locks Core	1 lb.
LOX0236-LOX0270	\$	Locks Core Timberline	1 lb.



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8ABTSETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Bracket (1 Monitor) & Straight Link / Dynamic Link Arm	Bolt Thru	Silver w/ Gray Trim
X8ABTBETB12	\$			Black w/ Black Trim
X8ABTWETB12	\$			Polished Aluminum w/ White Trim
X8ACMSETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8ACMBETB12	\$			Black w/ Black Trim
X8ACMWETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation





+30° / -15° Tilt



180° Left/Right Pan




90°, 180° Stop or 360° Rotation




w/ Bolt Thru Mount

w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8BBTSETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) & 2 Straight Link / Dynamic Link Arms	Bolt Thru	Silver w/ Gray Trim
X8BBTBETBETB12	\$			Black w/ Black Trim
X8BBTWETBETB12	\$			Polished Aluminum w/ White Trim
X8BCMSETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8BCMBETBETB12	\$			Black w/ Black Trim
X8BCMWETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8CBTSNTBETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors) 2 Straight Link / Dynamic Link Arms & 1 No Link (Tilt Mount Only)	Bolt Thru	Silver w/ Gray Trim
X8CBTBNTBETBETB12	\$			Black w/ Black Trim
X8CBTWNTBETBETB12	\$			Polished Aluminum w/ White Trim
X8CCMSNTBETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8CCMBNTBETBETB12	\$			Black w/ Black Trim
X8CCMWNTBETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation




+30° / -15° Tilt



180° Left/Right Pan




90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8CBTSNTBJTBJTB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors), 2 Straight Link / Straight Link Arms & 1 No Link (Tilt Mount Only)	Bolt Thru	Silver w/ Gray Trim
X8CBTBNTBJTBJTB12	\$			Black w/ Black Trim
X8CCMSNTBJTBJTB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8CCMBNTBJTBJTB12	\$			Black w/ Black Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation





+30° / -15° Tilt




180° Left/Right Pan




90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8BBTSJTB24	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (4 Monitors) 2 Straight Link / Straight Link Arms over 2 Straight Link / Straight Link Arms	Bolt Thru	Silver w/ Gray Trim
X8BBTBJTB24	\$			Black w/ Black Trim
X8BBTWJTB24	\$			Polished Aluminum w/ White Trim
X8BCMSJTB24	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8BCMBJTB24	\$			Black w/ Black Trim
X8BCMWJTB24	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360°  
Portrait/Landscape  
Rotation




+30° / -15°  
Tilt




180°  
Left/Right Pan




90°, 180° Stop  
or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X1ABTSETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) 2 Straight Link / Dynamic Link Arms	Bolt Thru	Silver w/ Gray Trim
X1ABTBETB12	\$			Black w/ Black Trim
X1ABTWETB12	\$			Polished Aluminum w/ White Trim
X1ACMSETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X1ACMBETB12	\$			Black w/ Black Trim
X1ACMWETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one 20-48 lb. monitor


360°  
Portrait/Landscape  
Rotation





+30° / -15°  
Tilt



180°  
Left/Right Pan




90°, 180° Stop  
or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X1BBTSETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) 2 Straight Link / Dynamic Link Arms	Bolt Thru	Silver w/ Gray Trim
X1BBTBETBETB12	\$			Black w/ Black Trim
X1BBTWETBETB12	\$			Polished Aluminum w/ White Trim
X1BCMSETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X1BCMBETBETB12	\$			Black w/ Black Trim
X1BCMWETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one 20-48 lb. monitor


360°  
Portrait/Landscape  
Rotation





+30° / -15°  
Tilt




180°  
Left/Right Pan




90°, 180° Stop  
or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X1CBTSNTBETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors) 2 Straight Link/ Dynamic Link Arms & 1 No Link (Tilt Mount Only)	Bolt Thru	Silver w/ Gray Trim
X1CBTBNTBETBETB12	\$			Black w/ Black Trim
X1CBTWNTBETBETB12	\$			Polished Aluminum w/ White Trim
X1CCMSNTBETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X1CCMBNTBETBETB12	\$			Black w/ Black Trim
X1CCMWNTBETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one 20-48 lb. monitor


360° Portrait/Landscape Rotation




+30° / -15° Tilt



180° Left/Right Pan




90°, 180° Stop or 360° Rotation







Cable Management - Small



Cable Management - Large



Cable Management - Slim



- NeatLinks channels can be installed in countless configurations to accommodate each user and unique work environment
- Install using just two screws or mounting tape – countless configurations to accommodate each user and unique work environment
- The textured surface hides fingerprints, while curved, finger-friendly angles at the ends of each channel eases routing and allows visual access


Notes:

- Mounting tape attachment can support up to 8 lb. of equipment
- For optimal use, power strips and ballasts should be stored in large diameter (3.6") channels and cables routed through small-diameter (2.6") channels

Product Number	Price	Description	Diameter	Length	Color	Shipping Weight
NL17SB	\$	NeatLinks Cable Management - Small 17"	2.6"	17"	Black	1 lb.
NL17SG	\$				Gray	
NL17LB	\$	NeatLinks Cable Management - Large 17"	3.6"	17"	Black	
NL17LG	\$				Gray	
NL24SB	\$	NeatLinks Cable Management - Small 24"	2.6"	24"	Black	
NL24SG	\$				Gray	
NL24LB	\$	NeatLinks Cable Management - Large 24"	3.6"	24"	Black	
NL24LG	\$				Gray	

Product Number	Price	Description	Width	Depth	Length	Color	Shipping Weight
NLSSW	\$	NeatLinks Cable Management - Slim	2.75"	0.5"	20.5"	White	1 lb.
NLSSB	\$					Black	
NLSSG	\$					Gray	


NeatTech Cable Management



- Provides simple and easy access to cables
- Hangs conveniently on the back of Tables and Desks to protect cables and prevent tripping hazard

Product Number	Price	Description	Width	Depth	Length	Color	Shipping Weight
NT1SBB	\$	NeatTech Cable Management	4"	4.5"	38"	Black / Black	9 lb.
NT1SGG	\$					Grey / Grey	
NT1SPG	\$					Poppyseed / Grey	
NT1SWG	\$					White / Grey	
NT1LBB	\$				48"	Black / Black	
NT1LGG	\$					Grey / Grey	
NT1LPG	\$					Poppyseed / Grey	
NT1LWG	\$					White / Grey	
NT1MBB	\$	NeatTech Mini Cable Management	4"	4.5"	23"	Black / Black	9 lb.
NT1MGG	\$					Grey / Grey	
NT1MPG	\$					Poppyseed / Grey	
NT1MWG	\$					White / Grey	


w/ Power Strip and Bracket




ONLY FOR FLOAT TABLES

Product Number	Price	Description	Color	Ship Weight
NU2NAPWB	\$	CPU Bracket	Black	19 lb.
NU2NAPWG	\$		Silver	
NU2NAPWW	\$		White	


NeatHub



NeatCharge




Acrylic Modesty Panel



ONLY FOR FLOAT TABLES

Product Number	Price	Description	Color
NEATHUBB	\$	NeatHub Desktop Power	Black
NEATHUBW	\$		White
NEATCHARGENA	\$	NeatCharge Desktop Wireless Charging	Black

Product Number	Price	Description	Color	Panel Size	Ship Weight
SOR7396TA	\$	Acrylic Modesty Panel (with 2 Mounting Brackets)	Silver	40"W X 15"H	19 lb.
SOR7395TA	\$			50"W X 15"H	



Product Number	Price	Description	Color	Mount
QSE2SMB	\$	QuickStand Eco Height-Adjustable Workstation w/ Freestanding Base & 1 Monitor Mount	Black	Freestanding
QSE2SMW	\$		White	

QSE2DMB	\$	QuickStand Eco Height-Adjustable Workstation w/ Freestanding Base & 2 Monitor Mounts	Black	Freestanding
QSE2DMW	\$		White	

**Note:** For two monitor configuration, the width of each monitor **CANNOT** exceed 27"


- Effortless functionality allows user to instantly move from sitting to standing workstation
- Designed to accommodate users of varying heights with 18.6" of work surface adjustment
- Dual or single monitor configurations
- Integrated cable management
- Freestanding base
- Minimal footprint, compact and portable design allows for more use of desktop area
- Self-locking mechanism provides ultimate stability and functionality
- Manufactured with sustainable, non-toxic materials

Notes:

- Work Surface:28"W x 19"D
- Total work surface adjustment: 18.6"
- Vertical monitor adjustment: 5.5"
- Total monitor weight capacity: 30 lb.
- Main assembly supports up to 35 lb.
- Monitor Mounts without base or stand
- Minor assembly required

# Universal Height Adjustable Screen

Felt Panel Screen



Product Number	Price	Felt Panel Screen Description
USPF2324	\$	24"H x 23"W (use on 24"W Table)
USPF2924	\$	24"H x 29"W (use on 30"W Table)
USPF3524	\$	24"H x 35"W (use on 36"W Table)
USPF4624	\$	24"H x 46"W (use on 48"W & 54"W Long Top Table)
USPF5824	\$	24"H x 58"W (use on 60"W & 66"W Long Top Table)
USPF7024	\$	24"H x 70"W (use on 72"W Long Top Table)

ONLY FOR FLOAT TABLES

## Metal Base Powder Coat

Black 27	Sand 28	Gray 29	Light Tone 32	Warm Gray 33	Starlight Silver 34	Cottonwood 35

## Felt Color

Dandelion FTDD	Fawn FTFW	Flannel FTFN	Heather FTHR	Lava FTLV	Mallard FTMB	Midnight Blue FTMB

Pepper FTPR	Tidal Wave FTTW	Spring FTSG

# ACCESSORIES Features

- Works with all models of Float Tables
- Height adjustable by user
- Screen is flush with table top when at its lowest position
- Maximum height above worksurface 17.25"
- Screens attach to either the back length or side depth of tabletop based on closest nominal size
- Accessories, monitor arms, modesty panels and wire troughs may prohibit installation of screens. Example: Neat Tech - use Neatlinks Baritone/Integrate 36" wide top
- Screens are constructed from a sound absorbing, 100% polyester felt
- Screen is 1/2" thick with a density of .05 lb/ft and is 100% tackable
- Mounting brackets and rack are powder coated for durability
- Screen sizes 23" - 46" wide are assembled with 2 adjustable brackets while screens 58" and 70" have three adjustable brackets

## How to Order

Select the product number and then add the codes for the desired configuration. For Example:

Product	USPF2324
Metal Base Powder Coat	34
Felt Color	FTMB
Product Order Code	
USPF2324 34 FTMB	