

BRAVO


SYSTEM SPEC SHEET

Laminate • 2025




OFG UNICOR
OFFICE
FURNITURE
GROUP


Section	Pages
Budget Typicals	4-6
Worksurfaces	
Rectangular	7-9
Corner	10-18
Reduction	19-21
Piano	22-24
P-Shaped	25-27
D-Shaped	28-30
Executive	31
Add-on Worksurfaces	32-34
Overhead Storage	
Shelf	35
Universal	36-38
Venus	39-41
Conversion Kits	42
Components	
Kiosks	43
Pedestals	44-45
Tool Rails	46-47
Paper Management	48-49
Privacy Screens	50-55
Accessories	56-57
Data/Communication Accessories	58
Task Lights	59
Electrical	60-65
Finishes	66-67
Order Form	68




Ensemble Typicals Pgs. 4-6




Rectangular Worksurfaces Pgs. 7-9




Corner Worksurfaces Pgs. 10-18




Reduction Worksurfaces Pgs. 19-21




Piano Shaped Worksurfaces Pgs. 22-24




P-Shaped Worksurfaces Pgs. 25-27




D-Shaped Worksurfaces Pgs. 28-30




Executive Worksurfaces Pg. 31




Add-on Worksurfaces Pgs. 32-34



Shelf Overhead Storage Pg. 35




Universal Overhead Storage Pgs. 36-38



Venus Overhead Storage Pgs. 39-41

No Image Available


Conversion Kits Pg. 42




Kiosks Pg. 43




Pedestals Pgs. 44-45




Tool Rails Pgs. 46-47




Paper Management Accessories Pgs. 48-49



Privacy Screens Pgs. 50-55




Worksurface Accessories Pgs. 56-57



Data/Comm. Accessories Pg. 58



Task Lights Pg. 59



Electrical Pgs. 60-65




Finishes Pgs. 66-67




Order Form Pg. 68




Budget • Overview




1 Worksurface and Leg Grommets





2 Privacy Screens on Worksurfaces




3 Tool Rails, Privacy Screens and Paper Accessories Between Stanchions




Customizable Finish Index



4 Above Worksurface Data and Communication Accessories



5 Top Worksurface Power Management Inside Stanchion



6 Concealed Wireways in Leg Assembly

BRAVO

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Bravo is customizable for any office furniture need. The end panels can be removed to allow ganging of standalone desks
 - Modesty panels are available in full and partial configurations, both have a wireway trough for data, communication and power cable management
 - Existing desk features designed to attach add-on features such as privacy screens, overhead storage and tool rails, or all three combined
 - A large number of finishes are available and easily color-coordinated across all products featured in Bravo

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Ensembles • Typical



BVRTYP03C w/ Left Return and Finish Combination B27

Finish Combinations

Code	Polypropylene	Metal Powder Coat	Laminate	Fabric
B27				
	Black B	Black 27	Shaker Cherry PLM4035	Gravel Interlude FAB8068
L32				
	Light Tone L	Light Tone 32	Kensington Maple PLM4036	Hermosa Copa FAB9460
W34				
	Warm Grey W	Starlight Silver 34	Designer White PLM8212	Pewter Interlude FAB8066

Clerk Station

- Laminate surfaces with flat vinyl T-edge
- Laminate overhead units with task lights
- Mobile pedestals pencil, box, file
- Powered and non-powered options available
- Wire management capabilities in worksurface stanchions
- Wireways concealed by partial modesty panels
- Upholstered privacy screens

- **Workspace**
- **51 sq. ft.**
- **Total Price**
- **\$**
- **Product Number**
- **BVRTYP03C**

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for return style and one of the three finish combinations. For example, to order a **Bravo Typical 03C w/ Right Return and Finish Combination B27**, select:


Product Number	Return Style	Finish Combination
BVRTYP01C	RH	B27

Components

Page	Description	Product Number	Quantity
59	22" Tuck LED Task Light	TLELED17DMS	1
59	44" Tuck LED Task Light	TLELED44DMS	1
Call for More Info	12" File Drawer Divider	DIVIDER12	2
	6" File Drawer Divider	DIVIDER6	4
	Black Pencil Tray	PTR0004	1
	Key & Lock Core	LOX	4
44	20" Mobile Pedestal with Box/Box/File Drawer	PEDMPBBF20	1
29	D-Shaped Desk w/ Partial Modesty Panel and Both End Transition Style	BVD3072PB	1
7	Rectangular Desk w/ Partial Modesty Panel and Left End Transition Style	BVR2472PL	1
41	30" Venus Overhead w/ Laminated Door	BVL30	1
41	72" Venus Overhead w/ Laminated Door	BVL72D	1
50	30" Between Stanchion Upholstered Privacy Screen	BVSBS1930	1
50	72" Between Stanchion Upholstered Privacy Screen	BVSBS1972	1
48	Shelf Divider	NSD	6



- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*
- *Bravo meets or exceeds the required ANSI/BIFMA X5.5-1998 desk systems test*
- *All Bravo desking components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities*
- *Bravo desks are listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Bravo desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials*



Assistant Station



BVRTYP01C w/ Left Return and Finish Combination L32

- Laminate surfaces with flat vinyl T-edge
- Laminate overhead units with task lights
- Two freestanding pedestals
- Powered and non-powered options available
- Wire management capabilities in worksurface stanchions
- Wireways concealed by partial modesty panels
- Upholstered privacy screens

- **Workspace**
- **68 sq. ft.**
- **Total Price**
- **\$**
- **Product Number**
- **BVRTYP01C**





- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for return style and one of the three finish combinations. For example, to order a **Bravo Typical 01C w/ Left Return** and **Finish Combination L32**, select:

Product Number	Finish Combination
BVRTYP01C	LH L32
	Return Style


Finish Combinations

Code	Polypropylene	Metal Powder Coat	Laminate	Fabric
B27	 Black B	 Black 27	 Shaker Cherry PLM4035	 Gravel Interlude FAB8068
	 Light Tone L	 Light Tone 32	 Kensington Maple PLM4036	 Hermosa Copa FAB9460
L32				
W34	 Warm Grey W	 Starlight Silver 34	 Designer White PLM8212	 Pewter Interlude FAB8066

Components

Page	Description	Product Number	Quantity
59	22" Tuck LED Task Light	TLELED17DMS	1
59	44" Tuck LED Task Light	TLELED44DMS	1
Call for More Info	12" File Divider	DIVIDER12	6
	6" File Divider	DIVIDER6	4
	Black Pencil Tray	PTR0004	1
	Key & Lock Core	LOX	5
45	20" Freestanding Pedestal w/ Box/Box/File	PEDFPBBF20	1
45	20" Freestanding Pedestal w/ File/File	PEDFPFF20	1
14	Corner Desk w/ Partial, Partial Modesty Panel and Both End Transition Style	BC24724824PPB	1
29	D-Shaped Desk w/ Partial Modesty Panel and Both End Transition Style	BVD3060PB	1
8	Rectangular Desk w/ Partial Modesty Panel and Left End Transition Style	BVR2448PL	1
41	30" Venus Overhead w/ Laminated Door	BVL3027	1
41	72" Venus Overhead w/ Laminated Door	BVL72D27	1
50	30" Between Stanchion Upholstered Privacy Screen	BVSBS1930	1
50	72" Between Stanchion Upholstered Privacy Screen	BVSBS1972	1
48	Shelf Divider	NSDB	6

- *Bravo meets or exceeds the required ANSI/BIFMA X5.5-1998 desk systems test*
- *All Bravo desking components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities*
- *Bravo desks are listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Bravo desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials*





BVRTYP01A w/ Right Return and Finish Combination W34

Reception Station

- Laminate surfaces with flat vinyl T-edge
- Open overhead units with task lights
- Two freestanding pedestals
- Powered and non-powered options available
- Wire management capabilities in worksurface stanchions
- Full modesty panels conceal wireways
- Privacy screens

Workspace

• 68 sq. ft.

Total Price

• \$

Product Number

• BVRTYP01A

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for return style and one of the three finish combinations. For example, to order a **Bravo Typical 01A w/ Right Return** and **Finish Combination W34**, select:

Product Number	Return Style	Finish Combination
BVRTYP01A	RH	W34


Finish Combinations

Code	Polypropylene	Metal Powder Coat	Laminate	Fabric
B27				
	Black B	Black 27	Shaker Cherry PLM4035	Gravel Interlude FAB8068
L32				
	Light Tone L	Light Tone 32	Kensington Maple PLM4036	Hermosa Copa FAB9460
W34				
	Warm Grey W	Starlight Silver 34	Designer White PLM8212	Pewter Interlude FAB8066


Components

Page	Description	Product Number	Quantity
59	31" Tuck LED Task Light	TLELED31DMS	2
Call for More Info	12" File Drawer Divider	DIVIDER12	6
	6" File Drawer Divider	DIVIDER6	4
	Black Pencil Try	PTR0004	1
	Keys & Lock Core	LOX	2
35	48" Universal Low Shelf	BVULSR48	2
45	20" Freestanding Pedestal w/ Box/Box/File	PEDFPBBF20	1
45	20" Freestanding Pedestal w/ File/File	PEDFPFF20	1
28	D-Shaped Desk w/ Full Modesty Panel and Both End Transition Style	BVD3060FB	1
7	Rectangular Desk w/ Full Modesty Panel and Both End Transition Style	BVR2448FB	1
7	Rectangular Desk w/ Full Modesty Panel and Left End Transition Style	BVR2448FL	1
7	Rectangular Desk w/ Full Modesty Panel and Right End Transition Style	BVR2448FR	1
50	48" Between Stanchion Upholstered Privacy Screen	BVSBS1948	2
48	Shelf Divider	NSD	4

- Bravo meets or exceeds the required ANSI/BIFMA X5.5-1998 desk systems test
- All Bravo desking components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities
- Bravo desks are listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Bravo desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials



Desks • Rectangular Worksurfaces



BVR2424F w/ S

DESCRIPTION	PRODUCT NUMBER	DEPTH	WIDTH	End Style		
				Both (B)	Left or Right (L or R)	Standard (S)
Rectangular Freestanding Worksurface w/ Full Modesty Panels	BVR2424F	24	24	\$	\$	\$
	BVR2430F	24	30	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, two legs and full modesty back panel Modesty side panels (standard shown, see options) Each leg has two cable access grommet locations Top has two cable access grommets above the legs (66" and 72" have a third middle grommet) 	BVR2436F	24	36	\$	\$	\$
	BVR2442F	24	42	\$	\$	\$
	BVR2448F	24	48	\$	\$	\$
	BVR2454F	24	54	\$	\$	\$
	BVR2460F	24	60	\$	\$	\$
	BVR2466F	24	66	\$	\$	\$
	BVR2472F	24	72	\$	\$	\$
	BVR3024F	30	24	\$	\$	\$
	BVR3030F	30	30	\$	\$	\$
	BVR3036F	30	36	\$	\$	\$
	BVR3042F	30	42	\$	\$	\$
	BVR3048F	30	48	\$	\$	\$
	BVR3054F	30	54	\$	\$	\$
	BVR3060F	30	60	\$	\$	\$
	BVR3066F	30	66	\$	\$	\$
	BVR3072F	30	72	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 24" Freestanding Rectangular Worksurface w/ Full Modesty Panel Desk (BVR2424F) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:


Product Number	Poly Color	Laminate
BVR2442F	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Desks • Rectangular Worksurfaces



DESCRIPTION	PRODUCT NUMBER	DEPTH	WIDTH	End Style		
				Both (B)	Left or Right (L or R)	Standard (S)
Rectangular Freestanding Worksurface w/ Partial Modesty Panels	BVR2424P	24	24	\$	\$	\$
	BVR2430P	24	30	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, two legs and partial modesty back panel Modesty side panels (standard shown, see options) Each leg has two cable access grommet locations Top has two cable access grommets above the legs (66" and 72" have a third middle grommet) 	BVR2436P	24	36	\$	\$	\$
	BVR2442P	24	42	\$	\$	\$
	BVR2448P	24	48	\$	\$	\$
	BVR2454P	24	54	\$	\$	\$
	BVR2460P	24	60	\$	\$	\$
	BVR2466P	24	66	\$	\$	\$
	BVR2472P	24	72	\$	\$	\$
	BVR3024P	30	24	\$	\$	\$
	BVR3030P	30	30	\$	\$	\$
	BVR3036P	30	36	\$	\$	\$
	BVR3042P	30	42	\$	\$	\$
	BVR3048P	30	48	\$	\$	\$
	BVR3054P	30	54	\$	\$	\$
	BVR3060P	30	60	\$	\$	\$
	BVR3066P	30	66	\$	\$	\$
BVR3072P	30	72	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 24" Freestanding Rectangular Worksurface w/ Partial Modesty Panel Desk (BVR2424P) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:


Product Number: **BVR2442P** End Panel Style: **S** Poly Color: **B** Metal Powder Coat Finish: **34** Laminate: **PLM4031**

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Desks • Rectangular Worksurfaces



DESCRIPTION	PRODUCT NUMBER	DEPTH	WIDTH	End Style		
				Both (B)	Left or Right (L or R)	Standard (S)
Rectangular Freestanding Worksurface w/ Gusset Cantilevers	BVR2424G	24	24	\$	\$	\$
	BVR2430G	24	30	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, two legs and gusset cantilevers Modesty side panels (standard shown, see options) Each leg has two cable access grommet locations Top has two cable access grommets above the legs and allows attachment of overhead storage units (66" and 72" have a third middle grommet) 	BVR2436G	24	36	\$	\$	\$
	BVR2442G	24	42	\$	\$	\$
	BVR2448G	24	48	\$	\$	\$
	BVR2454G	24	54	\$	\$	\$
	BVR2460G	24	60	\$	\$	\$
	BVR2466G	24	66	\$	\$	\$
	BVR2472G	24	72	\$	\$	\$
	BVR3024G	30	24	\$	\$	\$
	BVR3030G	30	30	\$	\$	\$
	BVR3036G	30	36	\$	\$	\$
	BVR3042G	30	42	\$	\$	\$
	BVR3048G	30	48	\$	\$	\$
	BVR3054G	30	54	\$	\$	\$
	BVR3060G	30	60	\$	\$	\$
	BVR3066G	30	66	\$	\$	\$
	BVR3072G	30	72	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Gusset Cantilevers provide more open wall access than the modesty panel

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 48" Freestanding Rectangular Worksurface w/ Gusset Cantilever (BVR2448G) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:


Product Number	Poly Color	Laminate
BVR2448G	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


DESKS • Corner Worksurfaces



BC24424224FF w/ S



BC24487224FF w/ S



Plan view (BC24486024FF)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Two Full Modesty Panels	BC24424224FF	24	42	42	24	\$	\$	\$
	BC24484824FF	24	48	48	24	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, three legs, two full back modesty panels Two configurable end panels Each leg has two cable access grommet locations Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet) 	BC24486024FF	24	48	60	24	\$	\$	\$
	BC24486624FF	24	48	66	24	\$	\$	\$
	BC24487224FF	24	48	72	24	\$	\$	\$
	BC24604824FF	24	60	48	24	\$	\$	\$
	BC24664824FF	24	66	48	24	\$	\$	\$
	BC24724824FF	24	72	48	24	\$	\$	\$
	BC30484830FF	30	48	48	30	\$	\$	\$
	BC30486030FF	30	48	60	30	\$	\$	\$
	BC30486630FF	30	48	66	30	\$	\$	\$
	BC30487230FF	30	48	72	30	\$	\$	\$
	BC30604830FF	30	60	48	30	\$	\$	\$
BC30664830FF	30	66	48	30	\$	\$	\$	
BC30724830FF	30	72	48	30	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Full Modesty Panels (BC24424224FF) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly Color	Laminate
BC24424224FF	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

- B Both Panels Transition Size
- L Left Panel Transition Size
- R Right Panel Transition Size
- S Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


DESKS • Corner Worksurfaces



BC24424224FP w/ S



BC24487224FP w/ S



Plan view (BC24486024FP)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Full, Partial Modesty Panels	BC24424224FP	24	42	42	24	\$	\$	\$
	BC24484824FP	24	48	48	24	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, three legs, a full and 9" partial back modesty panels Two configurable end panels Each leg has two cable access grommet locations Top has three cable access grommets above the legs (66" and 72" have a fourth middle grommet) 	BC24486024FP	24	48	60	24	\$	\$	\$
	BC24486624FP	24	48	66	24	\$	\$	\$
	BC24487224FP	24	48	72	24	\$	\$	\$
	BC24604824FP	24	60	48	24	\$	\$	\$
	BC24664824FP	24	66	48	24	\$	\$	\$
	BC24724824FP	24	72	48	24	\$	\$	\$
	BC30484830FP	30	48	48	30	\$	\$	\$
	BC30486030FP	30	48	60	30	\$	\$	\$
	BC30486630FP	30	48	66	30	\$	\$	\$
	BC30487230FP	30	48	72	30	\$	\$	\$
	BC30604830FP	30	60	48	30	\$	\$	\$
	BC30664830FP	30	66	48	30	\$	\$	\$
	BC30724830FP	30	72	48	30	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat color and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Full, Partial Modesty Panels (BC24424224FP) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly Color	Laminate
BC24424224FP	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


DESKS • Corner Worksurfaces



BC24424224FG w/ S



BC24487224FG w/ S



Plan view (BC24486024FG)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Full Modesty Panel, Gusset Cantilevers	BC24424224FG	24	42	42	24	\$	\$	\$
	BC24484824FG	24	48	48	24	\$	\$	\$
	BC24486024FG	24	48	60	24	\$	\$	\$
	BC24486624FG	24	48	66	24	\$	\$	\$
	BC24487224FG	24	48	72	24	\$	\$	\$
	BC24604824FG	24	60	48	24	\$	\$	\$
	BC24664824FG	24	66	48	24	\$	\$	\$
	BC24724824FG	24	72	48	24	\$	\$	\$
	BC30484830FG	30	48	48	30	\$	\$	\$
	BC30486030FG	30	48	60	30	\$	\$	\$
	BC30486630FG	30	48	66	30	\$	\$	\$
	BC30487230FG	30	48	72	30	\$	\$	\$
	BC30604830FG	30	60	48	30	\$	\$	\$
	BC30664830FG	30	66	48	30	\$	\$	\$
	BC30724830FG	30	72	48	30	\$	\$	\$

- Consists of top, three legs, a full modesty panel and gusset cantilevers
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (66" and 72" have a fourth middle grommet)

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat color and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Full Modesty Panel and Gusset Cantilevers (BC24424224FG) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031),


Product Number	Poly Color	Laminate
BC24424224FG	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:




Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

DESKS • Corner Worksurfaces



Plan view (BC24486024FP)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Partial, Full Modesty Panels	BC24424224PF	24	42	42	24	\$	\$	\$
	BC24484824PF	24	48	48	24	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, three legs, a 9" partial and full back modesty panels Two configurable end panels Each leg has two cable access grommet locations Top has three cable access grommets above the legs (66" and 72" have a fourth middle grommet) 	BC24486024PF	24	48	60	24	\$	\$	\$
	BC24486624PF	24	48	66	24	\$	\$	\$
	BC24487224PF	24	48	72	24	\$	\$	\$
	BC24604824PF	24	60	48	24	\$	\$	\$
	BC24664824PF	24	66	48	24	\$	\$	\$
	BC24724824PF	24	72	48	24	\$	\$	\$
	BC30484830PF	30	48	48	30	\$	\$	\$
	BC30486030PF	30	48	60	30	\$	\$	\$
	BC30486630PF	30	48	66	30	\$	\$	\$
	BC30487230PF	30	48	72	30	\$	\$	\$
	BC30604830PF	30	60	48	30	\$	\$	\$
	BC30664830PF	30	66	48	30	\$	\$	\$
	BC30724830PF	30	72	48	30	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Partial, Full Modesty Panels (BC24424224PF) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly Color	Laminate
BC24424224PF	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

- B Both Panels Transition Size
- L Left Panel Transition Size
- R Right Panel Transition Size
- S Standard Panel Size

Special:



Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

DESKS • Corner Worksurfaces



Plan view (BC24486024PP)

Freestanding Corner Worksurface w/ Two Partial Modesty Panels

- Consists of top, three legs, two 9" partial back modesty panels
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)


DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Two Partial Modesty Panels	BC24424224PP	24	42	42	24	\$	\$	\$
	BC24484824PP	24	48	48	24	\$	\$	\$
• Consists of top, three legs, two 9" partial back modesty panels	BC24486024PP	24	48	60	24	\$	\$	\$
	BC24486624PP	24	48	66	24	\$	\$	\$
	BC24487224PP	24	48	72	24	\$	\$	\$
	BC24604824PP	24	60	48	24	\$	\$	\$
	BC24664824PP	24	66	48	24	\$	\$	\$
	BC24724824PP	24	72	48	24	\$	\$	\$
	BC30484830PP	30	48	48	30	\$	\$	\$
	BC30486030PP	30	48	60	30	\$	\$	\$
	BC30486630PP	30	48	66	30	\$	\$	\$
	BC30487230PP	30	48	72	30	\$	\$	\$
• Each leg has two cable access grommet locations	BC30604830PP	30	60	48	30	\$	\$	\$
	BC30664830PP	30	66	48	30	\$	\$	\$
	BC30724830PP	30	72	48	30	\$	\$	\$
	BC30724830PP	30	72	48	30	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Two Partial Modesty Panels (BC24424224PP) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:




END PANEL OPTIONS

- B Both Panels Transition Size
- L Left Panel Transition Size
- R Right Panel Transition Size
- S Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


DESKS • Corner Worksurfaces



BC24424224PG w/ S



BC24487224PG w/ S



Plan view (BC24486024PG)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Partial Modesty Panel, Gusset Cantilevers	BC24424224PG	24	42	42	24	\$	\$	\$
	BC24484824PG	24	48	48	24	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, three legs, 9" partial back modesty panel and gusset cantilevers Two configurable end panels Each leg has two cable access grommet locations Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet) 	BC24486024PG	24	48	60	24	\$	\$	\$
	BC24486624PG	24	48	66	24	\$	\$	\$
	BC24487224PG	24	48	72	24	\$	\$	\$
	BC24604824PG	24	60	48	24	\$	\$	\$
	BC24664824PG	24	66	48	24	\$	\$	\$
	BC24724824PG	24	72	48	24	\$	\$	\$
	BC30484830PG	30	48	48	30	\$	\$	\$
	BC30486030PG	30	48	60	30	\$	\$	\$
	BC30486630PG	30	48	66	30	\$	\$	\$
	BC30487230PG	30	48	72	30	\$	\$	\$
	BC30604830PG	30	60	48	30	\$	\$	\$
	BC30664830PG	30	66	48	30	\$	\$	\$
BC30724830PG	30	72	48	30	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
 - Gusset Cantilevers provide more open wall access than the modesty panel

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Partial Modesty Panel, Gusset Cantilevers (BC24424224PG) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly Color	Laminate
BC24424224PG	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:




Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

DESKS • Corner Worksurfaces



Plan view (BC24486024GF)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Gusset Cantilevers, Full Modesty Panel	BC24424224GF	24	42	42	24	\$	\$	\$
	BC24484824GF	24	48	48	24	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, three legs, a 9" partial and full back modesty panels Two configurable end panels Each leg has two cable access grommet locations Top has three cable access grommets above the legs (66" and 72" have a fourth middle grommet) 	BC24486024GF	24	48	60	24	\$	\$	\$
	BC24486624GF	24	48	66	24	\$	\$	\$
	BC24487224GF	24	48	72	24	\$	\$	\$
	BC24604824GF	24	60	48	24	\$	\$	\$
	BC24664824GF	24	66	48	24	\$	\$	\$
	BC24724824GF	24	72	48	24	\$	\$	\$
	BC30484830GF	30	48	48	30	\$	\$	\$
	BC30486030GF	30	48	60	30	\$	\$	\$
	BC30486630GF	30	48	66	30	\$	\$	\$
	BC30487230GF	30	48	72	30	\$	\$	\$
	BC30604830GF	30	60	48	30	\$	\$	\$
	BC30664830GF	30	66	48	30	\$	\$	\$
	BC30724830GF	30	72	48	30	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel


TO ORDER:
 Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Gusset Cantilevers and Full Modesty Panel (BC24424224GF) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:

Product Number	Poly Color	Laminate
BC24424224GF	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS




- B Both Panels Transition Size
- L Left Panel Transition Size
- R Right Panel Transition Size
- S Standard Panel Size

Special:
 Options are always specified Left to Right from the seated position.



- NOTES:**
- Product dimensions shown in approximate inches
 - See page 66 for Polypropylene and Metal Powder Coat Finish selections
 - See page 67 for Laminate and Upholstery Finish information
 - Wire styles must match on all electrical components (see pages 60-65)
 - Building connection hardware must be supplied by customer
 - Add-On Worksurfaces and Overhead storage units must match workspace dimensions

DESKS • Corner Worksurfaces



Plan view (BC24486024GP)

DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Gusset Cantilevers, Partial Modesty Panel	BC24424224GP	24	42	42	24	\$	\$	\$
	BC24484824GP	24	48	48	24	\$	\$	\$
<ul style="list-style-type: none"> Consists of top, three legs, a 9" partial and partial back modesty panels Two configurable end panels Each leg has two cable access grommet locations Top has three cable access grommets above the legs (66" and 72" have a fourth middle grommet) 	BC24486024GP	24	48	60	24	\$	\$	\$
	BC24486624GP	24	48	66	24	\$	\$	\$
	BC24487224GP	24	48	72	24	\$	\$	\$
	BC24604824GP	24	60	48	24	\$	\$	\$
	BC24664824GP	24	66	48	24	\$	\$	\$
	BC24724824GP	24	72	48	24	\$	\$	\$
	BC30484830GP	30	48	48	30	\$	\$	\$
	BC30486030GP	30	48	60	30	\$	\$	\$
	BC30486630GP	30	48	66	30	\$	\$	\$
	BC30487230GP	30	48	72	30	\$	\$	\$
	BC30604830GP	30	60	48	30	\$	\$	\$
	BC30664830GP	30	66	48	30	\$	\$	\$
	BC30724830GP	30	72	48	30	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Gusset Cantilevers and Partial Modesty Panel (BC24424224GP) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly Color	Laminate
BC24424224GP	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:



Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

DESKS • Corner Worksurfaces



Plan view (BC24486024GG)

Freestanding Corner Worksurface w/ Gusset Cantilevers

- Consists of top, three legs, gusset cantilevers
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)


DESCRIPTION	PRODUCT NUMBER	Left Side		Right Side		End Style		
		DEPTH	WIDTH	DEPTH	WIDTH	Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Corner Worksurface w/ Gusset Cantilevers	BC24424224GG	24	42	42	24	\$	\$	\$
	BC24484824GG	24	48	48	24	\$	\$	\$
• Consists of top, three legs, gusset cantilevers	BC24486024GG	24	48	60	24	\$	\$	\$
	BC24486624GG	24	48	66	24	\$	\$	\$
	BC24487224GG	24	48	72	24	\$	\$	\$
	BC24604824GG	24	60	48	24	\$	\$	\$
	BC24664824GG	24	66	48	24	\$	\$	\$
	BC24724824GG	24	72	48	24	\$	\$	\$
	BC30484830GG	30	48	48	30	\$	\$	\$
	BC30486030GG	30	48	60	30	\$	\$	\$
	BC30486630GG	30	48	66	30	\$	\$	\$
	BC30487230GG	30	48	72	30	\$	\$	\$
	BC30604830GG	30	60	48	30	\$	\$	\$
BC30664830GG	30	66	48	30	\$	\$	\$	
BC30724830GG	30	72	48	30	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Gusset Cantilevers provide more open wall access than the modesty panel

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42"(L) 42" x 24"(R) Freestanding Corner Worksurface w/ Two Partial Modesty Panels (BC24424224GG) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:




END PANEL OPTIONS

- B Both Panels Transition Size
- L Left Panel Transition Size
- R Right Panel Transition Size
- S Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Desks • Reduction Rectangular Worksurfaces



BVRR244230F /w S



Plan View (BVRR245430F)

Freestanding Reduction Rectangular Worksurface w/ Full Modesty Panel

- Desk reduces size from left to right end
- Consists of top, two legs, full back modesty panels
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Reduction Rectangular Worksurface w/ Full Modesty Panel	BVRR244230F	24	42	30	\$	\$	\$
	BVRR244830F	24	48	30	\$	\$	\$
• Desk reduces size from left to right end • Consists of top, two legs, full back modesty panels • Two configurable end panels • Each leg has two cable access grommet locations • Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)	BVRR245430F	24	54	30	\$	\$	\$
	BVRR246030F	24	60	30	\$	\$	\$
	BVRR246630F	24	66	30	\$	\$	\$
	BVRR247230F	24	72	30	\$	\$	\$
	BVRR304224F	30	42	24	\$	\$	\$
	BVRR304824F	30	48	24	\$	\$	\$
	BVRR305424F	30	54	24	\$	\$	\$
	BVRR306024F	30	60	24	\$	\$	\$
	BVRR306624F	30	66	24	\$	\$	\$
	BVRR307224F	30	72	24	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
 - Reduction depth is 24" on one end and 30" on the opposite end with two gently curving (12" radius) arcs

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42" x 30" w/ Full Modesty Panels (BVRR244230F) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031), select:

Product Number: **BVRR244230F** Poly Color: **S** **B** Laminate: **34** **PLM4031**


End Panel Style: **S** Metal Powder Coat Color: **34**

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Desks • Reduction Rectangular Worksurfaces



BVRR244230P /w S



Plan View (BVRR245430P)

Freestanding Reduction Rectangular Worksurface w/ Partial Modesty Panel

- Desk reduces size from left to right end
- Consists of top, two legs, partial back modesty panels
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Reduction Rectangular Worksurface w/ Partial Modesty Panel	BVRR244230P	24	42	30	\$	\$	\$
	BVRR244830P	24	48	30	\$	\$	\$
• Desk reduces size from left to right end • Consists of top, two legs, partial back modesty panels • Two configurable end panels • Each leg has two cable access grommet locations • Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)	BVRR245430P	24	54	30	\$	\$	\$
	BVRR246030P	24	60	30	\$	\$	\$
	BVRR246630P	24	66	30	\$	\$	\$
	BVRR247230P	24	72	30	\$	\$	\$
	BVRR304224P	30	42	24	\$	\$	\$
	BVRR304824P	30	48	24	\$	\$	\$
	BVRR305424P	30	54	24	\$	\$	\$
	BVRR306024P	30	60	24	\$	\$	\$
	BVRR306624P	30	66	24	\$	\$	\$
	BVRR307224P	30	72	24	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
 - Reduction depth is 24" on one end and 30" on the opposite end with two gently curving (12" radius) arcs

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42" x 30" w/ Partial Modesty Panels (BVRR244230P) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031), select:

Product Number: **BVRR244230P** Poly Color: **S** **B** **34** Laminate: **PLM4031**


End Panel Style: **S** Metal Powder Coat Color: **34**

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:



Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Desks • Reduction Rectangular Worksurfaces



Freestanding Reduction Rectangular Worksurface w/ Gusset Cantilevers

- Desk reduces size from left to right end
- Consists of top, two legs, gusset cantilevers
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Reduction Rectangular Worksurface w/ Gusset Cantilevers	BVRR244230G	24	42	30	\$	\$	\$
	BVRR244830G	24	48	30	\$	\$	\$
• Desk reduces size from left to right end • Consists of top, two legs, gusset cantilevers • Two configurable end panels • Each leg has two cable access grommet locations • Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)	BVRR245430G	24	54	30	\$	\$	\$
	BVRR246030G	24	60	30	\$	\$	\$
	BVRR246630G	24	66	30	\$	\$	\$
	BVRR247230G	24	72	30	\$	\$	\$
	BVRR304224G	30	42	24	\$	\$	\$
	BVRR304824G	30	48	24	\$	\$	\$
	BVRR305424G	30	54	24	\$	\$	\$
	BVRR306024G	30	60	24	\$	\$	\$
	BVRR306624G	30	66	24	\$	\$	\$
	BVRR307224G	30	72	24	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
 - Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
 - Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
 - All required assembly hardware is included
-
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
 - Top has a flat PVC edge and is 29" in height
 - Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
 - A glide attached to the bottom of the leg allows 1-1/8" of adjustability
 - Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
 - Gusset Cantilevers provide more open wall access than the modesty panel
 - Reduction depth is 24" on one end and 30" on the opposite end with two gently curving (12" radius) arcs

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 42" x 30" w/ Gusset Cantilevers (BVRR244230G) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly Color	Laminate
BVRR244230G	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Color

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Desks • Piano Worksurfaces



BVP244872F w/ S



BVP604824F w/ S



Plan View (BVP304872F)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Piano Worksurface w/ Full Modesty Panel <ul style="list-style-type: none"> Consists of top, two legs, one round leg, and full modesty back panel Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options) Each leg has two cable access grommet locations Top has two cable access grommets above the legs Piano end is 30" wide 	BVP244860F	24	48	60	\$	\$	\$
	BVP244866F	24	48	66	\$	\$	\$
	BVP244872F	24	48	72	\$	\$	\$
	BVP304872F	30	48	72	\$	\$	\$
	BVP604824F	60	48	24	\$	\$	\$
	BVP724824F	72	48	24	\$	\$	\$
BVP724830F	72	48	30	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty Panel allows basic cabling to be run along the width of the desk.
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 48" x 60" Freestanding Piano Worksurface w/ Full Modesty Panel (BVP244860F) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:


Product Number	Poly color	Laminate
BVP244860F	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Desks • Piano Worksurfaces



BVP244872P w/ S



BVP604824P w/ S



Plan View (BVP304872P)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Piano Worksurface w/ Partial Modesty Panel	BVP244860P	24	48	60	\$	\$	\$
	BVP244866P	24	48	66	\$	\$	\$
	BVP244872P	24	48	72	\$	\$	\$
	BVP304872P	30	48	72	\$	\$	\$
	BVP604824P	60	48	24	\$	\$	\$
	BVP724824P	72	48	24	\$	\$	\$
	BVP724830P	72	48	30	\$	\$	\$

- Consists of top, two legs, one round leg, and partial modesty back panel
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- Piano end is 30" wide

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge has a 16" or 22" radius depending on the size of the worksurface

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 48" x 60" Freestanding Piano Worksurface w/ Partial Modesty Panel (BVP244860P) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:


Product Number	Poly color	Laminate
BVP244860P	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Desks • Piano Worksurfaces



BVP244872G w/ S



BVP604824G w/ S



Plan View (BVP304872G)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding Piano Worksurface w/ Gusset Cantilevers <ul style="list-style-type: none"> Consists of top, two legs, one round leg, and gusset cantilevers Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options) Each leg has two cable access grommet locations Top has two cable access grommets above the legs Gusset cantilevers provide open access to walls Piano end is 30" wide 	BVP244860G	24	48	60	\$	\$	\$
	BVP244872G	24	48	72	\$	\$	\$
	BVP604824G	60	48	24	\$	\$	\$
	BVP724824G	72	48	24	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Gusset Cantilevers provide more open wall access
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 48" x 60" Freestanding Piano Worksurface w/ Gusset Cantilevers (BVP244860G) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:


Product Number	Poly color	Laminate
BVP244860G	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Desks • P-Shaped Worksurfaces



BVPD244872F w/ S



BVPD604824F w/ S



Plan View (BVPD604824F)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding P-Shaped Worksurface w/ Full Modesty Panel <ul style="list-style-type: none"> Consists of top, two legs, one round leg, and full modesty back panel Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options) Each leg has two cable access grommet locations Top has two cable access grommets above the legs P-end is 18" wide 	BVPD244860F	24	48	60	\$	\$	\$
	BVPD244872F	24	48	72	\$	\$	\$
	BVPD304872F	30	48	72	\$	\$	\$
	BVPD604824F	60	48	24	\$	\$	\$
	BVPD724824F	72	48	24	\$	\$	\$
	BVPD724830F	72	48	30	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty Panel allows basic cabling to be run along the width of the desk.
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat color and laminate surface. For example, to order a Bravo 24" x 48" x 60" Freestanding P-Shaped Worksurface w/ Full Modesty Panel (BVPD244860F) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly color	Laminate
BVPD244860F	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Desks • P-Shaped Worksurfaces



BVPD244872P w/ S



BVPD604824P w/ S



Plan View (BVPD604824P)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding P-Shaped Worksurface w/ Partial Modesty Panel	BVPD244860P	24	48	60	\$	\$	\$
	BVPD244872P	24	48	72	\$	\$	\$
	BVPD304872P	30	48	72	\$	\$	\$
	BVPD604824P	60	48	24	\$	\$	\$
	BVPD724824P	72	48	24	\$	\$	\$
	BVPD724830P	72	48	30	\$	\$	\$

- Consists of top, two legs, one round leg, and partial modesty back panel
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- P-end is 18" wide

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 24" x 48" x 60" Freestanding P-Shaped Worksurface w/ Partial Modesty Panel (BVPD244860P) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031), select:


Product Number	Poly color	Laminate
BVPD244860P	S B 34	PLM4031
	End Panel Style	Metal Powder Coat Finish

END PANEL OPTIONS

B	Both Panels Transition Size
L	Left Panel Transition Size
R	Right Panel Transition Size
S	Standard Panel Size

Special:


Options are always specified Left to Right from the seated position.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Desks • P-Shaped Worksurfaces



BVPD244872G w/ S



BVPD604824G w/ S



Plan View (BVPD604824G)

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	WIDTH	LENGTH (RIGHT)	End Style		
					Both (B)	Left or Right (L or R)	Standard (S)
Freestanding P-Shaped Worksurface w/ Gusset Cantilevers	BVPD244860G	24	48	60	\$	\$	\$
	BVPD244872G	24	48	72	\$	\$	\$
	BVPD604824G	60	48	24	\$	\$	\$
	BVPD724824G	72	48	24	\$	\$	\$


- Consists of top, two legs, one round leg, and gusset cantilevers
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- P-end is 18" wide

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable glide
- Gusset Cantilevers on the back panel provide even more access to a wall behind the desk
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

TO ORDER:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" x 48" x 60" Freestanding P-Shaped Worksurface w/ Gusset Cantilevers (BVPD244860G) w/ Standard End Panels (S), Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:




END PANEL OPTIONS

- B Both Panels Transition Size
- L Left Panel Transition Size
- R Right Panel Transition Size
- S Standard Panel Size

Special:



Options are always specified Left to Right from the seated position.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Desks • D-Shaped Worksurfaces




DESCRIPTION	PRODUCT NUMBER	LENGTH	DEPTH	Transition End Style Both (B)
Freestanding D-Shaped Worksurface w/ Full Modesty Panel <ul style="list-style-type: none"> Consists of top, two legs, one round leg, and full modesty back panel Transition side panels Each leg has two cable access grommet locations Top has two cable access grommets above the legs One 9" tall steel partial modesty panel along the 60"- 72" deep side is standard, allowing basic cabling to run along the length of the D-shaped worksurface 	BVD2448F	24	48	\$
	BVD2454F	24	54	\$
	BVD2460F	24	60	\$
	BVD2466F	24	66	\$
	BVD2472F	24	72	\$
	BVD3048F	30	48	\$
	BVD3054F	30	54	\$
	BVD3060F	30	60	\$
	BVD3066F	30	66	\$
	BVD3072F	30	72	\$
	BVD3648F	36	48	\$
	BVD3654F	36	54	\$
	BVD3660F	36	60	\$
	BVD3666F	36	66	\$
	BVD3672F	36	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty Panel allows basic cabling to be run along the width of the desk.
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces

TO ORDER:

Select the product number and then add the codes for the polypropylene (POLY) color, metal powder coat finish and laminate surface.
 For example, to order a **Bravo 24" x 48" Freestanding D-Shaped Worksurface w/ Full Modesty Panel (BVD2448F) w/ Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:





NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Desks • D-Shaped Worksurfaces




DESCRIPTION	PRODUCT NUMBER	LENGTH	DEPTH	Transition End Style Both (B)
Freestanding D-Shaped Worksurface w/ Partial Modesty Panel	BVD2448P	24	48	\$
	BVD2454P	24	54	\$
<ul style="list-style-type: none"> Consists of top, two legs, one round leg, and partial modesty back panel Transition side panels Each leg has two cable access grommet locations Top has two cable access grommets above the legs One 9" tall steel partial modesty panel along the 60"- 72" deep side is standard, allowing basic cabling to run along the length of the D-shaped worksurface 	BVD2460P	24	60	\$
	BVD2466P	24	66	\$
	BVD2472P	24	72	\$
	BVD3048P	30	48	\$
	BVD3054P	30	54	\$
	BVD3060P	30	60	\$
	BVD3066P	30	66	\$
	BVD3072P	30	72	\$
	BVD3648P	36	48	\$
	BVD3654P	36	54	\$
	BVD3660P	36	60	\$
	BVD3666P	36	66	\$
	BVD3672P	36	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty Panel allows basic cabling to be run along the width of the desk.
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces

TO ORDER:

Select the product number and then add the codes for the polypropylene (POLY) color, metal powder coat finish and laminate surface.
 For example, to order a **Bravo 24" x 48" Freestanding D-Shaped Worksurface w/ Partial Modesty Panel (BVD2448P) w/ Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:




NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Desks • D-Shaped Worksurfaces



BVD3054G w/ B



BVD3060G w/ B

DESCRIPTION	PRODUCT NUMBER	LENGTH	DEPTH	Transition End Style Both (B)
Freestanding D-Shaped Worksurface w/ Partial Modesty Panel	BVD3054G	30	54	\$
	BVD3060G	30	60	\$
	BVD3066G	30	66	\$
	BVD3072G	30	72	\$


- Consists of top, two legs, one round leg, and gusset cantilevers
- Transition side panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- One 9" tall steel partial modesty panel along the 60"- 72" deep side is standard, allowing basic cabling to run along the length of the D-shaped worksurface

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Leg Assembly has a glide attached to the bottom of the leg for up to 1-1/8" of adjustability
- Desk leg is formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Gusset Cantilevers on the back panel provide even more access to a wall behind the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces

TO ORDER:

Select the product number and then add the codes for the polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 30" x 54" Freestanding D-Shaped Worksurface w/ Gusset Cantilevers (BVD3054G) w/ Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:




NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Desks • Executive Desk



BVED2460F w/ S



Walk-on view of BVED2460F w/ S

DESCRIPTION	PRODUCT NUMBER	LENGTH	WIDTH	Standard End Panels (S)
Executive Desk	BVED2460F	24	60	\$
	BVED2466F	24	66	\$
	BVED2472F	24	72	\$
	BVED3060F	30	60	\$
	BVED3066F	30	66	\$
	BVED3072F	30	72	\$

- Consists of top, two legs and full modesty back panel
- Modesty side panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- "Guest" side of desk has a 6" deep bowed overhand worksurface edge

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- Standard Transition End Panels are standard
- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER:

Select the product number and then add the codes for the polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" X 60" Executive Desk (BVED2460F) w/ Black Polypropylene (POLY) Color (B), Starlight Silver Paint Color (34), and Biltmore Cherry Laminate (PLM4031)**, select:




Desks • Add-On Worksurfaces



BVRA2436

DESCRIPTION	PRODUCT NUMBER	DEPTH	DIAMETER	Pricing
Round Add-On Worksurface	BVRA2436	24	36	\$
	BVRA3042	30	42	\$



BVHR4824

DESCRIPTION	PRODUCT NUMBER	DEPTH	RADIUS	Pricing
Half Round Add-On Worksurface	BVHA2448	48	24	\$
	BVHA3060	60	30	\$



BVQR2430

DESCRIPTION	PRODUCT NUMBER	DEPTH	RADIUS	Pricing
Quarter Round Add-On Worksurface	BVQA2424	24	24	\$
	BVQA3030	30	30	\$

- Flat perpendicular edge is the same length as the depth

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- Worksurfaces are available with the same edge treatments as rectangular worksurfaces, also 29" height
- Single tubular support leg has a 4" diameter, is constructed of 14-gage steel, and has a 1-1/8" adjustable steel glide

NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the desired end panel, polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" Deep x 30" Diameter Round Add-On Worksurface (BVRA2436)**, **Black Polypropylene (POLY) Color (B)**, **Starlight Silver Metal Powder Coat Color (34)**, and **Biltmore Cherry Laminate (PLM4031)**, select:



Desks • Transaction Worksurfaces




BVTSS24

Transaction Counter Standard Height Straight Worksurface

- Consists of a top, two stanchions, steel privacy panel
- Space below transaction surface is 11-1/2"
- Approximate height from floor is 42"

DESCRIPTION	PRODUCT NUMBER	LENGTH	Pricing
Transaction Counter Standard Height Straight Worksurface	BVTSS24	24	\$
	BVTSS30	30	\$
	BVTSS36	36	\$
	BVTSS42	42	\$
	BVTSS48	48	\$
	BVTSS54	54	\$
	BVTSS60	60	\$
	BVTSS66	66	\$
	BVTSS72	72	\$



BVTLS24

Transaction Counter Low Height Straight Worksurface

- Consists of a top, two stanchions, steel privacy panel
- Space below transaction surface is 3-3/4"
- Approximate height from floor is 34"

DESCRIPTION	PRODUCT NUMBER	LENGTH	Pricing
Transaction Counter Low Height Straight Worksurface	BVTLS24	24	\$
	BVTLS30	30	\$
	BVTLS36	36	\$
	BVTLS42	42	\$
	BVTLS48	48	\$
	BVTLS54	54	\$
	BVTLS60	60	\$
	BVTLS66	66	\$
	BVTLS72	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- Worksurfaces are available with the same edge treatments as the rectangular worksurfaces
- Transaction panel is formed from 18-gage steel and attach to the underside of the transaction worksurface
- Depths for rectangular and corner shapes is 16"
- Transaction Worksurface Support is formed from 16-gage steel and is rated as R/C (QMFZ2), 94HB minimum or formed of 20-gage steel

NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a **Bravo 24" Transaction Counter Standard Height Straight Worksurface (BVTSS24)**, **Black Polypropylene (POLY) Color (B)**, **Starlight Silver Metal Powder Coat Color (34)**, and **Biltmore Cherry Laminate (PLM4031)**, select:




Desks • Transaction Worksurfaces



BVTSC4242

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	LENGTH (RIGHT)	Pricing
Transaction Counter Standard Height Corner Worksurface	BVTSC4242	42	42	\$
	BVTSC4848	48	48	\$
<ul style="list-style-type: none"> Consists of a top, two stanchions, steel privacy panel Space below transaction surface is 11-1/2" Approximate height from floor is 42" 	BVTSC4860	48	60	\$
	BVTSC4866	48	66	\$
	BVTSC4872	48	72	\$
	BVTSC6048	60	48	\$
	BVTSC6648	66	48	\$
	BVTSC7248	72	48	\$



BVTLC4242

DESCRIPTION	PRODUCT NUMBER	LENGTH (LEFT)	LENGTH (RIGHT)	Pricing
Transaction Counter Low Height Corner Worksurface	BVTLC4242	42	42	\$
	BVTLC4848	48	48	\$
<ul style="list-style-type: none"> Consists of a top, two stanchions, steel privacy panel Space below transaction surface is 3-3/4" Approximate height from floor is 34" 	BVTLC4860	48	60	\$
	BVTLC4866	48	66	\$
	BVTLC4872	48	72	\$
	BVTLC6048	60	48	\$
	BVTLC6648	66	48	\$
	BVTLC7248	72	48	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- Worksurfaces are available with the same edge treatments as the rectangular worksurfaces
- Transaction panel is formed from 18-gage steel and attach to the underside of the transaction worksurface
- Depths for rectangular and corner shapes is 16"
- Transaction Worksurface Support is formed from 16-gage steel and is rated as R/C (QMFZ2), 94HB minimum or formed of 20-gage steel

NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:


Select the product number and then add the codes for the polypropylene (POLY) color, metal powder coat finish and laminate surface. For example, to order a Bravo 42" x 42" Transaction Counter Standard Height Corner Worksurface (BVTSC4242), Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:




Desks • Overhead Storage



BVURSR24



BVURSR66



BVURSR72

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (PAINTED)
Universal Regular Shelf	BVURSR24	24	\$
	BVURSR30	30	\$
<ul style="list-style-type: none"> Steel bottom, end panels, low back with powder-coat finish Includes the overhead shelf and stanchions 66" length has one 30" unit and one 36" unit 72" length has two 36" units Depth of shelf is 15" with underneath clearance 16-1/2" 	BVURSR36	36	\$
	BVURSR42	42	\$
	BVURSR48	48	\$
	BVURSR54	54	\$
	BVURSR60	60	\$
	BVURSR66	66	\$
	BVURSR72	72	\$

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING (PAINTED)
Universal Low Shelf	BVULSR24	24	\$
	BVULSR30	30	\$
<ul style="list-style-type: none"> Steel bottom, end panels, low back with powder-coat finish Includes the overhead shelf and stanchions 66" length has one 30" unit and one 36" unit 72" length has two 36" units Depth of shelf is 15" with underneath clearance 9-1/4" 	BVULSR36	36	\$
	BVULSR42	42	\$
	BVULSR48	48	\$
	BVULSR54	54	\$
	BVULSR60	60	\$
	BVULSR66	66	\$
	BVULSR72	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- End Panels are constructed of 14-gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included stanchions are made of 16-gage steel and have 4 cutouts that can accommodate either commercially available data plates or Removable Power Taps (RPT)
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allows power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed, adjusted with incremental slots

NOTES:




- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the metal powder coat finish and polypropylene (POLY) color. For example, to order a **Bravo 24" Length (9-1/4" Width x 15" Length) Universal Low Shelf (BVULSR24) w/ Starlight Silver Metal Powder Coat Color (34) and Black Polypropylene (POLY) Color (B)** select:



Desks • Overhead Storage




DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (PAINTED)
Universal Overhead w/ Powder-Coat Finished Steel Door	BVUS24	24	\$
	BVUS30	30	\$
	BVUS36	36	\$
	BVUS42	42	\$
	BVUS48	48	\$
	BVUS54	54	\$
	BVUS60	60	\$
<ul style="list-style-type: none"> Steel bottom and top shelf, end panels, full back and door front with powder-coat finish Includes the overhead cabinet and stanchions 66" length has two overhead cabinets (one 30" cabinet and one 36" cabinet) 72" length has two overhead cabinets (two 36" cabinets) 13" high door recedes inside the cabinet Approximately 34" high when attached to worksurface with underneath clearance 18-1/2" Locks can be randomly assigned or keyed per customer requests 	BVUS66	66	\$
	BVUS72	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- End Panels are constructed of 14-gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allow power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed and adjusted with incremental slots

TO ORDER:

Select the product number and then add the codes for the stanchion cover & door handle polypropylene (POLY) color and cabinet & door metal powder coat finish. For example, to order a **Bravo 24" Universal Overhead w/ Powder-Coat Finished Steel Door (BVUS24)**, **Black Polypropylene (POLY) Color (B)** and **Starlight Silver Metal Powder Coat Color (34)** select:






NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Desks • Overhead Storage



DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (GRADE 1)	PRICING (GRADE 2)	PRICING (GRADE 3)
Universal Overhead w/ Fabric Covered Steel Door <ul style="list-style-type: none"> Steel bottom and top shelf, end panels, full back and door front covered with fabric Includes the overhead cabinet and stanchions 66" length has two overhead cabinets (one 30" cabinet and one 36" cabinet) 72" length has two overhead cabinets (two 36" cabinets) 13" high door recedes inside the cabinet Approximately 34" high when attached to worksurface with underneath clearance 18-1/2" Locks can be randomly assigned or keyed per customer requests 	BVUF24	24	\$	\$	\$
	BVUF30	30	\$	\$	\$
	BVUF36	36	\$	\$	\$
	BVUF42	42	\$	\$	\$
	BVUF48	48	\$	\$	\$
	BVUF54	54	\$	\$	\$
	BVUF60	60	\$	\$	\$
	BVUF66	66	\$	\$	\$
	BVUF72	72	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- End Panels are constructed of 14-gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allow power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed and adjusted with incremental slots

NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER:


Select the product number and then add the codes for the stanchion cover & door handle polypropylene (POLY) color, cabinet metal powder coat finish and door upholstery fabric. For example, to order a Bravo 24" Universal Overhead w/ Fabric Covered Steel Door (BVUF24) w/ Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Upholstery Fabric (XXXX), select:




Desks • Overhead Storage



BVUL24



BVUL66



BVUL72


DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (LAMINATED)
Universal Overhead w/ Laminate Covered Steel Door	BVUL24	24	\$
	BVUL30	30	\$
	BVUL36	36	\$
	BVUL42	42	\$
	BVUL48	48	\$
	BVUL54	54	\$
	BVUL60	60	\$
<ul style="list-style-type: none"> Steel bottom and top shelf, end panels, full back and door front covered in laminate Includes the overhead cabinet and stanchions 66" length has two overhead cabinets (one 30" cabinet and one 36" cabinet) 72" length has two overhead cabinets (two 36" cabinets) 13" high door recedes inside the cabinet Approximately 34" high when attached to worksurface with underneath clearance 18-1/2" Locks can be randomly assigned or keyed per customer requests 	BVUL66	66	\$
	BVUL72	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- End Panels are constructed of 14-gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allow power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed and adjusted with incremental slots

TO ORDER:

Select the product number and then add the codes for the stanchion cover & door handle polypropylene (POLY) color, cabinet metal powder coat finish and door laminate.
For example, to order a Bravo 24" Universal Overhead w/ Laminate Covered Steel Door (BVUL24) w/ Black Polypropylene (POLY) Color (B), Starlight Silver Metal Powder Coat Color (34), and Biltmore Cherry Laminate (PLM4031), select:






NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Desks • Overhead Storage



DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (SOLID)
Venus Overhead w/ Solid Door	BVS24	24	\$
	BVS30	30	\$
<ul style="list-style-type: none"> Colored or translucent extruded PVC door Painted lower door Includes the overhead cabinet and stanchions 66" length has two overhead unit (one 30" unit and one 36" unit) 72" length has two overhead units (two 36" units) Shelf Dividers available separately Locks can be randomly assigned or keyed per customer requests 	BVS36	36	\$
	BVS42	42	\$
	BVS48	48	\$
	BVS54	54	\$
	BVS60	60	\$
	BVS66D	66	\$
	BVS72D	72	\$


- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Cabinet sides are constructed of 14-gage sheet steel, while the top, back, and shelf are constructed out of 18-gage sheet steel
- Shelf is resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)
- Inside cabinet slotted every two inches to allow for the use of shelf dividers

TO ORDER A TRANSLUCENT DOOR:

Select the product number and then add the codes for the stanchion metal powder coat finish, translucent door and stanchion covers & cabinet lower door.


For example, to order a **Bravo 30" Venus Overhead (BVS30) w/ Starlight Silver Metal Powder Coat Color (34), Translucent Solid Door Color (TR) and Black Polypropylene (POLY) Color (B)**, select:



TO ORDER A SOLID DOOR:

Select the product number and then add the codes for then stanchion metal powder coat finish and stanchion covers, door & cabinet lower door polypropylene (POLY) color..

For example, to order a **Bravo 30" Venus Overhead (BVS30) w/ Starlight Silver Metal Powder Coat Color (34) and Black Polypropylene (POLY) Color (B)** select:






NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Desks • Components




DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (GRADE 1)	PRICING (GRADE 2)	PRICING (GRADE 3)
Venus Overhead w/ Fabric Covered Door <ul style="list-style-type: none"> Fabric covered extruded PVC door Painted lower door Includes the overhead cabinet and stanchions 66" length has two overhead unit (one 30" unit and one 36" unit) 72" length has two overhead units (two 36" units) Shelf Dividers available separately Locks can be randomly assigned or keyed per customer requests 	BVF24	24	\$	\$	\$
	BVF30	30	\$	\$	\$
	BVF36	36	\$	\$	\$
	BVF42	42	\$	\$	\$
	BVF48	48	\$	\$	\$
	BVF54	54	\$	\$	\$
	BVF60	60	\$	\$	\$
	BVF66D	66	\$	\$	\$
	BVF72D	72	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Cabinet sides are constructed of 14-gage sheet steel, while the top, back, and shelf are constructed out of 18-gage sheet steel
- Shelf are resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)
- Inside cabinet slotted every two inches to allow for the use of shelf dividers

TO ORDER:

Select the product number and then add the codes for the cabinet lower door & stanchion metal powder coat finish, stanchion covers & door polypropylene (POLY) color and Poly door upholstery fabric .
 For example, to order a **Bravo 24" Venus Overhead w/ Fabric Covered Door (BVF24) w/ Starlight Silver Metal Powder Coat Color (34)Black Polypropylene (POLY) Color (B) and Upholstered Solid Door Fabric (xxxx)** select:




NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions




Desks • Overhead Storage



BVS24



BVF66D



BVF72D

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING (LAMINATE)
Venus Overhead w/ Laminate Covered Door	BVL24	24	\$
	BVL30	30	\$
<ul style="list-style-type: none"> Laminate covered extruded PVC door Painted lower door Includes the overhead cabinet and stanchions 66" length has two overhead unit (one 30" unit and one 36" unit) 72" length has two overhead units (two 36" units) Shelf Dividers available separately Locks can be randomly assigned or keyed per customer requests 	BVL36	36	\$
	BVL42	42	\$
	BVL48	48	\$
	BVL54	54	\$
	BVL60	60	\$
	BVL66D	66	\$
	BVL72D	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Cabinet sides are constructed of 14-gage sheet steel, while the top, back, and shelf are constructed out of 18-gage sheet steel
- Shelf is resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)
- Inside cabinet slotted every two inches to allow for the use of shelf dividers


NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER:

Select the product number and then add the codes for the cabinet lower door & stanchion metal powder coat finish, stanchion covers & door polypropylene (POLY) color and Poly door laminate.

For example, to order a **Bravo 30" Venus Overhead w/ Laminate Covered Door (BVL30) w/ Starlight Silver Metal Powder Coat Color (34), Black Polypropylene (POLY) Color (B) and Biltmore Cherry Laminate (PLM4031)** select:



Desks • Conversion Kits

No image available

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Universal Overhead Conversion Kit	PRDCK24	24	\$
	PRDCK30	30	\$
<ul style="list-style-type: none"> Kit includes all the parts and hardware required to convert a Classic XXI or Crescendo Universal Overhead into a Bravo Universal Overhead Overhead must attach to a desk of the same size 	PRDCK36	36	\$
	PRDCK42	42	\$
	PRDCK48	48	\$
	PRDCK54	54	\$
	PRDCK60	60	\$
	PRDCK66	66	\$
	PRDCK72	72	\$

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*

No image available

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Venus Overhead Conversion Kit	VDCK	30 to 72	\$
<ul style="list-style-type: none"> Kit includes all the parts and hardware required to convert a Classic XXI or Crescendo Universal Overhead into a Venus Overhead Overhead must attach to a desk of the same size 			

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the metal powder coat finish and polypropylene (POLY) color. For example, to order a **Bravo Venus Overhead Conversion Kit (30 to 72") (VDCK) w/ Black Polypropylene (POLY) Color (B) and Starlight Silver Metal Powder Coat Color (34)**, select:

Product Number


VDCK

Poly Color

B




Components • Kiosks



KIOSK3024LHOP

DESCRIPTION	PRODUCT NUMBER	DOOR OPENING	WIDTH	DEPTH	PRICING
Kiosk with Open Bookshelf	KIOSK3024RHOP	Right	30	24	\$
	KIOSK3624RHOP	Right	36	24	\$
<ul style="list-style-type: none"> Steel Kiosk available in varying dimensions, 65-1/2" high Three 12" high lateral filing drawers with folder bars, secured by one lock 6" wide full height wardrobe area with a separate lock and coat hanger rod Door opening direction selectable Open bookcase has one adjustable shelf 	KIOSK3024LHOP	Left	30	24	\$
	KIOSK3624LHOP	Left	36	24	\$



KIOSK3024LHCL

DESCRIPTION	PRODUCT NUMBER	DOOR OPENING	WIDTH	DEPTH	PRICING
Kiosk with Hinged Doors	KIOSK3024RHCL	Right	30	24	\$
	KIOSK3624RHCL	Right	36	24	\$
<ul style="list-style-type: none"> Steel Kiosk available in varying dimensions, 65-1/2" high Three 12" high lateral filing drawers with folder bars, secured by one lock 6" wide full height wardrobe area with a separate lock and coat hanger rod Door opening direction selectable Hinged doors hide bookshelf and include one adjustable shelf 	KIOSK3024LHCL	Left	30	24	\$
	KIOSK3624LHCL	Left	36	24	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- Glides that adjust from inside the cabinet make installation even easier
- Body top, box frame front and back uprights are all 20-gage steel
- Uprights are notched in 3" intervals for drawer suspension mounting
- High-security single-bit locks are standard on all units
- Units are standard with random keys in a range of 100 different numbers
- Specific keying combinations are available at no additional charge. Any request must be included with the order
- All products are chemically etched prior to painting, this process enhances top coat bonding, with a top coat of epoxy powder paint

NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes metal powder coat finish. For example, to order a 30" Kiosk Right Door End with Hinged Doors (KIOSK3024RHCL) w/ Starlight Silver Metal Powder Coat Color (34), select:




Components • Mobile Pedestals



PEDMPPBF20

DESCRIPTION	PRODUCT NUMBER	WIDTH	DEPTH	HEIGHT	PRICING
Three Drawer Mobile File Pedestal	PEDMPPBF20	15	20	24-3/4	\$
	PEDMPPBF24	15	24	24-3/4	\$


- One 3" pencil drawer with tray
- One 6" box drawer
- One 12" file drawer
- 5th wheel for support included



PEDMPPFF20

DESCRIPTION	PRODUCT NUMBER	WIDTH	DEPTH	HEIGHT	PRICING
Two File Drawer Mobile File Pedestal	PEDMPPFF20	15	20	27-3/4	\$
	PEDMPPFF24	15	24	27-3/4	\$

- Two 12" file drawers



PEDMPPBF20

DESCRIPTION	PRODUCT NUMBER	WIDTH	DEPTH	HEIGHT	PRICING
Two Box Drawers and One File Drawer Mobile File Pedestal	PEDMPPBF20	15	20	24-3/4	\$
	PEDMPPBF24	15	24	24-3/4	\$

- Two 6" box drawers
- One 12" file drawer
- 5th wheel for support included

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Locks are included in each pedestal and are randomly keyed
- Specific keying combinations are available at no additional charge. Any request must be included with the order
- 12" file drawer sizes have a full extensions slide arm suspensions for full access to storage space
- 3" pencil drawers and 6" box drawers can have 3/4" extension, steel ball-bearing suspension
- Mobile pedestals have a finished top and 4 twin wheel hooded casters
- Front casters are locking, back casters are non-locking
- Mobile pedestals include 2-3/4" allowance for casters in the dimensions
- 20" deep pedestals must be used with 24" deep desks
- 20" and 24" deep pedestals may be used with 30" deep desks

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:


Select the product number and then add the codes for the desired metal powder coat finish. For example, to order a 20" Deep Two File Drawer Mobile File Pedestal (PEDMPPFF20) w/ Starlight Silver Metal Powder Coat Color (34), select:

Product Number

PEDMPPFF20 34

Metal Powder Coat Finish


Components • Freestanding Pedestals



PEDMPPBF20

DESCRIPTION	PRODUCT NUMBER	WIDTH	DEPTH	HEIGHT	PRICING
Three Drawer Freestanding File Pedestal	PEDFPPBF20	15	20	22-1/2	\$
	PEDFPPBF24	15	24	22-1/2	\$


- One 3" pencil drawer with tray
- One 6" box drawer
- One 12" file drawer



PEDMPPFF20

DESCRIPTION	PRODUCT NUMBER	WIDTH	DEPTH	HEIGHT	PRICING
Two File Drawer Freestanding File Pedestal	PEDFPPFF20	15	20	25-1/2	\$
	PEDFPPFF24	15	24	25-1/2	\$

- Two 12" file drawers



PEDMPPBF20

DESCRIPTION	PRODUCT NUMBER	WIDTH	DEPTH	HEIGHT	PRICING
Two Box Drawers and One File Drawer Freestanding File Pedestal	PEDFPBBF20	15	20	22-1/2	\$
	PEDFPBBF24	15	24	22-1/2	\$

- Two 6" box drawers
- One 12" file drawer

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Locks are included in each pedestal and are randomly keyed
- Specific keying combinations are available at no additional charge. Any request must be included with the order
- 12" file drawer sizes have a full extensions slide arm suspensions for full access to storage space
- 3" pencil drawers and 6" box drawers can have 3/4" extension, steel ball-bearing suspension
- Freestanding pedestals have a finished top and 4 adjustable glides and can be placed under a worksurface
- A counterbalance weight is included
- Freestanding pedestals include 1/2" allowance in the dimensions
- 20" deep pedestals must be used with 24" deep desks
- 20" and 24" deep pedestals may be used with 30" deep desks

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:


Select the product number and then add the codes for the desired metal powder coat finish. For example, to order a 20" Deep Two File Drawer Freestanding File Pedestal (PEDFPPFF20) w/ Starlight Silver Metal Powder Coat Color (34), select:

Product Number

PEDFPPFF20 34


Metal Powder Coat Finish

Components • Tool Rails



BVTSM24 on Rectangular Worksurface with Universal Overhead

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Stanchion Mounted Tool Rail Kit	BVTSM24	24	\$
	BVTSM30	30	\$
<ul style="list-style-type: none"> Mounts above the worksurface off the stanchions used to support any overhead storage unit Allows paper management accessories to be hung off the tool rail The desk size must match the width of product 	BVTSM36	36	\$
	BVTSM42	42	\$
	BVTSM48	48	\$
	BVTSM54	54	\$
	BVTSM60	60	\$
	BVTSM66	66	\$
	BVTSM72	72	\$



BVTWM24 on Rectangular Worksurface

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Worksurface Mounted Tool Rail Kit	BVTWM24	24	\$
	BVTWM30	30	\$
<ul style="list-style-type: none"> Mounts above the worksurface that attach to the grommets at each back corner Allows paper management accessories to be hung off the tool rail The desk size must match the width of product 	BVTWM36	36	\$
	BVTWM42	42	\$
	BVTWM48	48	\$
	BVTWM54	54	\$
	BVTWM60	60	\$
	BVTWM66	66	\$
	BVTWM72	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Tool rail is fabricated from a powder coated aluminum extrusion with injection molded plastic end caps
- Attaches to the workstation in one of two options. Option one is to attach the tool rail to the overhead storage supports through the use of self-locking steel brackets. Option two is to attach the tool rail to desk mounted brackets
- Mounted brackets are 15-3/4" high, non handed, and constructed of 16-gage steel. Tool rail is 4-1/2" high and 7/8" deep, with the length corresponding to the worksurface width minus the width of the overhead supports
- Multiple combinations of paper management units can hang on the bar in any of 4 vertical locations
- All components are made of injection molded ABS plastic

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:


Select the product number and then add the codes metal powder coat finish. For example, to order a **Bravo 24" Worksurface Mounted Tool Rail Kit (BVTWM24) w/ Starlight Silver Metal Powder Coat Color (34)**, select:

Product Number

BVTWM24 **34**

Metal Powder Coat Finish

Components • Tool Rails



BVTSO24 on Corner Worksurface with Universal Overhead

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Stanchion & On-Worksurface Mounted Tool Rail Kit	BVTSO24	24	\$
	BVTSO30	30	\$
<ul style="list-style-type: none"> Mounts above the worksurface between a stanchion used to support any overhead storage unit and an end mount bracket Allows paper management accessories to be hung off the tool rail The desk size must match the width of product 	BVTSO36	36	\$
	BVTSO42	42	\$
	BVTSO48	48	\$
	BVTSO54	54	\$
	BVTSO60	60	\$
	BVTSO66	66	\$
	BVTSO72	72	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Tool rail is fabricated from a powder coated aluminum extrusion with injection molded plastic end caps
- Attaches to the workstation in one of two options. Option one is to attach the tool rail to the overhead storage supports through the use of self-locking steel brackets. Option two is to attach the tool rail to desk mounted brackets
- Mounted brackets are 15 -3/4" high, non handed, and constructed of 16-gage steel. The tool rail is 4-1/2" high and 7/8" deep, with the length corresponding to the worksurface width minus the width of the overhead supports
- Multiple combinations of paper management units can hang on the bar in any of 4 vertical locations
- All components are made of injection molded ABS plastic

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:


Select the product number and then add the codes metal powder coat finish. For example, to order a **Bravo 24" Stanchion & On-Worksurface Mounted Tool Rail Kit (BVTSO24) w/ Starlight Silver Metal Powder Coat Color (34)**, select:

Product Number

Metal Powder Coat Finish




Components • Paper Management Accessories




NSD

DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING
Shelf Divider	NSD	XX	\$
<ul style="list-style-type: none"> Attaches to Universal (Low or Regular) Shelf, Universal Overhead Storage or Venus Overhead Storage 			




3CD

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	DEPTH	PRICING
Center Drawer	3CD	18	2-3/4	18	\$
<ul style="list-style-type: none"> Molded plastic compartment tray 					



PLL

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	DEPTH	PRICING
Plastic Paper Tray Unit	PLL	2	9-1/2	14	\$
<ul style="list-style-type: none"> Plastic construction 					



PDS

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	DEPTH	PRICING
Plastic Diagonal Storage Unit	PDS	2-1/2	7	12-1/2	\$
<ul style="list-style-type: none"> Plastic construction Three slanted partitions per unit 					

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Components address the storage and movement of files, binders, and documents for individual needs
- All accessories have integrated hooks for attachment to the work bar
- Shelf dividers made of powder coated steel and installation or removal of them can be accomplished without the use of tools or fasteners
- Center drawers have a lock which is randomly keyed. Specific keying combinations are available at ordering. It attaches under Bravo worksurfaces
- Paper Tray can be used freestanding or suspended from the tool rail
- Diagonal storage uses ABS dividers in either left or right positions. It can be freestanding or suspended from the tool rail

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:


Select the product number and then add the codes for the polypropylene (POLY) color and laminate surface. For example, to order a **Bravo Plastic Diagonal Storage Unit (PDS)** and **Black Polypropylene (POLY) Color (B)**, select:

Product Number

PDS B

Poly Color

Components • Paper Management Accessories



PAT

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	DEPTH	PRICING
Accessory Tray	PAT	2	9-1/2	10	\$

- Injection-molded plastic
- Stores stamps, tape dispenser, post-it pads and paper clips

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*



PPC

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	DEPTH	PRICING
Pencil Cup	PPC	4	4	3-1/2	\$

- Plastic construction

- *Components address the storage and movement of files, binders, and documents for individual needs*
- *All accessories have integrated hooks for attachment to the work bar*
- *Accessory tray has compartments for the storage of common items such as: stamps, small note pads, tape, pencils, and paper clips*

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color and laminate surface. For example, to order a **Bravo Pencil Cup (PPC)** and **Black Polypropylene (POLY) Color (B)**, select:

Product Number

PPC

B


Poly Color

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Privacy Screens



BVSBS1924 w/ TF


DESCRIPTION	PRODUCT NUMBER	WIDTH	Translucent (TF)	Exposed (EX) Grade 1	Exposed (EX) Grade 2	Exposed (EX) Grade 3	Upholstered (UF) Grade 1	Upholstered (UF) Grade 2	Upholstered (UF) Grade 3
Between Stanchion Mounted Screen w/ Frame Options	BVSBS1924	24	\$	\$	\$	\$	\$	\$	\$
	BVSBS1930	30	\$	\$	\$	\$	\$	\$	\$
<ul style="list-style-type: none"> Mounts above the worksurface, using the stanchions of overhead storage units, closing the gap between the two products The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications May be used to provide privacy between two worksurfaces placed back to back 3/4" thick and 19" high, available in widths to fit all worksurfaces Designed for straight-line applications Configurable to match the worksurface (see options) 	BVSBS1936	36	\$	\$	\$	\$	\$	\$	\$
	BVSBS1942	42	\$	\$	\$	\$	\$	\$	\$
	BVSBS1948	48	\$	\$	\$	\$	\$	\$	\$
	BVSBS1954	54	\$	\$	\$	\$	\$	\$	\$
	BVSBS1960	60	\$	\$	\$	\$	\$	\$	\$
	BVSBS1966	66	\$	\$	\$	\$	\$	\$	\$
	BVSBS1972	72	\$	\$	\$	\$	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick non-tackable translucent plastic
- Frames are made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size

TO ORDER:

Select the product number and then add the codes for the frame option, metal powder coat finish and upholstery fabric. For example, to order a Bravo 24" Between Stanchion Mounted Screen (BVSBS1924) w/ Exposed Frame (EF), Starlight Silver Paint Color (34), and Panel Upholstery (XXXX), select:




FRAME OPTIONS	
TF	Translucent Frame
EF	Exposed Frame
UF	Upholstered Frame


Special:

Translucent Frame (TF) does need a desired metal powder coat finish, but does not receive a upholstery option.


TF



EF




UF



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

Components • Privacy Screens



BVSBW2024 w/ TF


DESCRIPTION	PRODUCT NUMBER	HEIGHT	WIDTH	Translucent (TF)	Exposed (EX) Grade 1	Exposed (EX) Grade 2	Exposed (EX) Grade 3	Upholstered (UF) Grade 1	Upholstered (UF) Grade 2	Upholstered (UF) Grade 3	
Behind Worksurface Mounted Screen w/ Frame Options	BVSBW2024	20	24	\$	\$	\$	\$	\$	\$	\$	
	BVSBW2030	20	30	\$	\$	\$	\$	\$	\$	\$	
	• Mounts behind the back edge of the worksurface on brackets through grommets	BVSBW2036	20	36	\$	\$	\$	\$	\$	\$	\$
		BVSBW2042	20	42	\$	\$	\$	\$	\$	\$	\$
	• The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications	BVSBW2048	20	48	\$	\$	\$	\$	\$	\$	\$
		BVSBW2054	20	54	\$	\$	\$	\$	\$	\$	\$
	• May be used to provide privacy between two worksurfaces placed back to back	BVSBW2060	20	60	\$	\$	\$	\$	\$	\$	\$
		BVSBW2066	20	66	\$	\$	\$	\$	\$	\$	\$
	• 3/4" thick and 20" or 38" high, available in widths to fit all worksurfaces	BVSBW2072	20	72	\$	\$	\$	\$	\$	\$	\$
		BVSBW3824	38	24	\$	\$	\$	\$	\$	\$	\$
	• Designed for straight-line applications	BVSBW3830	38	30	\$	\$	\$	\$	\$	\$	\$
		BVSBW3836	38	36	\$	\$	\$	\$	\$	\$	\$
	• Configurable to match the worksurface (see options)	BVSBW3842	38	42	\$	\$	\$	\$	\$	\$	\$
		BVSBW3848	38	48	\$	\$	\$	\$	\$	\$	\$
		BVSBW3854	38	54	\$	\$	\$	\$	\$	\$	\$
		BVSBW3860	38	60	\$	\$	\$	\$	\$	\$	\$
	BVSBW3866	38	66	\$	\$	\$	\$	\$	\$	\$	
	BVSBW3872	38	72	\$	\$	\$	\$	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick non-tackable translucent plastic
- Frames can be made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size


TO ORDER:

Select the product number and then add the codes for the frame option, metal powder coat finish and upholstery fabric. For example, to order a **Bravo 24" Behind Worksurface Mounted Screen (BVSBW2024) w/ Exposed Frame (EF), Starlight Silver Paint Color (34), and Panel Upholstery (XXXX)**, select:



FRAME OPTIONS	
TF	Translucent Frame
EF	Exposed Frame
UF	Upholstered Frame


Special: Translucent Frame (TF) does need a desired metal powder coat finish, but does not receive a upholstery option.



- NOTES:**
- Product dimensions shown in approximate inches
 - See page 66 for Polypropylene and Metal Powder Coat Finish selections
 - See page 67 for Laminate and Upholstery Finish information
 - Wire styles must match on all electrical components (see pages 60-65)
 - Building connection hardware must be supplied by customer
 - Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Privacy Screens



BSBWC204242 w/ TF


DESCRIPTION	PRODUCT NUMBER	HEIGHT	LENGTH (LEFT)	LENGTH (RIGHT)	Translucent (TF)	Exposed (E) Grade 1	Exposed (E) Grade 2	Exposed (E) Grade 3	Upholstered (UF) Grade 1	Upholstered (UF) Grade 2	Upholstered (UF) Grade 3	
Behind Worksurface Mounted Corner Screen w/ Frame Options	BSBWC204242	20	42	42	\$	\$	\$	\$	\$	\$	\$	
	BSBWC204848	20	48	48	\$	\$	\$	\$	\$	\$	\$	
	• Mounts behind the back edge of the worksurface on brackets through grommets	BSBWC204860	20	48	60	\$	\$	\$	\$	\$	\$	\$
		BSBWC204866	20	48	66	\$	\$	\$	\$	\$	\$	\$
	• The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications	BSBWC204272	20	48	72	\$	\$	\$	\$	\$	\$	\$
		BSBWC206048	20	60	48	\$	\$	\$	\$	\$	\$	\$
	• May be used to provide privacy between two worksurfaces placed back to back	BSBWC206648	20	66	48	\$	\$	\$	\$	\$	\$	\$
		BSBWC207248	20	72	48	\$	\$	\$	\$	\$	\$	\$
	• 3/4" thick and 20" or 38" high, available in widths to fit all worksurfaces	BSBWC384242	38	42	42	\$	\$	\$	\$	\$	\$	\$
		BSBWC384848	38	48	48	\$	\$	\$	\$	\$	\$	\$
	• Designed for straight-line applications	BSBWC384860	38	48	60	\$	\$	\$	\$	\$	\$	\$
		BSBWC384866	38	48	66	\$	\$	\$	\$	\$	\$	\$
	• Configurable to match the worksurface (see options)	BSBWC384272	38	48	72	\$	\$	\$	\$	\$	\$	\$
BSBWC386048		38	60	48	\$	\$	\$	\$	\$	\$	\$	
• The direction of mount can be selected (left or right)	BSBWC386648	38	66	48	\$	\$	\$	\$	\$	\$	\$	
	BSBWC387248	38	72	48	\$	\$	\$	\$	\$	\$	\$	

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick non-tackable translucent plastic
- Frames can be made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size


TO ORDER:

Select the product number and then add the codes for the frame option, metal powder coat finish and upholstery fabric. For example, to order a **Bravo 20" x 42" x 24" Behind Worksurface Mounted Corner Screen (BSBWC204224) w/ Exposed Frame (EF), Starlight Silver Paint Color (34), and Panel Upholstery (XXXX)**, select:



FRAME OPTIONS	
TF	Translucent Frame
EF	Exposed Frame
UF	Upholstered Frame

Special: Translucent Frame (TF) does need a desired metal powder coat finish, but does not receive a upholstery option.




NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Privacy Screens



BVSSO1924 w/ TF & L



BVSSO1924 w/ TF & R

DESCRIPTION	PRODUCT NUMBER	WIDTH	Translucent (TF)	Exposed (E) Grade 1	Exposed (E) Grade 2	Exposed (E) Grade 3	Upholstered (UF) Grade 1	Upholstered (UF) Grade 2	Upholstered (UF) Grade 3
Between Two Stanchions and On-Worksurface Mounted Screen w/ Frame Options	BVSSO1924	24	\$	\$	\$	\$	\$	\$	\$
	BVSSO1930	30	\$	\$	\$	\$	\$	\$	\$
	BVSSO1936	36	\$	\$	\$	\$	\$	\$	\$
	BVSSO1942	42	\$	\$	\$	\$	\$	\$	\$
	BVSSO1948	48	\$	\$	\$	\$	\$	\$	\$
	BVSSO1954	54	\$	\$	\$	\$	\$	\$	\$
	BVSSO1960	60	\$	\$	\$	\$	\$	\$	\$
	BVSSO1966	66	\$	\$	\$	\$	\$	\$	\$
	BVSSO1972	72	\$	\$	\$	\$	\$	\$	\$


- Mounts on the worksurface between a stanchion used to support any overhead storage unit and brackets through grommets
- The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- 3/4" thick and 19" high, available in widths to fit all worksurfaces
- Designed for straight-line applications
- Configurable to match the worksurface (see options)
- The direction of mount can be selected (left or right)
- Includes a corner light block channel, which aligns and hold the back corner together

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick non-tackable translucent plastic
- Frames can be made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size




TO ORDER:

Select the product number and then add the codes for the bracket facing, frame option, metal powder coat finish and upholstery fabric. For example, to order a **Bravo 24" Left Facing (L) Between Two Stanchions and On-Worksurface Mounted Corner Screen (BVSSO1942) w/ Exposed Frame (EF), Starlight Silver Paint Color (34), and Panel Upholstery (XXXX)**, select:



FRAME OPTIONS	
TF	Translucent Frame
EF	Exposed Frame
UF	Upholstered Frame

Special: Translucent Frame (TF) does need a desired metal powder coat finish, but does not receive a upholstery option.




NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Privacy Screens



BVSOW1924 w/ TF


DESCRIPTION	PRODUCT NUMBER	HEIGHT	WIDTH	Translucent (TF)	Exposed (E) Grade 1	Exposed (E) Grade 2	Exposed (E) Grade 3	Upholstered (UF) Grade 1	Upholstered (UF) Grade 2	Upholstered (UF) Grade 3
On-Worksurface Mounted Screen w/ Frame Options	BVSOW1924	19	24	\$	\$	\$	\$	\$	\$	\$
	BVSOW1930	19	30	\$	\$	\$	\$	\$	\$	\$
<ul style="list-style-type: none"> Mounts between brackets on worksurface through grommets The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications 3/4" thick by 19" or 37" high, available in widths to fit all worksurfaces Designed for straight-line applications Configurable to match the worksurface (see options) 	BVSOW1936	19	36	\$	\$	\$	\$	\$	\$	\$
	BVSOW1942	19	42	\$	\$	\$	\$	\$	\$	\$
	BVSOW1948	19	48	\$	\$	\$	\$	\$	\$	\$
	BVSOW1954	19	54	\$	\$	\$	\$	\$	\$	\$
	BVSOW1960	19	60	\$	\$	\$	\$	\$	\$	\$
	BVSOW1966	19	66	\$	\$	\$	\$	\$	\$	\$
	BVSOW1972	19	72	\$	\$	\$	\$	\$	\$	\$
	BVSOW3724	37	24	\$	\$	\$	\$	\$	\$	\$
	BVSOW3730	37	30	\$	\$	\$	\$	\$	\$	\$
	BVSOW3736	37	36	\$	\$	\$	\$	\$	\$	\$
	BVSOW3742	37	42	\$	\$	\$	\$	\$	\$	\$
	BVSOW3748	37	48	\$	\$	\$	\$	\$	\$	\$
	BVSOW3754	37	54	\$	\$	\$	\$	\$	\$	\$
	BVSOW3760	37	60	\$	\$	\$	\$	\$	\$	\$
	BVSOW3766	37	66	\$	\$	\$	\$	\$	\$	\$
	BVSOW3772	37	72	\$	\$	\$	\$	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick non-tackable translucent plastic
- Frames can be made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size

TO ORDER:

Select the product number and then add the codes for the frame option, metal powder coat finish and upholstery fabric. For example, to order a Bravo 19" x 24" On-Worksurface Mounted Screen (BVSOW1924) w/ Exposed Frame (EF), Starlight Silver Paint Color (34), and Panel Upholstery (XXXX), select:



FRAME OPTIONS	
TF	Translucent Frame
EF	Exposed Frame
UF	Upholstered Frame

Special: Translucent Frame (TF) does need a desired metal powder coat finish, but does not receive a upholstery option.




NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Privacy Screens



BSOWC1942 w/ L



BSOWC1942 w/ R


DESCRIPTION	PRODUCT NUMBER	HEIGHT	WIDTH	Translucent (TF)	Exposed (E) Grade 1	Exposed (E) Grade 2	Exposed (E) Grade 3	Upholstered (UF) Grade 1	Upholstered (UF) Grade 2	Upholstered (UF) Grade 3
On-Worksurface Mounted Corner Screen w/ Frame Options	BSOWC1942	19	42	\$	\$	\$	\$	\$	\$	\$
	BSOWC1948	19	48	\$	\$	\$	\$	\$	\$	\$
<ul style="list-style-type: none"> Mounts behind the back edge of Bravo Behind Worksurface Mounted Screen (BVSBW) and worksurface on brackets through grommets The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications May be used to provide privacy between two worksurfaces placed back to back 3/4" thick by 19" or 37" high, available in widths to fit all worksurfaces Designed for straight-line applications Configurable to match the worksurface (see options) The direction of mount can be selected (left or right) Includes a corner light block channel, which aligns and hold the back corner together 	BSOWC1960	19	60	\$	\$	\$	\$	\$	\$	\$
	BSOWC1966	19	66	\$	\$	\$	\$	\$	\$	\$
	BSOWC1972	19	72	\$	\$	\$	\$	\$	\$	\$
	BSOWC3742	37	42	\$	\$	\$	\$	\$	\$	\$
	BSOWC3748	37	48	\$	\$	\$	\$	\$	\$	\$
	BSOWC3760	37	60	\$	\$	\$	\$	\$	\$	\$
	BSOWC3766	37	66	\$	\$	\$	\$	\$	\$	\$
	BSOWC3772	37	72	\$	\$	\$	\$	\$	\$	\$

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick non-tackable translucent plastic
- Frames can be made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size


TO ORDER:

Select the product number and then add the codes for the frame option, bracket facing, metal powder coat finish and upholstery fabric. For example, to order a **Bravo 19" x 24" Left Facing On-Worksurface Mounted Corner Screen (BSOWC1942) w/ Left Bracket Facing (L), Exposed Frame (EF), Starlight Silver Paint Color (34), and Panel Upholstery (XXXX)**, select:



FRAME OPTIONS	
TF	Translucent Frame
EF	Exposed Frame
UF	Upholstered Frame


Special:
Translucent Frame (TF) does need a desired metal powder coat finish, but does not receive a upholstery option.



NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


Components • Worksurface Accessories



55020

DESCRIPTION	PRODUCT NUMBER	SPECIFICATION	PRICING
Regular Grommet	55020	No specifications are available	\$


- Molded from polycarbonate



55022

DESCRIPTION	PRODUCT NUMBER	LENGTH	WIDTH	PRICING
Leg Grommet Cover	55022	3-1/4	2-1/4	\$


- Molded from polycarbonate



55023

DESCRIPTION	PRODUCT NUMBER	SPECIFICATION	PRICING
Worksurface Grommet	55023	No specifications are available	\$

- Molded from polycarbonate



55024

DESCRIPTION	PRODUCT NUMBER	SPECIFICATION	PRICING
Worksurface Grommet Cover	55024	No specifications are available	\$

- Molded from polycarbonate

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Grommets and covers are always standard and are replaceable without tools
- Worksurfaces grommets define the overall accessibility to cables and wireways and also provide support for overhead storage, hanging pedestals, electrical components, and privacy screens
- Basic Worksurfaces may include 2 triangular worksurface grommets, located in the back corners of each worksurface. 60" and 72" worksurfaces can have 3 triangular wireway grommets, two in the corners and one located near the back center of the desk
- Grommets can be ordered to match to the worksurface edge color

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the desired polypropylene (POLY) color. For example, to order a **Bravo Regular Grommet (55020)** with **Black Polypropylene (POLY) Color (B)**, select:

Product Number


55020

B

Poly Color




Components • Worksurface Accessories




BVFSL

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Freestanding Stanchion Large	BVFSL	19-1/2	\$
<ul style="list-style-type: none"> • 4 openings for data & power cables • Stanchion door and top cap included 			




BVFSS

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Freestanding Stanchion Short	BVFSS	11-1/2	\$
<ul style="list-style-type: none"> • 2 openings for data & power cables • Stanchion door and top cap included 			



BVEPT24

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
End Panel Trough	BVEPT24	24	\$
	BVEPT30	30	\$
<ul style="list-style-type: none"> • For matching desk size • All metal construction (no Polypropylene (POLY) color is selectable) 			



BVPMBL

DESCRIPTION	PRODUCT NUMBER	FACING	PRICING
Panel Mount Bracket	BVPMBL	LEFT	\$
	BVPMBR	RIGHT	\$
<ul style="list-style-type: none"> • Allows a desk unit to be attached to a Crescendo Panel • Only available in black Polypropylene (POLY) color 			

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Troughs keep cables organized and out of the way. An optional wire trough system can be installed on the back face of the desks
- Stanchions that can support overhead units also house electrical and data receptacles
- Bravo units easily integrate with the Crescendo Panel System via Panel Mount Bracket (See Crescendo System Pricelist)

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions


TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color (excluding BVPMBL and BVPMBR) and metal powder coat finish (excluding BVPMBL and BVPMBR).

For example, to order a **Bravo Freestanding Stanchion Large (BVFSL)**, **Black Polypropylene (POLY) Color (B)**, and **Starlight Silver Metal Powder Coat Color (34)**, select:


Product Number	Metal Powder Coat Finish
BVFSL	B 34
	Poly Color

Components • Data/Communication Accessories




DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Communications Pole	BVCOMCP7	7 ft.	\$
	BVCOMCP10	10 ft.	\$

- Aluminum 2-channel power pole and ceiling Polypropylene
- Attaches to the desk at a corner grommet location with customizable color
- Used to route cables from a ceiling feed point to the worksurface below



DESCRIPTION	PRODUCT NUMBER	WIDTH	LENGTH	PRICING
Face Plate Bracket	BVCOMFB	1 3/8	2-3/4	\$

- Bracket allows TIA/EIA standard face plate to mount below the desk
- All metal construction
- Additional hardware for data/communication sold separately



DESCRIPTION	PRODUCT NUMBER	UNITS	PRICING
Cable Support	460099PCK	25	\$

- Plastic hook attaches inside modesty panel to assist in the routing of cables
- Only available in black

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Communication Pole body is made of extruded aluminum, 16-gage, overall approximate dimensions are 1-3/4 x 3-1/2., with two cavities for physical power and data separation, length of top feed harness is 12"
- A plastic Polypropylene piece will cover the area where the pole intersects the ceiling
- Face Plate Bracket accepts several different manufactures' power and data face-plates, normally attached to the underside of the modesty panel near the worksurface utilizing Cable Supports to manage the wireways

- NOTES:**
- Product dimensions shown in approximate inches
 - See page 66 for Polypropylene and Metal Powder Coat Finish selections
 - See page 67 for Laminate and Upholstery Finish information
 - Wire styles must match on all electrical components (see pages 60-65)
 - Building connection hardware must be supplied by customer
 - Add-On Worksurfaces and Overhead storage units must match workspace dimensions


TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color (excluding BVCOMFB) and metal powder coat finish (excluding 460099PCK and 460099). For example, to order a **Bravo 7' Communications Pole, Black Polypropylene (POLY) Color (B) and Starlight Silver Metal Powder Coat Color (34)**, select:

Product Number: Poly Color: Metal Powder Coat Finish:



Components • Task Lights



TLELED17DMS

DESCRIPTION	PRODUCT NUMBER	OVERHEAD WIDTH SIZE	ARRAY LENGTH	OVERALL LENGTH	PRICING
Tuck LED Task Light	TLELED17DMS	24 to 30	18	22	\$
	TLELED31DMS	36 to 48	24	31	\$
	TLELED44DMS	54 and up	36	44	\$

- Attaches to the bottom of overhead storage cabinets or shelving
- Dimming, memory 60W transformer with 11' cord

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*

- *Task lights are offered in one standard level of efficiency and cost*

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions

TO ORDER:

Select the product number and then add the codes for the desired polypropylene (POLY) color. For example, to order a **Bravo 18" Tuck LED Task Light (TLELED17DMS) w/ Black Polypropylene (POLY) Color (B)**, select:


Product Number

TLELED17DMS

Poly Color

B


Components • Electrical (6-2-2 Circuit)



BVET6TF144

DESCRIPTION	PRODUCT NUMBER	HARNESS LENGTH	POLE LENGTH	PRICING
Top Feed	BVET6TF144	144	7 ft.	\$
	BVET6TF216	216	10 ft.	\$


- Includes harness, aluminum power pole and ceiling Polypropylene (see dimensions)
- Used to feed power from a hard wired J-box above a false ceiling to rigid wireway, attaches to grommet location



BVET6BF6

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Base Feed	BVET6BF6	6 ft.	\$

- Used to feed power from a hard wired J-box or floor monument to the rigid wireway on a desk
- Includes harness with colored conduit covering



BVET6PF6L


DESCRIPTION	PRODUCT NUMBER	FACING	PRICING
Panel Feed	BVET6PF6L	LEFT	\$
	BVET6PF6R	RIGHT	\$

- Includes harness to connect adjacent Crescendo Panel system

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color and metal powder coat finish (excluding BVET6PF6L, BVET6PF6R and BVET6BF6).

For example, to order a **Bravo 6-2-2 Circuit 7' Top Feed (BVET6TF144)** w/ **Black Polypropylene (POLY) Color (B)** and **Starlight Silver Metal Powder Coat**



- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Electrical (6-2-2 Circuit)



BVET6R1


DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING	
Receptacles	BVET6RC1	XX	\$	
	BVET6RC2	XX	\$	
	• Includes a modular duplex 15 amp receptacle that snaps into a rigid wireway	BVET6RC3	XX	\$
		BVET6RC4I	XX	\$
	• 4I, 5I & 6I will always be orange	BVET6RC5I	XX	\$
		BVET6RC6I	XX	\$

TO ORDER BRAVO RECEPTACLE:

Select the product number and then add the codes for the polypropylene (POLY) color (only BVET6RC1, BVET6RC2 and BVET6RC3). For example, to order a **Bravo 6-2-2 Circuit 1 Receptacle (BVET6RC1)** w/ **Black v (POLY) Color (B)**, select:


Product Number

 Poly Color



BVESR36

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Stanchion Power Tap	BVESR36	36	\$
	BVESR96	96	\$
• Provides a duplex 15 amp receptacle behind a desk stanchion door	• 36" used to connect to rigid wireway receptacle	• 96" used to connect adjacent desk wiring	



BVET6DJST

DESCRIPTION	PRODUCT NUMBER	SIZE	PRICING
Desk Jumper	BVET6DJST	Standard	\$
	BVET6DJ24	24	\$
	BVET6DJ30	30	\$
• Includes jumper harness to make electrical connection between adjacent desks			

TO ORDER ITEMS ON THIS PAGE:

Select the product number for the desired item. For example, to order a **Bravo Stanchion Power Tap (BVESR36)**, select:

Product Number

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*


- *10-wire system is available in two configurations (6-2-2 and 4-4-2)*
- *UL label is green for 6-2-2 and blue for 4-4-2 applications*
- *Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels*
- *Rated at 120 vAC @ 20 amps*
- *All receptacles rated at 15 amps*
- *Different receptacles for each system, and different connectors specific to each system*
- *Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared oversized neutral wire & building ground wire*
- *"Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared oversized neutral wire & share an isolated ground wire*

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Electrical (6-2-2 Circuit)



BVET6RW30


DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Rigid Wireway	BVET6RW30	30	\$
	BVET6RW36	36	\$
<ul style="list-style-type: none"> Includes harness and steel wireway cover Allows two duplex receptacles (ordered separately) 72"D allows four possible receptacle locations Desk worksurface must match length 	BVET6RW42	42	\$
	BVET6RW48	48	\$
	BVET6RW54	54	\$
	BVET6RW60	60	\$
	BVET6RW66	66	\$
	BVET6RW72	72	\$
	BVET6RW72D	72	\$

TO ORDER RIGID WIREWAY:

Select the product number and then add the codes for polypropylene (POLY) color and metal powder coat finish.
 For example, to order a **Bravo 6-2-2 Circuit 30" Rigid Wireway (BVET6RW30) w/ Black Polypropylene (POLY) Color (B) and Starlight Silver Metal Powder Coat Color (34)**, select:

Product Number	Metal Powder Coat Finish
BVET6RW30	B 34
	Poly Color

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Power Pass Through	BVET6PP24	24	\$
	BVET6PP30	30	\$
<ul style="list-style-type: none"> Includes harness to connect two rigid wireways Length must match desk length 	BVET6PP36	36	\$
	BVET6PP42	42	\$
	BVET6PP48	48	\$
	BVET6PP54	54	\$
	BVET6PP60	60	\$
	BVET6PP66	66	\$
	BVET6PP72	72	\$



BVET6PP24

TO ORDER POWER PASS THROUGH:

Select the product number (no selectable options are available for this product).
 For example, to order a **Bravo 6-2-2 Circuit 24" Power Pass Through (BVET6PP24)**, select:

Product Number
BVET6PP24

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included


- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

NOTES:


- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions




Components • Electrical (4-4-2 Circuit)



BVET4TF144



BVET4BF6



BVET4PF6L


DESCRIPTION	PRODUCT NUMBER	HARNESS LENGTH	POLE LENGTH	PRICING
Top Feed	BVET4TF144	144	7 ft.	\$
	BVET4TF216	216	10 ft.	\$
<ul style="list-style-type: none"> Includes harness, aluminum power pole and ceiling Polypropylene (see dimensions) Used to feed power from a hard wired J-box above a false ceiling to rigid wireway, attaches to grommet location 				

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Base Feed	BVET4BF6	6 ft.	\$
<ul style="list-style-type: none"> Used to feed power from a hard wired J-box or floor monument to the rigid wireway on a desk Includes harness with colored conduit covering 			

DESCRIPTION	PRODUCT NUMBER	FACING	PRICING
Panel Feed	BVET4PF6L	LEFT	\$
	BVET4PF6R	RIGHT	\$
<ul style="list-style-type: none"> Includes harness to connect adjacent Crescendo Panel system 			

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color and metal powder coat finish (excluding BVET6PF6L, BVET6PF6R and BVET6BF6). For example, to order a **Bravo 4-4-2 Circuit 7' Top Feed (BVET4TF144)** w/ **Black Polypropylene (POLY) Color (B)** and **Starlight Silver Metal Powder Coat Color (34)**, select:



- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*


- *10-wire system is available in two configurations (6-2-2 and 4-4-2)*
- *UL label is green for 6-2-2 and blue for 4-4-2 applications*
- *Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels*
- *Rated at 120 vAC @ 20 amps*
- *All receptacles rated at 15 amps*
- *Different receptacles for each system, and different connectors specific to each system*
- *Poly colored "convenience" circuits (1 & 2) have a hot wire with shared oversized neutral wire & building ground wire*
- *"Isolated ground" circuits colored orange (3 & 4) have separate hot wires, shared oversized neutral wire & share an isolated ground wire*

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions




Components • Electrical (4-4-2 Circuit)



BVET4R1

DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING
Receptacles	BVET4RC1	N/a	\$
	BVET4RC2	N/a	\$
	BVET4RC3I	N/a	\$
	BVET4RC4I	N/a	\$


- Includes a modular duplex 15 amp receptacle that snaps into a rigid wireway
- 3I & 4I will always be orange



BVESR36

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Stanchion Power Tap	BVESR36	36	\$
	BVESR96	96	\$

- Provides a duplex 15 amp receptacle behind a desk stanchion door
- 36" used to connect to rigid wireway receptacle
- 96" used to connect adjacent desk wiring



BVET4DJST

DESCRIPTION	PRODUCT NUMBER	SIZE	PRICING
Desk Jumper	BVET4DJST	Standard	\$
	BVET4DJ24	24	\$
	BVET4DJ30	30	\$

- Includes jumper harness to make electrical connection between adjacent desks

TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the polypropylene (POLY) color (only BVET4RC1 and BVET4RC2). For example, to order a **Bravo 4-4-2 Circuit Receptacle (BVET4RC1) w/ Black Polypropylene (POLY) Color (B)**, select:

Product Number

Poly Color

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*


- *10-wire system is available in two configurations (6-2-2 and 4-4-2)*
- *UL label is green for 6-2-2 and blue for 4-4-2 applications*
- *Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels*
- *Rated at 120 vAC @ 20 amps*
- *All receptacles rated at 15 amps*
- *Different receptacles for each system, and different connectors specific to each system*
- *Poly colored "convenience" circuits (1 & 2) have a hot wire with shared oversized neutral wire & building ground wire*
- *"Isolated ground" circuits colored orange (3 & 4) have separate hot wires, shared oversized neutral wire & share an isolated ground wire*

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Components • Electrical (4-4-2 Circuit)




BVET4RW30

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Rigid Wireway	BVET4RW30	30	\$
	BVET4RW36	36	\$
<ul style="list-style-type: none"> Includes harness and steel wireway cover Allows two duplex receptacles (ordered separately) 72"D allows four possible receptacle locations Desk worksurface must match length 	BVET4RW42	42	\$
	BVET4RW48	48	\$
	BVET4RW54	54	\$
	BVET4RW60	60	\$
	BVET4RW66	66	\$
	BVET4RW72	72	\$
	BVET4RW72D	72	\$

TO ORDER RIGID WIREWAY:

Select the product number and then add the codes for polypropylene (POLY) color and metal powder coat finish.
 For example, to order a **Bravo 4-4-2 Circuit 30" Rigid Wireway (BVET4RW30) w/ Black Polypropylene (POLY) Color (B) and Starlight Silver Metal Powder Coat Color (34)**, select:

Product Number	Metal Powder Coat Finish
BVET4RW30	B 34
	Poly Color



BVET4PP24

DESCRIPTION	PRODUCT NUMBER	LENGTH	PRICING
Power Pass Through	BVET4PP24	24	\$
	BVET4PP30	30	\$
<ul style="list-style-type: none"> Includes harness to connect two rigid wireways Length must match desk length 	BVET4PP36	36	\$
	BVET4PP42	42	\$
	BVET4PP48	48	\$
	BVET4PP54	54	\$
	BVET4PP60	60	\$
	BVET4PP66	66	\$
	BVET4PP72	72	\$

TO ORDER POWER PASS THROUGH:

Select the product number (no selectable options are available for this product).
 For example, to order a **Bravo 4-4-2 Circuit 24" Power Pass Through (BVET4PP24)**, select:

Product Number
BVET4PP24

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*

- *10-wire system is available in two configurations (6-2-2 and 4-4-2)*
- *UL label is green for 6-2-2 and blue for 4-4-2 applications*
- *Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels*
- *Rated at 120 vAC @ 20 amps*
- *All receptacles rated at 15 amps*
- *Different receptacles for each system, and different connectors specific to each system*
- *Poly colored "convenience" circuits (1 & 2) have a hot wire with shared oversized neutral wire & building ground wire*
- *"Isolated ground" circuits colored orange (3 & 4) have separate hot wires, shared oversized neutral wire & share an isolated ground wire*

NOTES:

- Product dimensions shown in approximate inches
- See page 66 for Polypropylene and Metal Powder Coat Finish selections
- See page 67 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 60-65)
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions



Bravo • Finishes




Polypropylene (POLY) Colors




Black
B




Grey
G



Light Tone
L



Sand
S



Warm Grey
W


Metal Powder Coat



Black
27



Sand
28



Gray
29




Light Tone
32



Warm Gray
33



Starlight Silver
34



Cottonwood
35

- *Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections*
- *Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way*
- *Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo*
- *All required assembly hardware is included*

- *We wish to ensure our customers quality is our priority, due to differences in stocks, piece to piece variation may occur*
- *We have made every effort to represent textures and colors of finishes and textiles. However we cannot guarantee 100% accuracy, due to variations that occur in the printing process*
- *Not all finishes are available for all product lines offered by UNICOR OFG*
- *Samples are available upon request*
- *To locate your local UNICOR/OFG Sales Representative, go online to www.unicor.gov/OFGSalesReps.aspx*
- *To view a complete list of finishes available to UNICOR OFG products and how to request samples, go online to www.unicor.gov*



Laminate

Name	Code	Name	Code	Name	Code	Name	Code
5th Ave Elm	PLM0677	Executive Mahogany	PLM0775	Natural Oak	PLM2503	Sterling Ash	PLM8217
Amber Cherry	PLM4030	Fashion Grey	PLM0787	Natural-Tigris	PLM4669	Stone Grafix	PLM2506
Amber Maple	PLM0472	Flax Gauze	PLM2513	Neo Walnut	PLM8207	Studio Teak	PLM8214
Astro Strandz	PLM8223	Flax Linen	PLM4990	Neutral Twill	PLM0163	Twilight Zephyr	PLM4041
Beigewood	PLM7850	Florence Walnut	PLM8208	Neutral White	PLM2516	Vapor Strandz	PLM8225
Biltmore Cherry	PLM4031	Fog	PLM0374	New Age Oak	PLM0104	Veranda Teak	PLM8209
Black	PLM0209	Folkstone	PLM2517	Noble Mahogany	PLM0220	Washington Oak	PLM0748
Blackbird	PLM8205	Folkstone Grafix	PLM0503	North Sea	PLM0401	White Barn	PLM8221
Brighton Walnut	PLM4032	Ginger Root Maple	PLM3247	Oiled Soapstone	PLM4044	White Tigris	PLM4043
Buka Bark	PLM8216	Gloss White Markerboard	PLM2521	Oyster Grey	PLM2519	White Twill	PLM1007
Canyon Zephyr	PLM4038	Graphite	PLM2514	Pearl Soapstone	PLM4045	Wild Cherry	PLM7101
Casual Linen	PLM4944	Graphite Grafix	PLM2507	Pennsylvania Cherry	PLM0392		
Charcoal-Boomerang	PLM6942	Graphite Twill	PLM0166	Pewter Brush	PLM4079		
Citadel	PLM2520	Graystone	PLM2505	Pewter Mesh	PLM4046		
Classic Linen	PLM4943	Grey	PLM4047	Portico Teak	PLM8210		
Colombian Walnut	PLM4034	Grey Elm	PLM8222	Pumice	PLM2515		
Concrete Stone	PLM0670	Harvest Maple	PLM8215	Rio	PLM8219		
Cosmic Strandz	PLM8226	Kensington Maple	PLM4036	Sail White	PLM0058		
Crisp Linen	PLM4942	Khaki Brown	PLM8211	Sarum Twill	PLM0164		
Desert Zephyr	PLM4039	Landmarkwood	PLM8220	Satin Stainless	PLM8224		
Designer White	PLM8212	Lime Stone	PLM2511	Select Cherry	PLM0445		
Dove Grey	PLM1013	Misted Zephyr	PLM4040	Shaker Cherry	PLM4035		
Earthen Twill	PLM0165	Monticello Maple	PLM4037	Sheer Mesh	PLM4100		
Earthen Warp	PLM4052	Mouse	PLM2518	Silver Alchemy	PLM4081		
Earthen Wash	PLM2510	Natural Canvas	PLM2509	Silver Oak	PLM8218		
Elemental Stone	PLM1005	Natural Maple	PLM2512	Steel Mesh	PLM4068		

- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- All required assembly hardware is included

- Quality is our priority, due to differences in stocks, piece-to-piece variation may occur
- Not all finishes are available for all product lines offered by UNICOR OFG
- Samples are available upon request
- To locate your local UNICOR OFG Sales Representative, go online to www.unicor.gov/OFGSalesReps.aspx
- To request samples of OFG Finish and Upholstery offerings, go online www.unicor.gov
- For a complete list of laminate, poly and metal colors see OFG Finish Card
- For a complete list of upholstery options see OFG Upholstery Card

Upholstery

Please go online to UNICOR OFG website for a complete list of offerings.

